FOREXAI

Full Project Blueprint & Build Guide

A practical specification for building a subscription-based AI trading journal and performance coach using Google AI Studio.

Product positioning
Help forex traders understand their own trading behaviour, measure risk, review past trades, and improve discipline using data-driven insights.

Version 1.0 | 12 November 2026

Important: Forex trading involves substantial risk. ForexAI is designed as an educational analytics and journaling tool. It must not promise profits, provide personalized regulated investment advice, or place trades automatically.

1. Executive summary

ForexAI is a web application for retail forex traders. A user imports a trade-history file (CSV first; broker integrations later), records their trading plan, and receives performance statistics plus an AI-generated review. The product focuses on what the trader can measure and improve: risk consistency, execution discipline, strategy performance, and journaling habits.

Recommended first product: AI trading journal + risk calculator + AI performance coach. Do not start with live buy/sell signals, broker account access, or automated execution. Those features add reliability, legal, security, and customer-trust challenges before product-market fit is proven.

The first customer

- Beginner and intermediate discretionary forex traders who already keep some trade history.
- Traders who use MT4/MT5 or a broker platform that can export account history to CSV.
- People who want to understand why their strategy performs differently across pairs, sessions, or risk levels.

The core promise

“Understand your trading performance, spot recurring mistakes, and make more disciplined decisions using your own trading data.”

What success looks like for the MVP

- A user can create an account and complete onboarding.
- A user can import a supported CSV and see validated trades.
- The dashboard shows reliable, reproducible performance metrics.
- The AI coach explains patterns using only the user's imported data and clearly states uncertainty.
- A user can save journal notes and export a report.
- A paid plan can be enabled after the free product is tested with real users.

2. MVP scope

Feature	MVP behaviour	Priority
Account & profile	Email sign-in, profile, base currency, timezone, risk preferences.	Must have
CSV trade import	Upload CSV, map columns, preview rows, validate, deduplicate, import.	Must have
Performance dashboard	Net P/L, win rate, average win/loss, profit factor, drawdown, trade count.	Must have
Trade journal	Notes, setup tags, emotions, rule-following, screenshots link (optional).	Must have
Risk calculator	Position-size estimate from balance, risk %, stop distance and pip value.	Must have
AI review	Summarize observed patterns and suggest questions/exercises for review.	Must have
Export	Download filtered trades and a performance report.	Should have
Subscription	Free tier and paid tier with usage limits.	After validation
Live market signals	Not in MVP.	Later / avoid initially
Broker auto-sync & execution	Not in MVP.	Later / specialist review required

3. User journeys and screens

A. Landing page

- Headline: “Turn your forex trade history into a clearer trading plan.”
- Explain the three steps: import trades → review performance → learn from patterns.
- Show sample dashboard screenshots using clearly labelled demo data.
- Include pricing, FAQ, privacy summary, risk disclaimer, and sign-up call to action.

B. Onboarding

1. Create account and verify email.
2. Choose account currency and timezone.
3. Choose experience level and preferred trading style (optional).
4. Set a personal risk limit for journaling purposes (for example, risk-per-trade target).
5. Show how to export trade history from the user's platform. Never request broker password or investor login.

C. Dashboard

- Date range filter and account selector.
- KPI cards: net P/L, win rate, profit factor, average R multiple, max drawdown, number of trades.
- Charts: equity curve, P/L by pair, P/L by day/session, distribution of R multiples.
- A visible data-quality status showing imported rows, skipped rows, and missing fields.

D. Import trades

1. Accept CSV only for the first release.
2. Display a preview and let users map columns such as open time, close time, symbol, side, entry, exit, stop loss, take profit, volume, commission, swap, and net profit.
3. Validate timestamps, numeric fields, trade direction, and missing values.
4. Show errors before import. Do not silently guess missing values.
5. Deduplicate using a stable source ticket/order ID when present; otherwise use a documented composite key.

E. AI coach

The coach should answer questions about the imported data, not invent market facts. Example questions: “Which currency pair had my largest losses?”, “Did I trade worse after two consecutive losses?”, “How consistent was my risk?”, and “What should I review this week?”

F. Journal entry

Allow a trader to add pre-trade plan, setup tag, reason for entry, emotion, rule-following score, post-trade reflection, and lesson learned. Keep free-text notes private to that user.

4. Metrics and calculation rules

Calculate metrics in deterministic backend code, not by asking the language model to do arithmetic. The AI may explain the computed results, but the application must own the calculations.

Metric	Definition / implementation note
Net P/L	Sum of net profit after commission and swap where available. State clearly if fees are missing.
Win rate	Winning closed trades ÷ all closed trades × 100. Define treatment of breakeven trades.
Profit factor	Gross profit on winners ÷ absolute gross loss on losers. Show “N/A” if there are no losses.
Average win / loss	Average net P/L among winning / losing closed trades.
Expectancy	Average net P/L per closed trade; optionally also show average R multiple if risk data is valid.
Max drawdown	Largest peak-to-trough decline in the chosen equity curve. Explain whether based on balance or trade sequence.
R multiple	Net result divided by initial monetary risk, only where initial risk can be determined reliably.

Metric definitions must be visible in tooltips or a help page. Different brokers export different fields; label incomplete metrics rather than implying false precision.

5. Technical architecture

Recommended architecture for a first web MVP:

Layer	Suggested choice	Responsibility
Frontend	React / Next.js (or AI Studio generated app)	Screens, charts, forms, import preview, responsive layout.
Backend API	Python FastAPI or server-side TypeScript	Authentication checks, file processing, metrics, AI requests.
Database	PostgreSQL via Supabase or Firebase/Firestore if using Firebase stack	Users, trades, journal entries, settings, subscription status.
File storage	Private object storage	Temporary import files and optional user attachments.
AI	Gemini API via server-side endpoint	Explain calculated metrics, summarize journals, answer grounded questions.
Payments	Stripe where supported; investigate local payment options for Kenya	Subscription checkout, billing status, webhook updates.
Hosting	Firebase App Hosting / Cloud Run / Vercel depending on stack	Deploy web app and API securely.

Google AI Studio can help generate and iterate on the application, but it is not a substitute for a production database, authentication, secure backend, billing webhooks, testing, or deployment configuration. Confirm the current AI Studio build/export workflow and supported integrations in Google's documentation before implementation.

Data flow

Browser → authenticated backend → CSV validation and normalization → database → deterministic analytics service → Gemini explanation endpoint → browser. The browser must never contain secret API keys. Gemini should receive only the minimum necessary, preferably aggregated or pseudonymized data.

Suggested project structure

```
forexai/ app/ dashboard/ import/ journal/ coach/ calculator/ settings/ pricing/ api/ auth/ imports/
trades/ analytics/ ai_coach/ billing/ shared/ schemas/ metric_definitions/ database/ migrations/
seed_demo_data/ tests/ unit/ integration/ sample_csv/ docs/ privacy/ supported_csv_formats/
```

6. Database design

Use user-scoped records. Every private row must be associated with an authenticated user ID, and database security rules must prevent one user from reading another user's records.

Table	Important fields
users	id, email, created_at, plan, timezone, base_currency
trading_accounts	id, user_id, platform_label, account_currency, account_label
trades	id, user_id, account_id, source_ticket, symbol, side, open_time, close_time, entry_price, exit_price, volume, stop_loss, take_profit, gross_pnl, commission, swap, net_pnl, import_id
journal_entries	id, user_id, trade_id (nullable), setup_tag, pre_trade_plan, emotion, followed_rules, reflection, created_at
imports	id, user_id, filename, status, rows_seen, rows_imported, rows_rejected, error_summary, created_at
user_settings	user_id, risk_target_percent, timezone, base_currency, preferences_json
subscriptions	id, user_id, provider, provider_customer_id, status, plan, renewal_at

Do not store broker passwords, trading account passwords, API secrets, or payment card data. Use a payment provider's hosted checkout and store only provider identifiers and subscription state.

7. AI coach specification

Grounding rules

- The AI receives validated summaries and selected trade records from the backend, not arbitrary database access.
- The AI must distinguish measured facts from hypotheses.
- If the dataset is too small or fields are missing, it must say so.
- It must not fabricate prices, news, economic events, trade outcomes, or calculations.
- It must not say a setup is guaranteed to win or tell users to risk more money.
- It should provide educational explanations, not personalized instructions to buy or sell a financial instrument.

Copy-paste system instruction for Gemini

```
You are ForexAI Coach, an educational trading-performance assistant. Your job is to help a user understand their own historical trading data and improve their review process. Rules: 1. Use only the supplied metrics, trade records, and journal notes. Do not invent missing data. 2. Do not predict guaranteed market outcomes, promise profits, or claim a strategy will work. 3. Do not issue direct buy/sell/hold instructions, specific entry/exit calls, or personalized investment recommendations. 4. Explain uncertainty, sample size, missing fees, and data-quality limitations. 5. Separate observations (what the data shows) from possible explanations (hypotheses). 6. Never recommend increasing leverage or risk to recover losses. 7. Encourage position sizing discipline, predefined risk limits, demo testing, and independent verification. 8. If asked for live market data, explain that no live feed is available unless one is explicitly provided. 9. Do not ask for broker passwords, account credentials, or payment details. 10. Keep answers concise, supportive, non-judgmental, and specific to the supplied data. Return: - Short summary - 2–4 evidence-based observations with the relevant metric/sample size - Possible explanations, clearly labelled as hypotheses - 1–3 review questions or educational next steps - Data limitations and risk reminder where relevant
```

Example backend payload to AI

```
{ "period": "2026-10-01 to 2026-10-31", "trade_count": 42, "win_rate_percent": 45.2, "profit_factor": 1.18, "net_pnl": 126.40, "max_drawdown_percent": 6.7, "pnl_by_symbol": [ {"symbol": "EURUSD", "trades": 18, "net_pnl": 94.20}, {"symbol": "GBPUSD", "trades": 14, "net_pnl": -31.50} ], "data_limitations": ["Stop-loss field missing on 8 trades"] }
```

8. Google AI Studio build prompts

Use these prompts in sequence. Review and test each generated change rather than asking the builder to create the entire production system in one step.

Prompt 1 — Generate the app

```
Build a responsive web application called ForexAI. It is an educational forex trading journal and performance analytics tool, NOT a signal service or broker. Create these pages: 1. Landing page with product explanation, pricing placeholders, risk disclaimer and sign-up CTA. 2. Authentication and onboarding. 3. Dashboard with KPI cards and charts using clearly labelled demo data. 4. CSV import wizard with preview, column mapping, validation errors and import summary. 5. Trade history table with filters and trade detail view. 6. Journal page with notes, setup tags, emotion and rule-following fields. 7. Risk calculator. 8. AI Coach page with chat interface and sample grounded responses. 9. Settings, privacy and account deletion pages. Use a clean professional dark/navy and light interface, accessible contrast, mobile responsiveness, clear empty states and loading/error states. Do not fabricate live prices or trading signals. Clearly label all demo data. Keep components modular and use mock services until backend contracts are defined.
```

Prompt 2 — Define the data model and API

```
Add typed data models and backend API contracts for users, trading_accounts, trades, journal_entries, imports, user_settings and subscriptions. Every private record must include user_id and enforce user ownership on the server. Add CSV import endpoints with validation, duplicate detection, import preview and error reporting. Never expose database credentials or Gemini API keys in browser code. Provide migrations or schema setup instructions and tests for authorization boundaries.
```

Prompt 3 — Implement calculations

```
Implement deterministic, unit-tested analytics functions for net P/L, win rate, average win, average loss, profit factor, expectancy, equity curve and max drawdown. Define how breakeven trades, missing commissions, open trades and missing stop-loss values are handled. Do not ask the AI model to calculate metrics. Add tests for empty datasets, all-winning trades, all-losing trades, breakeven trades, missing fees and invalid rows.
```

Prompt 4 — Add Gemini AI Coach

```
Add a server-side Gemini-powered AI Coach. The frontend sends a question to an authenticated backend endpoint. The backend retrieves only the signed-in user's permitted trade summaries and journal notes, calculates metrics itself, then sends a minimized context payload to Gemini. Use the ForexAI Coach safety instructions supplied in the project specification. The AI must ground statements in provided data, label hypotheses, disclose small samples and missing data, and never promise profits or provide direct buy/sell instructions. Add rate limits, token limits, error handling and an audit log that avoids storing unnecessary sensitive content.
```

Prompt 5 — Security and release review

```
Review the application for production readiness. Check authentication, server-side authorization, database row-level security, file upload limits, CSV formula injection, malicious file handling, XSS, CSRF where applicable, rate limiting, secret management, logging of personal data, account deletion, backup/restore and dependency vulnerabilities. Add automated tests. Do not claim compliance or security certification. Produce a deployment checklist and list every remaining manual configuration step.
```

9. Import format and data validation

Start with a documented CSV template. Traders' broker exports differ, so support a mapping step instead of assuming one fixed column order.

Canonical field	Required?	Notes
ticket_id	Preferred	Broker's unique trade/order identifier; use for deduplication.
symbol	Yes	Example EURUSD. Normalize case and whitespace.
side	Yes	BUY or SELL; reject unknown values.
open_time	Yes	Parse with explicit timezone assumptions.

Canonical field	Required?	Notes
close_time	Yes for closed trades	Open positions should be excluded from closed-trade metrics.
entry_price / exit_price	Recommended	Decimal values; validate plausible format.
volume	Recommended	Lot size or units; preserve source unit.
net_pnl	Recommended	Clarify whether commission and swap are included.
commission / swap	Optional	Store separately if provided.
stop_loss	Optional	Needed for reliable initial risk/R multiple.
take_profit	Optional	Store if exported.

Never silently infer a timezone, convert unknown lot units, or assume the broker's P/L includes all fees. Show a user-visible warning where assumptions are unavoidable.

10. Risk calculator

Inputs: account balance, account currency, risk percentage, stop-loss distance in pips, currency pair, and pip value (or a carefully sourced conversion input in a later version). Outputs: estimated monetary risk and position size. Make the user confirm units and pair convention.

Formula (when pip value per standard lot is known):

Position size in lots = (Account balance × Risk %) ÷ (Stop distance in pips × Pip value per lot)

The result is an estimate. Pip value varies by pair, quote currency, account currency, and exchange rate. Include spread, slippage, commissions, contract size, and broker-specific lot constraints as limitations. Do not present the result as a recommendation to take a trade.

11. Pricing and revenue model

Tier	Suggested price	Initial limits / value
Free	$0	One account, limited history, core metrics, limited AI reviews.
Starter	$9/month	More history, journal, monthly AI review.
Pro	$19/month	Advanced breakdowns, more AI reviews, exports.
Premium	$39/month	Multiple accounts, longer history, expanded reports.

These are test prices, not validated market prices. Interview traders and test willingness to pay before committing. Calculate AI costs, payment fees, hosting, support, refunds, taxes and currency conversion before setting final margins.

Revenue arithmetic

100 paying users at $19/month would produce $1,900 monthly gross subscription revenue before expenses, taxes, refunds and payment fees. This is an illustration, not a forecast.

How to acquire the first users

- Invite 10–20 traders to test the CSV import and trade review experience.
- Offer a free review of a sample export, using a privacy-safe workflow and deleting files according to a stated retention policy.

- Publish short educational content about common journaling mistakes and how to measure drawdown or expectancy.
- Partner with trading educators or communities only with permission and without implying endorsement.
- Ask testers what insight they acted on and what they would pay for; prioritize retention over sign-up counts.

12. Thirty-day implementation plan

Days	Deliverable	Acceptance test
1–3	Product scope, wireframes, sample CSV and landing page.	A trader understands the value and can navigate the prototype.
4–8	Authentication, user profile, database schema.	Users can sign in and cannot access another user's records.
9–13	CSV mapping, preview, validation and import.	Supported sample CSV imports correctly; invalid rows are reported.
14–17	Metrics engine and dashboard.	Unit tests pass and dashboard agrees with hand-calculated examples.
18–21	Journal and risk calculator.	Entries save securely; calculator shows assumptions and warnings.
22–24	Gemini Coach endpoint.	Responses cite supplied metrics, disclose uncertainty and avoid direct trade calls.
25–27	User testing and bug fixes.	At least 5–10 testers complete import and review without assistance.
28–30	Deploy beta, privacy page, feedback and pricing test.	Public beta works; secrets are server-side; known limitations are disclosed.

13. Security, privacy and responsible-use checklist

- Use authentication and enforce authorization on every backend request.
- Apply database row-level security or equivalent server-side ownership checks.
- Keep Gemini, database, payment and email secrets on the server; use environment secrets.
- Validate file size, MIME type, encoding, row count and every imported value.
- Protect against CSV formula injection when exporting data back to spreadsheets.
- Use HTTPS, rate limits, secure session handling, and least-privilege service accounts.
- Provide a clear privacy notice, retention period, export function and account/data deletion process.
- Do not collect broker credentials or store payment card details.
- Do not train or fine-tune models on user trading records without explicit, informed permission.
- Use demo data in screenshots and marketing. Never publish a user's trades without explicit consent.
- Have qualified legal counsel review the product, marketing, disclaimers, data processing and regulatory perimeter before commercial launch.

Regulatory note: The distinction between general-purpose educational software, financial analysis, investment advice, brokerage, portfolio management and automated execution depends on the actual functionality and jurisdiction. Kenya-based operation or customers may bring Capital Markets Authority and data-protection obligations into scope. This guide is not legal advice; obtain current Kenyan legal and regulatory guidance before launch.

14. Testing checklist

- CSV import: correct file, empty file, malformed file, wrong encoding, duplicate rows, missing columns, unusual date formats, negative P/L, open positions.
- Analytics: zero trades, all winners, all losers, breakeven trades, missing fees, partial history, out-of-order timestamps.
- Security: user A cannot view, edit, export or delete user B's trades or journal.
- AI: asks for guaranteed signal, asks to recover losses, missing data, tiny sample, prompt injection in journal notes, request for another user's data.
- Payments: successful checkout, failed payment, cancellation, expired subscription, webhook replay and plan downgrade.
- Usability: phone screen, slow network, keyboard navigation, readable charts and understandable error messages.

15. Launch checklist

1. Confirm the exact Google product you are using (Google AI Studio Build mode, Firebase Studio, or another tool).
2. Create a project in the chosen builder and use the prompts in Section 8 one at a time.
3. Connect authentication, database and private storage; configure security rules before uploading real data.
4. Implement backend calculations and test them independently from Gemini.
5. Add Gemini through a server-side endpoint and set usage limits.
6. Publish terms, privacy policy, risk disclosure and support contact.
7. Test with synthetic data first, then invite a small group of consenting beta testers.
8. Only add paid subscriptions after users repeatedly use the product and understand its limitations.

16. Recommended next version

Only after the MVP is useful and stable, consider: more broker CSV templates, MT4/MT5 statement import helpers, multi-account analytics, strategy tagging, custom reports, calendar annotations, optional market-data integrations, and coach-generated weekly review plans. Any live market feed must have a licensed data source, timestamping, outage handling and clear delayed/live labels.

Avoid adding auto-trading, broker credential collection, copy trading, or personalized live trade signals as a shortcut to monetization. They materially increase risk and regulatory complexity.

17. Final product definition

ForexAI v1 is a subscription web app that lets a forex trader import historical trades, inspect transparent performance metrics, maintain a private journal, calculate illustrative position sizes, and ask an AI coach evidence-based questions about their own history.

> **The first milestone is not “predict the market.” It is: help a trader understand their own results in less than five minutes after importing a trade-history file.**

End of project blueprint.

FOREXAI — COMPLETE VISUAL PROJECT

Expanded product vision, feature roadmap, UI concept art and Google AI Studio build instructions



The poster is an illustrative design concept, not a screenshot of a working application. All displayed prices, market values and performance figures are placeholders.

18. Expanded platform vision: ten product modules

The original project blueprint describes the first release. This expansion describes the broader product that ForexAI can grow into after the MVP has been validated.

Module	What it should do	Why users return
AI Market Intelligence	Licensed live/delayed quotes, trend context, volatility, technical levels, currency strength and event calendar.	Daily market context in one workspace.
AI Trade Setup Analyzer	Evaluate a user-defined setup against their chosen rules, risk limits, volatility and available chart data.	Pre-trade checklist and consistent process.
AI Trading Coach & Journal	Analyze imported trade history, journaling notes, habits, rule adherence and recurring performance patterns.	Personal feedback based on their own history.
Risk Management Centre	Position-size estimates, exposure, drawdown, loss limits, correlation warnings and risk summaries.	Helps users monitor risk before and after trades.
Backtesting & Strategy Lab	Historical rule-based tests, walk-forward and out-of-sample analysis, Monte Carlo and sensitivity checks.	Evidence-based strategy research.
AI Strategy Builder	Convert a plain-language strategy into editable, testable rules; require user confirmation before testing.	Moves from vague ideas to measurable rules.
Alerts & Notifications	User-configured price, indicator, volatility, calendar and personal risk-limit alerts.	Useful reminders without constant screen watching.
Forex Academy	Structured lessons, quizzes, exercises, glossary and an AI tutor for general education.	Learning and onboarding.
Community	Moderated discussion, strategy journals, challenges and educational events.	Peer learning and retention.
Professional Workspace	Multi-account imports, reports, exports, team/admin tools, integrations and subscription controls.	A more complete workflow for active users.

19. Detailed feature requirements

AI Market Intelligence

Inputs: timestamped price data from a licensed provider, pair, timeframe, selected indicators and an economic calendar feed. **Outputs:** a timestamped market briefing, trend/volatility description, chart levels with calculation method, upcoming events and data freshness. Every display must label data as live, delayed or unavailable. Never let Gemini invent quotes or news.

AI Trade Setup Analyzer

Let the user define the strategy and proposed entry, stop, target, direction and timeframe. Run deterministic checks for risk/reward, stop distance, exposure and rule alignment. AI may explain the checklist results. Show missing evidence and conflicting signals; do not turn a score into an unvalidated win probability.

AI Trading Coach & Journal

Combine closed-trade statistics with journal tags, emotions and rule-following notes. Identify patterns only when sample size supports a cautious observation. Let users inspect the exact trades behind every insight. Allow users to correct tags and dismiss inaccurate observations.

Risk Management Centre

Track user-defined daily/weekly loss limits, open risk, drawdown and currency concentration. Alerts should be configurable and explain their calculation. A warning is not a guarantee that a loss will be prevented.

Backtesting & Strategy Lab

Use reproducible historical datasets with source, timezone, spread, commission, swap and slippage assumptions. Include in-sample/out-of-sample separation, walk-forward evaluation, parameter sensitivity, Monte Carlo resampling and warnings about look-ahead bias, survivorship bias and overfitting.

AI Strategy Builder

Turn a trader's description into a draft rule specification. Display the rules in plain language and structured form, ask the user to confirm them, then pass the confirmed rules to a deterministic backtest engine. Never let an LLM silently execute trades or modify risk parameters.

Alerts, Academy and Community

Alerts need deduplication, quiet hours, delivery status and opt-out. Academy lessons should distinguish education from advice. Community requires moderation, reporting, anti-spam controls and clear rules against fake performance claims or solicitation.

20. Recommended navigation and screen map

Navigation item	Primary screens
Overview	Dashboard, account summary, recent activity, data-quality status
Market	Market overview, pair detail, chart, calendar, currency strength
Analyze	Setup analyzer, strategy builder, backtesting lab
My Trading	Trade import, trade history, journal, AI coach, reports
Risk	Risk calculator, exposure, drawdown, personal risk limits
Learn	Academy, lessons, quizzes, glossary
Community	Groups, discussions, challenges, events
Account	Profile, connected data sources, billing, privacy, export and delete

21. Product architecture for the expanded version

Keep calculations and permissions in trusted backend services. The language model is an explanation and interaction layer, not the source of truth for financial arithmetic.

Service	Responsibilities
Web frontend	Dashboard, charts, import wizard, journal, coach, settings and responsive experience.
Identity & access	Authentication, sessions, user roles, server-side authorization and account deletion.
Trade data service	CSV parsing, canonical trade schema, deduplication, import logs and data quality.
Analytics engine	Deterministic metrics, equity curve, drawdown, risk calculations and cohort summaries.
Market data adapter	Licensed price/calendar feeds, timestamps, freshness checks and provider failover.
Strategy engine	Rule definitions, historical simulation, costs, slippage and reproducible backtests.
AI orchestration	Gemini prompts, retrieval of authorized summaries, output validation, quotas and safety filters.
Notifications	Email/Telegram/push delivery, user preferences, retries and audit events.
Billing	Checkout, subscription state, webhooks, invoices and plan entitlements.
Admin & observability	Support tooling, system health, abuse monitoring, usage and error tracking.

Illustrative data flow

User browser → authenticated API → ownership/permission check → trade or market-data service → deterministic analytics → minimized context to Gemini → response validation → user interface. For backtesting: confirmed rules → simulation engine → metrics and diagnostics → AI explanation. The model must not have direct database credentials or unrestricted broker access.

22. Expanded Google AI Studio build prompts

Use these after the original five prompts in the first project PDF. Add one module at a time and ask the builder to preserve existing working features.

Prompt 6 — Build the complete navigation and module shells

Extend ForexAI with navigation for Overview, Market, Analyze, My Trading, Risk, Learn, Community and Account. Create responsive page shells, consistent design tokens, loading/empty/error states, accessible forms and mobile navigation. Use clearly labelled mock data only. Do not claim live market connectivity.

Prompt 7 — Market intelligence integration

Create a provider-agnostic market-data adapter interface. Do not scrape broker websites. All quotes and calendar events must include provider, timestamp, timezone and live/delayed status. If no provider is configured, show an explicit demo/unavailable state. Keep API keys server-side. Gemini may summarize supplied data but must not invent prices, news or events.

Prompt 8 — Strategy rules and backtesting

Create an editable strategy-rule schema and a deterministic historical backtesting service. Include transaction costs, spread, slippage, timezone handling, out-of-sample split, walk-forward testing, parameter sensitivity and Monte Carlo analysis. Add tests against known sample datasets. Display assumptions and warn about overfitting and look-ahead bias.

Prompt 9 — Alerts and notification preferences

Implement user-configured alert rules for price thresholds, indicator conditions, economic calendar events and personal risk limits. Include deduplication, cooldowns, quiet hours, delivery status, retry handling and unsubscribe controls. Do not create default buy/sell recommendations.

Prompt 10 — Academy and moderated community

Add an educational academy with lessons, quizzes and progress tracking, plus a moderated community with reporting, blocking, spam controls and rules against guaranteed-profit claims. Clearly label educational material and user-generated content. Do not represent community posts as verified trading advice.

Prompt 11 — Production integration audit

Audit all modules for authorization, privacy, performance, API cost, file security, data-provider licensing, AI grounding, billing entitlements, logging and accessibility. List mock integrations separately from working integrations. Produce a table of configured secrets, provider accounts, manual steps, tests and known limitations. Never claim a feature is live unless a real integration is configured and tested.

23. Feature release gates

Release	Include	Do not ship until
MVP beta	CSV import, journal, metrics, risk calculator, AI review.	Import correctness, privacy boundaries and calculation tests pass.
V1 paid	Reports, subscriptions, quotas, support and user exports.	Billing webhooks, deletion flow and costs are verified.
V2 intelligence	Licensed quotes, calendar, market summaries and alerts.	Provider terms, timestamps, outages and freshness are handled.
V3 quant lab	Strategy builder, backtesting and robustness analysis.	Simulation assumptions and bias tests are documented.
V4 ecosystem	Academy, community, multi-account and integrations.	Moderation, support and operational capacity are ready.

24. Important business and compliance guardrails

A polished product is not automatically a compliant financial service. The actual functionality, marketing, customer locations and revenue model determine the regulatory questions. Before launch, obtain Kenyan legal advice on the Capital Markets Act/CMA perimeter, data protection obligations, consumer protection, advertising, subscriptions and cross-border users. Check provider licences and terms for price data, news, charting and redistribution.

Do not collect broker passwords, place trades, manage customer funds, promise returns or market unvalidated scores as win probabilities. If you later consider execution, copy trading, personalized recommendations or broker integrations, pause for specialist legal, security and regulatory review.

The product should include: clear risk disclosure; methodology pages; data timestamps; correction/reporting tools; deletion and export; secure access controls; and visible distinction between educational analysis, user-generated content and third-party market data.

25. The most important product decisions

1. Start with a narrow user: MT4/MT5 retail traders who can export their trade history.

2. Make import quality and trustworthy analytics the foundation; a flashy AI chat is not enough.

3. Build the coach around evidence from the user's own trades and let users inspect the evidence.

4. Use the AI model for explanations and summarization; use tested code for calculations and backtests.

5. Add live market intelligence only after securing a suitable data provider and handling data freshness.

6. Charge only after a small beta group repeatedly uses the product and confirms value.

This expansion is designed to accompany the original ForexAI Full Project Build Guide. The original PDF contains the MVP data model, calculation definitions, initial Gemini system prompt, CSV specification, core prompts, testing checklist and 30-day build plan.