

Date: 21.09.2022

Smart Contract Security Audit

CRYPTO ISLAND TOKEN



Harry Kedelman
General Manager



Audit Result

CRYPTO ISLAND TOKEN has PASSED the smart contract security audit with the below privileges.

(Other unknown security vulnerabilities are not included in the audit responsibility scope)

Audit Result: PASSED

Ownership: Not renounced yet

KYC Verification: NA at the date of report edition

Audit Date: September 21, 2022

Audit Team: CONTRACTCHECKER

Findings_ Privileges of Ownership

Auto liquidity is going to an externally owned account

Owner can exclude an account from paying fees

Owner can change the fees but with limit of 25% at ma

Owner can change max transaction amount within reasonable limits

Owner can change swap settings

Owner can withdraw any stuck token (except native token) from the contract

Important Notice for Investors

As Contract Checker team we are mainly auditing the contract code to find out how it will be functioning, and risks which are hidden in the code if any.


There are many factors must be taken into consideration before investing to a project, like: ownership status, project team approach, marketing, general market condition, liquidity, token holdings etc.

Investors must always do their own research and manage their risk considering different factors which can affect the success of a project.



Table of Contents

| Audit Result |
|--|
| Findings_ Privileges of Ownership 1 |
| Important Notice for Investors |
| SUMMARY3 |
| Project Summary3 |
| OVERVIEW4 |
| Auditing Approach and Applied Methodologies4 |
| Security |
| Sound Architecture 4 |
| Code Correctness and Quality4 |
| Risk Classification4 |
| High level vulnerability5 |
| Medium level vulnerability 5 |
| Low level vulnerability5 |
| Vulnerability Checklist |
| Manual Audit: |
| Smart Contract SWC Attack Test |
| Automated Audit |
| Remix Compiler Warnings7 |
| Disclaimer 8 |





SUMMARY

CONTRACTCHECKER received an application for smart contract security audit of CRYPTO ISLAND TOKEN on September 20, 2022, from the project team to discover if any vulnerability in the source codes of the CRYPTO ISLAND TOKEN as well as any contract dependencies. Detailed test has been performed using Static Analysis and Manual Review techniques.

The auditing process focuses to the following considerations with collaboration of an expert team

- Functionality test of the Smart Contract to determine if proper logic has been followed throughout the whole process.
- Manually detailed examination of the code line by line by experts.
- Live test by multiple clients using Testnet.
- Analysing failure preparations to check how the Smart Contract performs in case of any bugs and vulnerabilities.
- Checking whether all the libraries used in the code are on the latest version.
- Analysing the security of the on-chain data.

Project Summary

Token Name CRYPTO ISLAND TOKEN

Web Site https://islandgroup.io/

Twitter https://twitter.com/islandgroupdao

Discord https://discord.com/invite/qs6kMgafS4

Platform Ethereum Network

Token Type ERC20

Language Solidity

Platforms & Tools Remix IDE, Truffle, Truffle Team, Ganache, Solhint, VScode, Mythril, Contract Library

Contract 0xAFCf6d2B81790f904Afe48C9f01B2c154b716924

Contract Link https://etherscan.io/token/0xafcf6d2b81790f904afe48c9f01b2c154b716924

Testnet Link https://testnet.bscscan.com/tx/0xc38405b68bb7d58faa6323e3fbf2b6385caa7b6d18cb6f46bda4b4fe4ce77681





OVERVIEW

This Audit Report mainly focuses on overall security of CRYPTO ISLAND TOKEN smart contract. Contract Checker team scanned the contract and assessed overall system architecture and the smart contract codebase against vulnerabilities, exploitations, hacks, and back-doors to ensure its reliability and correctness.

Auditing Approach and Applied Methodologies

Contract Checker team has performed rigorous test procedures of the project

- Code design patterns analysis in which smart contract architecture is reviewed to ensure it is structured according to industry standards and safe use of third-party smart contracts and libraries.
- Line-by-line inspection of the Smart Contract to find any potential vulnerability like race conditions, transaction-ordering dependence, timestamp dependence, and denial of service attacks.
- Unit testing Phase, we coded/conducted custom unit tests written for each function in the contract to verify that each function works as expected.
- Automated Test performed with our in-house developed tools to identify vulnerabilities and security flaws of the Smart Contract.

The focus of the audit was to verify that the Smart Contract System is secure, resilient, and working according to the specifications. The audit activities can be grouped in the following three categories:

Security

Identifying security related issues within each contract and the system of contract.

Sound Architecture

Evaluation of the architecture of this system through the lens of established smart contract best practices and general software best practices.

Code Correctness and Quality

A full review of the contract source code. The primary areas of focus include:

- Accuracy
- Readability
- Sections of code with high complexity
- Quantity and quality of test coverage

Risk Classification

Vulnerabilities are classified in 3 main levels as below based on possible effect to the contract.



High level vulnerability

Vulnerabilities on this level must be fixed immediately as they might lead to fund and data loss and open to manipulation. Any High-level finding will be highlighted with **RED** text

Medium level vulnerability

Vulnerabilities on this level also important to fix as they have potential risk of future exploit and manipulation. Any Medium-level finding will be highlighted with **ORANGE** text

Low level vulnerability

Vulnerabilities on this level are minor and may not affect the smart contract execution. Any Low-level finding will be highlighted with **BLUE** text

Vulnerability Checklist

| NºDescription.Result1Compiler warnings.Passed2Race conditions and Re-entrancy. Cross-function race conditions.Passed3Possible delays in data delivery.Passed4Oracle calls.Passed5Front running.Passed6Timestamp dependence.Passed7Integer Overflow and Underflow.Passed8DoS with Revert.Passed9DoS with block gas limit.Passed10Methods execution permissions.Passed11Economy model.Passed12The impact of the exchange rate on the logic.Passed13Private user data leaks.Passed14Malicious Event log.Passed15Scoping and Declarations.Passed16Uninitialized storage pointers.Passed17Arithmetic accuracy.Passed18Design Logic.Passed19Cross-function race conditions.Passed20Safe Zeppelin module.Passed21Fallback function security.Passed | | | |
|--|----|---|--------|
| 2Race conditions and Re-entrancy. Cross-function race conditions.Passed3Possible delays in data delivery.Passed4Oracle calls.Passed5Front running.Passed6Timestamp dependence.Passed7Integer Overflow and Underflow.Passed8DoS with Revert.Passed9DoS with block gas limit.Passed10Methods execution permissions.Passed11Economy model.Passed12The impact of the exchange rate on the logic.Passed13Private user data leaks.Passed14Malicious Event log.Passed15Scoping and Declarations.Passed16Uninitialized storage pointers.Passed17Arithmetic accuracy.Passed18Design Logic.Passed19Cross-function race conditions.Passed20Safe Zeppelin module.Passed | Νō | Description. | Result |
| 2Race conditions and Re-entrancy. Cross-function race conditions.Passed3Possible delays in data delivery.Passed4Oracle calls.Passed5Front running.Passed6Timestamp dependence.Passed7Integer Overflow and Underflow.Passed8DoS with Revert.Passed9DoS with block gas limit.Passed10Methods execution permissions.Passed11Economy model.Passed12The impact of the exchange rate on the logic.Passed13Private user data leaks.Passed14Malicious Event log.Passed15Scoping and Declarations.Passed16Uninitialized storage pointers.Passed17Arithmetic accuracy.Passed18Design Logic.Passed19Cross-function race conditions.Passed20Safe Zeppelin module.Passed | 1 | Compiler warnings. | Passed |
| 4 Oracle calls. 5 Front running. 6 Timestamp dependence. 7 Integer Overflow and Underflow. 8 DoS with Revert. 9 DoS with block gas limit. 10 Methods execution permissions. 11 Economy model. 12 The impact of the exchange rate on the logic. 13 Private user data leaks. 14 Malicious Event log. 15 Scoping and Declarations. 16 Uninitialized storage pointers. 17 Arithmetic accuracy. 18 Design Logic. 19 Cross-function race conditions. Passed 10 Passed 11 Economy model. 12 Passed 13 Private user data leaks. 14 Passed 15 Scoping and Declarations. 16 Uninitialized storage pointers. 17 Arithmetic accuracy. 18 Design Logic. 19 Cross-function race conditions. 20 Safe Zeppelin module. | 2 | | Passed |
| 5Front running.Passed6Timestamp dependence.Passed7Integer Overflow and Underflow.Passed8DoS with Revert.Passed9DoS with block gas limit.Passed10Methods execution permissions.Passed11Economy model.Passed12The impact of the exchange rate on the logic.Passed13Private user data leaks.Passed14Malicious Event log.Passed15Scoping and Declarations.Passed16Uninitialized storage pointers.Passed17Arithmetic accuracy.Passed18Design Logic.Passed19Cross-function race conditions.Passed20Safe Zeppelin module.Passed | 3 | Possible delays in data delivery. | Passed |
| 6 Timestamp dependence. 7 Integer Overflow and Underflow. 8 DoS with Revert. 9 DoS with block gas limit. 10 Methods execution permissions. 11 Economy model. 12 The impact of the exchange rate on the logic. 13 Private user data leaks. 14 Malicious Event log. 15 Scoping and Declarations. 16 Uninitialized storage pointers. 17 Arithmetic accuracy. 18 Design Logic. 19 Cross-function race conditions. Passed 20 Safe Zeppelin module. | 4 | Oracle calls. | Passed |
| 7 Integer Overflow and Underflow. 8 DoS with Revert. 9 DoS with block gas limit. 10 Methods execution permissions. 11 Economy model. 12 The impact of the exchange rate on the logic. 13 Private user data leaks. 14 Malicious Event log. 15 Scoping and Declarations. 16 Uninitialized storage pointers. 17 Arithmetic accuracy. 18 Design Logic. 19 Cross-function race conditions. 20 Safe Zeppelin module. 20 Passed 20 Safe Zeppelin module. | 5 | Front running. | Passed |
| 8 DoS with Revert. 9 DoS with block gas limit. 10 Methods execution permissions. 11 Economy model. 12 The impact of the exchange rate on the logic. 13 Private user data leaks. 14 Malicious Event log. 15 Scoping and Declarations. 16 Uninitialized storage pointers. 17 Arithmetic accuracy. 18 Design Logic. 19 Cross-function race conditions. 20 Safe Zeppelin module. 20 Passed | 6 | Timestamp dependence. | Passed |
| 9DoS with block gas limit.Passed10Methods execution permissions.Passed11Economy model.Passed12The impact of the exchange rate on the logic.Passed13Private user data leaks.Passed14Malicious Event log.Passed15Scoping and Declarations.Passed16Uninitialized storage pointers.Passed17Arithmetic accuracy.Passed18Design Logic.Passed19Cross-function race conditions.Passed20Safe Zeppelin module.Passed | 7 | Integer Overflow and Underflow. | Passed |
| 10 Methods execution permissions. 11 Economy model. 12 The impact of the exchange rate on the logic. 13 Private user data leaks. 14 Malicious Event log. 15 Scoping and Declarations. 16 Uninitialized storage pointers. 17 Arithmetic accuracy. 18 Design Logic. 19 Cross-function race conditions. 20 Safe Zeppelin module. Passed | 8 | DoS with Revert. | Passed |
| 11Economy model.Passed12The impact of the exchange rate on the logic.Passed13Private user data leaks.Passed14Malicious Event log.Passed15Scoping and Declarations.Passed16Uninitialized storage pointers.Passed17Arithmetic accuracy.Passed18Design Logic.Passed19Cross-function race conditions.Passed20Safe Zeppelin module.Passed | 9 | DoS with block gas limit. | Passed |
| The impact of the exchange rate on the logic. Passed Private user data leaks. Passed Malicious Event log. Scoping and Declarations. Passed Uninitialized storage pointers. Arithmetic accuracy. Passed Design Logic. Passed Cross-function race conditions. Passed Safe Zeppelin module. | 10 | Methods execution permissions. | Passed |
| 13Private user data leaks.Passed14Malicious Event log.Passed15Scoping and Declarations.Passed16Uninitialized storage pointers.Passed17Arithmetic accuracy.Passed18Design Logic.Passed19Cross-function race conditions.Passed20Safe Zeppelin module.Passed | 11 | Economy model. | Passed |
| 14Malicious Event log.Passed15Scoping and Declarations.Passed16Uninitialized storage pointers.Passed17Arithmetic accuracy.Passed18Design Logic.Passed19Cross-function race conditions.Passed20Safe Zeppelin module.Passed | 12 | The impact of the exchange rate on the logic. | Passed |
| 15Scoping and Declarations.Passed16Uninitialized storage pointers.Passed17Arithmetic accuracy.Passed18Design Logic.Passed19Cross-function race conditions.Passed20Safe Zeppelin module.Passed | 13 | Private user data leaks. | Passed |
| 16Uninitialized storage pointers.Passed17Arithmetic accuracy.Passed18Design Logic.Passed19Cross-function race conditions.Passed20Safe Zeppelin module.Passed | 14 | Malicious Event log. | Passed |
| 17Arithmetic accuracy.Passed18Design Logic.Passed19Cross-function race conditions.Passed20Safe Zeppelin module.Passed | 15 | Scoping and Declarations. | Passed |
| 18Design Logic.Passed19Cross-function race conditions.Passed20Safe Zeppelin module.Passed | 16 | Uninitialized storage pointers. | Passed |
| 19Cross-function race conditions.Passed20Safe Zeppelin module.Passed | 17 | Arithmetic accuracy. | Passed |
| 20 Safe Zeppelin module. Passed | 18 | Design Logic. | Passed |
| at the same and th | 19 | Cross-function race conditions. | Passed |
| | 20 | Safe Zeppelin module. | Passed |
| | 21 | Fallback function security. | Passed |

Manual Audit:

For this section the code was tested/read line by line by our developers. Additionally, Remix IDE's JavaScript VM and Kovan networks used to test the contract functionality.



Smart Contract SWC Attack Test


| SWC ID | Description | Test |
|---------|---|--------|
| 311012 | Description | Result |
| SWC-100 | Function Visibility | Passed |
| SWC-101 | Integer Overflow and Underflow | Passed |
| SWC-102 | Outdated Compiler Version | Passed |
| SWC-103 | Floating Pragma | Passed |
| SWC-104 | Unchecked Call Return Value | Passed |
| SWC-105 | Unprotected Ether Withdrawal | Passed |
| SWC-106 | Unprotected SELFDESTRUCT Instruction | Passed |
| SWC-107 | Re-entrancy | Passed |
| SWC-108 | State Variable Default Visibility | Passed |
| SWC-109 | Uninitialized Storage Pointer | Passed |
| SWC-110 | Assert Violation | Passed |
| SWC-111 | Use of Deprecated Solidity Functions | Passed |
| SWC-112 | Delegate Call to Untrusted Callee | Passed |
| SWC-113 | DoS with Failed Call | Passed |
| SWC-114 | Transaction Order Dependence | Passed |
| SWC-115 | Authorization through tx.origin | Passed |
| SWC-116 | Block value <mark>s as</mark> a proxy for time | Passed |
| SWC-117 | Signature Malleability | Passed |
| SWC-118 | Incorrect Constructor Name | Passed |
| SWC-119 | Shadowing State Variables | Passed |
| SWC-120 | Weak Sources of Randomness from Chain Attributes | Passed |
| SWC-121 | Missing Protection against Signature Replay Attacks | Passed |
| SWC-122 | Lack of Proper Signature Verification | Passed |
| SWC-123 | Requirement Violation | Passed |
| SWC-124 | Write to Arbitrary Storage Location | Passed |
| SWC-125 | Incorrect Inheritance Order | Passed |
| SWC-126 | Insufficient Gas Griefing | Passed |
| SWC-127 | Arbitrary Jump with Function Type Variable | Passed |
| SWC-128 | DoS With Block Gas Limit | Passed |
| SWC-129 | Typographical Error | Passed |
| SWC-130 | Right-To-Left-Override control character (U+202E) | Passed |
| SWC-131 | Presence of unused variables | Passed |
| SWC-132 | Unexpected Ether balance | Passed |
| SWC-133 | Hash Collisions with Multiple Variable Length Arguments | Passed |
| SWC-134 | Message call with hardcoded gas amount | Passed |
| SWC-135 | Code With No Effects (Irrelevant/Dead Code) | Passed |
| SWC-136 | Unencrypted Private Data On-Chain | Passed |



€ Smart contract successfully passed SWC test

Automated Audit

Manual test results verified with automated Hardhat test



Remix Compiler Warnings

It throws warnings by Solidity's compiler. No issues found.







Disclaimer

This is a limited report on our findings based on our analysis, in accordance with good industry practice as at the date of this report, in relation to cybersecurity vulnerabilities and issues in the framework and algorithms based on smart contracts, the details of which are set out in this report. To get a full view of our analysis, it is crucial for you to read the full report. While we have done our best in conducting our analysis and producing this report, it is important to note that you should not rely on this report and cannot claim against us based on what it says or doesn't say, or how we produced it, and it is important for you to conduct your own independent investigations before making any decisions. We go into more detail on this in the below disclaimer below – please make sure to read it in full.

DISCLAIMER: By reading this report or any part of it, you agree to the terms of this disclaimer. If you do not agree to the terms, then please immediately cease reading this report, and delete and destroy all copies of this report downloaded and/or printed by you. This report is provided for information purposes only and on a non-reliance basis and does not constitute investment advice. No one shall have any right to rely on the report or its contents, and ContractChecker and its affiliates (including holding companies, shareholders, subsidiaries, employees, directors, officers and other representatives) (ContractChecker) owe no duty of care towards you or any other person, nor does ContractChecker make any warranty or representation to any person on the accuracy or completeness of the report. The report is provided "as is", without any conditions, warranties or other terms of any kind except as set out in this disclaimer, and ContractChecker hereby excludes all representations, warranties, conditions and other terms (including, without limitation, the warranties implied by law of satisfactory quality, fitness for purpose and the use of reasonable care and skill) which, but for this clause, might have effect in relation to the report. Except and only to the extent that it is prohibited by law, ContractChecker hereby excludes all liability and responsibility, and neither you nor any other person shall have any claim against ContractChecker, for any amount or kind of loss or damage that may result to you or any other person (including without limitation, any direct, indirect, special, punitive, consequential or pure economic loss or damages, or any loss of income, profits, goodwill, data, contracts, use of money, or business interruption, and whether in delict, tort (including without limitation negligence), contract, breach of statutory duty, misrepresentation (whether innocent or negligent) or otherwise under any claim of any nature whatsoever in any jurisdiction) in any way arising from or connected with this report and the use, inability to use or the results of use of this report, and any reliance on this report.

The analysis of the security is purely based on the smart contracts alone. No applications or operations were reviewed for security. No product code has been reviewed.

