Lab Final

Course Title: Web Engineering

Course code: CSE-418

Section: PC-B

Abdullah Al Faisal

ID:171-15-1185

2)

```
<?php
  ob_start();
  session_start();
?>

// error_reporting(E_ALL);
// ini_set("display_errors", 1);
?>

<html lang = "en">

<head>
  <title>Tutorialspoint.com</title>
```

```
<link href = "css/bootstrap.min.css" rel = "stylesheet">
<style>
 body {
   padding-top: 40px;
   padding-bottom: 40px;
   background-color: #ADABAB;
 }
 .form-signin {
   max-width: 330px;
   padding: 15px;
   margin: 0 auto;
   color: #017572;
 }
 .form-signin .form-signin-heading,
 .form-signin .checkbox {
   margin-bottom: 10px;
 }
 .form-signin .checkbox {
   font-weight: normal;
 }
 . form\text{-}signin \ . form\text{-}control \ \{
   position: relative;
```

```
height: auto;
 -webkit-box-sizing: border-box;
 -moz-box-sizing: border-box;
 box-sizing: border-box;
 padding: 10px;
 font-size: 16px;
}
.form-signin .form-control:focus {
 z-index: 2;
}
.form-signin input[type="email"] {
 margin-bottom: -1px;
 border-bottom-right-radius: 0;
 border-bottom-left-radius: 0;
 border-color:#017572;
}
.form-signin input[type="password"] {
 margin-bottom: 10px;
 border-top-left-radius: 0;
 border-top-right-radius: 0;
 border-color:#017572;
}
```

```
text-align: center;
    color: #017572;
   }
 </style>
</head>
<body>
 <h2>Enter Username and Password</h2>
 <div class = "container form-signin">
   <?php
    $msg = ";
    if (isset($_POST['login']) && !empty($_POST['username'])
      && !empty($_POST['password'])) {
      if ($ POST['username'] == 'tutorialspoint' &&
        $_POST['password'] == '1234') {
        $_SESSION['valid'] = true;
        $ SESSION['timeout'] = time();
        $_SESSION['username'] = 'tutorialspoint';
        echo 'You have entered valid use name and password';
      }else {
        $msg = 'Wrong username or password';
```

```
}
      }
     ?>
   </div> <!-- /container -->
   <div class = "container">
     <form class = "form-signin" role = "form"
      action = "<?php echo htmlspecialchars($_SERVER['PHP_SELF']);
      ?>" method = "post">
      <h4 class = "form-signin-heading"><?php echo $msg; ?></h4>
      <input type = "text" class = "form-control"</pre>
        name = "username" placeholder = "username = tutorialspoint"
        required autofocus></br>
      <input type = "password" class = "form-control"</pre>
        name = "password" placeholder = "password = 1234" required>
      <button class = "btn btn-lg btn-primary btn-block" type = "submit"</pre>
        name = "login">Login</button>
     </form>
    Click here to clean <a href = "logout.php" tite = "Logout">Session.
   </div>
 </body>
</html>
```

```
Share main.php
                                                                                                                                                                                                                                                                                  EEC
                                                                                                                                                ı.lı Result
                 ohp
ob_start();
session_start();
                                                                                                                                                                                     Enter Username and Password
                                                                                                                                                                                       username = tutorialspoint
                <head>
    <title>Tutorialspoint.com</title>
    <link href = "css/bootstrap.min.css" rel = "stylesheet">
                                                                                                                                                                                      password = 1234
                                                                                                                                                                                                                                    Login
                    cstyle>
body {
  padding-top: 40px;
  padding-bottom: 40px;
  background-color: #ADABAB;
}
                                                                                                                                                 Click here to clean Session
                         .form-signin {
   max-width: 330px;
   padding: 15px;
   margin: 0 auto;
   color: #017572;
                           .form-signin .form-signin-heading,
.form-signin .checkbox {
  margin-bottom: 10px;
```

```
3)
HTML:
<!DOCTYPE html>
<html>
<head>
<title></title>
<link rel="stylesheet" type="text/css" href="style.css">
<link href="https://fonts.googleapis.com/css?family=Montserrat" rel="stylesheet">
</head>
<body>
<header class="site-header clearfix">
<nav>
 <div class="logo">
 <h1>Knowledge is power</h1>
```

```
</div>
<div class="menu">
 Home
 Services
 About
 Teacher Info
 Notice Board
 Contact Us
 </div>
</nav>
<section>
<div class="leftside">
 <img src="images/intro.png">
</div>
<div class="rightside">
 <h1>Adamjee Cantonment Public College</h1>
 <button>Welcome</button>
</div>
</section>
</header>
```


```
</body>
</html>
CSS:
*{
  margin: 0; padding:0; box-sizing: border-box;
 font-family: 'Montserrat', sans-serif;
}
.site-header {
  width: 100%;
 height: 100vh;
  background: #0f8a9d;
  background: linear-gradient(57deg, #00C6A7, #1E4D92);
 clip-path: polygon(0% 0%, 100% 0%, 100% 80%, 0% 100%);
}
nav{
 width: 100%; height: 100px;
 /*background-color: red;*/
  display: flex; color: white;
}
```

```
.logo{
  width: 50%;
  height: 100px;
}
.logo h1{
  line-height: 100px;
  padding-left: 50px;
}
.menu{
  width: 50%; height: 100px;
}
.menu ul{
  width: 100%;
  height: 100px;
  display: flex;
  flex-direction: row;
  justify-content: space-around;
  align-items: center;
}
.menu ul li{
  list-style: none;
  font-size: 12px;
```

```
font-weight: bold;
  text-transform: uppercase;
}
section{ display: flex; }
.leftside { width: 45%; height: auto; overflow: hidden; margin-top: 20px;}
.leftside img{ width: 600px; height: 500px; }
.rightside{ width: 55%; height: 300px; color: white; text-align: center; margin-top: 80px;
padding: 40px;}
.rightside h1{ text-align: center;
  color: #ffffff;
  font-size: 50px;
  font-weight: 900;
  text-transform: uppercase; }
.rightside p {
  font-size: 1.1rem; padding: 30px 0; }
.rightside button{ font-size: 17px;
  font-weight: 600;
  color: white;
  text-transform: uppercase;
  background: linear-gradient(57deg, #00C6A7, #1E4D92);
```

```
border-radius: 4px 4px 4px 4px;
padding: 20px 35px;
}

.rightside button:hover{
   background: linear-gradient(57deg, #1E4D92, #00C6A7 );
}
```



4) php:

```
<?php
require('db.php');</pre>
```

```
$id=$_REQUEST['id'];
$query = "DELETE FROM new_record WHERE id=$id";
$result = mysqli query($con,$query) or die ( mysqli error());
header("Location: view.php");
?>
5) php:
<?php
require('db.php');
include("auth.php");
$id=$_REQUEST['id'];
$query = "SELECT * from new record where id="".$id."";
$result = mysqli query($con, $query) or die ( mysqli error());
$row = mysqli_fetch_assoc($result);
?>
<!DOCTYPE html>
<html>
<head>
<meta charset="utf-8">
<title>Update Record</title>
<link rel="stylesheet" href="css/style.css" />
</head>
<body>
<div class="form">
<a href="dashboard.php">Dashboard</a>
| <a href="insert.php">Insert New Record</a>
```

```
| <a href="logout.php">Logout</a>
<h1>Update Record</h1>
<?php
$status = "";
if(isset($_POST['new']) && $_POST['new']==1)
{
$id=$ REQUEST['id'];
$trn_date = date("Y-m-d H:i:s");
$name =$ REQUEST['name'];
$age =$ REQUEST['age'];
$submittedby = $ SESSION["username"];
$update="update new record set trn date="".$trn date."",
name='".$name."', age='".$age."',
submittedby="".$submittedby." where id="".$id."";
mysgli guery($con, $update) or die(mysgli error());
$status = "Record Updated Successfully. </br>
<a href='view.php'>View Updated Record</a>";
echo ''.$status.'';
}else {
?>
<div>
<form name="form" method="post" action="">
<input type="hidden" name="new" value="1" />
<input name="id" type="hidden" value="<?php echo $row['id'];?>" />
<input type="text" name="name" placeholder="Enter Name"</p>
required value="<?php echo $row['name'];?>" />
<input type="text" name="age" placeholder="Enter Age"</p>
```

```
required value="<?php echo $row['age'];?>" />
<input name="submit" type="submit" value="Update" />
</form>
<?php } ?>
</div>
</div>
</body>
</html>
```

6) signupuser.php:

```
<!DOCTYPE HTML>
<html>
<head>
<title>User Signup</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
link href="quiz.css" rel="stylesheet" type="text/css">
</head>
<body>
<?php

extract($_POST);
include("database.php");
$rs=mysqli_query($conn,"select * from user where login='$user_id'");
if (mysqli_num_rows($rs)>0)
```

```
{
       echo "<br><br><div class=head1>Login Id Already Exists</div>";
       exit;
}
$query="insert into user(user_id,login,pass,name,email)
values('$user_id','$login','$pass','$name','$email')";
$rs=mysqli_query($conn,$query)or die("Could Not Perform the Query");
echo "<br><br><div class=head1>Your Login ID $user id Created Sucessfully</div>";
echo "<br/>br><div class=head1>Please Login using your Login ID to take Quiz</div>";
echo "<br/>br><div class=head1><a href=index.php>Login</a></div>";
?>
</body>
</html>
login.php:
<?php
include("database.php");
extract($_POST);
if(isset($submit))
{
       $rs=mysqli_query($conn,"select * from user where user_id='$user_id' and
pass='$pass'");
```

```
if(mysqli_num_rows($rs)<1)</pre>
       {
              $found="N";
       }
       else
       {
              $_SESSION["login"]=$user_id;
       }
}
if (isset($_SESSION["login"]))
{
echo "<h1 align=center>Hye you are sucessfully login!!!</h1>";
exit;
}
?>
<!DOCTYPE html>
<html>
<head>
<title>Login</title>
<meta name="viewport" content="width=device-width, initial-scale=1">
<link rel="stylesheet" href="style.css">
</head>
<body>
<center>
<div class="floating-box">
<form name="form1" method="post">
```

```
<label for="uname">User Name</label>
 <input type="text" id="loginid2" name="user_id"><br><br>
 <label for="pwd">Password</label>
 <input type="password" id="pass2" name="pass"><br><br>
 <input name="submit" type="submit" id="submit" value="Login"><br>
New User <a href="signup.php">Register Here</a>
<?php
             if(isset($found))
             {
                  echo 'Invalid user id or
password<br><a href="index.php">Please try again';
             }
             ?>
</center>
</form>
</div>
<center>
</body>
</html>
```

7) php:

```
<?php
$n=range(11,20);
shuffle($n);
for ($x=0; $x< 10; $x++)
{
echo $n[$x].'';
}
echo "\n"
?>
8)php:
<?php
$color = array ( "color" => array ( "a" => "Red", "b" => "Green", "c" => "White"),
"numbers" => array (1, 2, 3, 4, 5, 6),
"holes" => array ( "First", 5 => "Second", "Third"));
echo $color["holes"][5]."\n";//prints "second"
echo $color["color"]["a"]."\n";//prints "Red"
```

9) php nested for loop:

?>

```
<?php
$n=5;
for($i=1; $i<=$n; $i++)
{
for($j=1; $j<=$i; $j++)
```

```
{
echo ' * ';
echo '\n';
}
for($i=$n; $i>=1; $i--)
{
for($j=1; $j<=$i; $j++)
echo ' * ';
}
echo '\n ';
}
?>
10) php:
<?php
$color = array('white', 'green', 'red');
foreach ($color as $c)
{
echo "$c, ";
sort($color);
echo "";
foreach ($color as $y)
{
```

```
echo "$y";
}
echo "";
?>
```

11) HTML code:

```
<Html>
<head>
<title>
Registration Page
</title>
</head>
<body bgcolor="Lightskyblue">
<br>
<br>
<form>
<label> Firstname </label>
<input type="text" name="firstname" size="15"/> <br> <br>
<label> Middlename: </label>
<input type="text" name="middlename" size="15"/> <br>
<label> Lastname: </label>
<input type="text" name="lastname" size="15"/> <br> <br>
```

```
<label>
Course:
</label>
<select>
<option value="Course">Course</option>
<option value="Bsc">Bsc</option>
<option value="BBA">BBA</option>
<option value="Textile">Textile</option>
<option value="EEE">EEE</option>
<option value="Msc">Msc</option>
<option value="MBA">MBA</option>
</select>
<br>
<br>
<label>
Gender:
</label><br>
<input type="radio" name="male"/> Male <br>
<input type="radio" name="female"/> Female <br>
<input type="radio" name="other"/> Other
<br>
<br>
<label>
Phone:
</label>
```

```
<input type="text" name="country code" value="+88" size="2"/>
<input type="text" name="phone" size="11"/> <br> <br>
Address
<br>
<textarea cols="80" rows="5" value="address">
</textarea>
<br> <br>
Email:
<input type="email" id="email" name="email"/> <br>
<br> <br>>
Password:
<input type="Password" id="pass" name="pass"> <br>
<br> <br>>
Re-type password:
<input type="Password" id="repass" name="repass"> <br> <br>
<input type="button" value="Submit"/>
</form>
</body>
</html>
CSS CODE:
<!DOCTYPE html>
<html>
<head>
<meta name="viewport" content="width=device-width, initial-scale=1">
<style>
```


```
body{
font-family: Calibri, Helvetica, sans-serif;
 background-color: pink;
}
.container {
  padding: 50px;
 background-color: lightblue;
}
input[type=text], input[type=password], textarea {
width: 100%;
 padding: 15px;
 margin: 5px 0 22px 0;
 display: inline-block;
 border: none;
 background: #f1f1f1;
}
input[type=text]:focus, input[type=password]:focus {
background-color: orange;
outline: none;
}
div {
      padding: 10px 0;
     }
hr {
 border: 1px solid #f1f1f1;
 margin-bottom: 25px;
```

```
}
.registerbtn {
 background-color: #4CAF50;
 color: white;
 padding: 16px 20px;
 margin: 8px 0;
 border: none;
 cursor: pointer;
 width: 100%;
 opacity: 0.9;
}
.registerbtn:hover {
opacity: 1;
}
</style>
</head>
<body>
<form>
<div class="container">
 <center> <h1> Student Registeration Form</h1> </center>
 <hr>
 <label> Firstname </label>
<input type="text" name="firstname" placeholder= "Firstname" size="15" required />
<label> Middlename: </label>
<input type="text" name="middlename" placeholder="Middlename" size="15" required />
<label> Lastname: </label>
<input type="text" name="lastname" placeholder="Lastname" size="15"required />
```

```
<div>
<label>
Course:
</label>
<select>
<option value="Course">Course</option>
<option value="Bsc">Bsc</option>
<option value="BBA">BBA</option>
<option value="Textile">Textile</option>
<option value="EEE">EEE</option>
<option value="Msc">Msc</option>
<option value="MBA">MBA</option>
</select>
</div>
<div>
<label>
Gender:
</label><br>
<input type="radio" value="Male" name="gender" checked > Male
<input type="radio" value="Female" name="gender"> Female
<input type="radio" value="Other" name="gender"> Other
</div>
<label>
Phone:
</label>
```

```
<input type="text" name="country code" placeholder="Country Code" value="+88" size="2"/>
<input type="text" name="phone" placeholder="phone no." size="11"/ required>
Current Address:
<textarea cols="80" rows="5" placeholder="Current Address" value="address" required>
</textarea>
<label for="email"><b>Email</b></label>
<input type="text" placeholder="Enter Email" name="email" required>
</label for="psw"><b>Password</b></label>
<input type="password" placeholder="Enter Password" name="psw" required>
</label for="psw-repeat"><b>Re-type Password</b></label>
<input type="password" placeholder="Retype Password" name="psw-repeat" required>
<buttoon type="submit" class="registerbtn">Register</button>
</form>
</body>
```

</html>



1) regiser.php:

```
<label>Username</label>
       <input type="text" name="username" value="<?php echo $username; ?>">
      </div>
      <div class="input-group">
       <label>Email</label>
       <input type="email" name="email" value="<?php echo $email; ?>">
      </div>
      <div class="input-group">
       <label>Password</label>
       <input type="password" name="password_1">
      </div>
      <div class="input-group">
       <label>Confirm password</label>
       <input type="password" name="password_2">
      </div>
      <div class="input-group">
       <button type="submit" class="btn" name="reg_user">Register</button>
      </div>
      >
             Already a member? <a href="login.php">Sign in</a>
      </form>
</body>
</html>
```

CSS:

```
* {
 margin: 0px;
 padding: 0px;
}
body {
font-size: 120%;
background: #F8F8FF;
}
.header {
width: 30%;
 margin: 50px auto 0px;
 color: white;
 background: #5F9EA0;
text-align: center;
 border: 1px solid #B0C4DE;
 border-bottom: none;
 border-radius: 10px 10px 0px 0px;
 padding: 20px;
}
form, .content {
width: 30%;
 margin: 0px auto;
 padding: 20px;
 border: 1px solid #B0C4DE;
 background: white;
 border-radius: 0px 0px 10px 10px;
```

```
}
.input-group {
margin: 10px 0px 10px 0px;
}
.input-group label {
display: block;
text-align: left;
margin: 3px;
}
.input-group input {
height: 30px;
width: 93%;
 padding: 5px 10px;
font-size: 16px;
 border-radius: 5px;
 border: 1px solid gray;
}
.btn {
padding: 10px;
font-size: 15px;
color: white;
 background: #5F9EA0;
 border: none;
 border-radius: 5px;
}
.error {
width: 92%;
```

```
margin: 0px auto;
 padding: 10px;
 border: 1px solid #a94442;
 color: #a94442;
 background: #f2dede;
 border-radius: 5px;
text-align: left;
}
.success {
color: #3c763d;
background: #dff0d8;
 border: 1px solid #3c763d;
margin-bottom: 20px;
}
server.php:
<?php
session_start();
// initializing variables
$username = "";
$email = "";
$errors = array();
// connect to the database
```

```
$db = mysqli_connect('localhost', 'root', '', 'registration');
// REGISTER USER
if (isset($ POST['reg user'])) {
// receive all input values from the form
 $username = mysqli real escape string($db, $ POST['username']);
 $email = mysqli real escape string($db, $ POST['email']);
 $password_1 = mysqli_real_escape_string($db, $_POST['password_1']);
 $password 2 = mysqli real escape string($db, $ POST['password 2']);
// form validation: ensure that the form is correctly filled ...
// by adding (array push()) corresponding error unto $errors array
 if (empty($username)) { array push($errors, "Username is required"); }
 if (empty($email)) { array push($errors, "Email is required"); }
 if (empty($password 1)) { array push($errors, "Password is required"); }
 if ($password 1!= $password 2) {
       array_push($errors, "The two passwords do not match");
}
// first check the database to make sure
// a user does not already exist with the same username and/or email
 $user check guery = "SELECT * FROM users WHERE username='$username' OR
email='$email' LIMIT 1";
 $result = mysqli query($db, $user check query);
 $user = mysqli_fetch_assoc($result);
 if ($user) { // if user exists
```

```
if ($user['username'] === $username) {
   array_push($errors, "Username already exists");
 }
  if ($user['email'] === $email) {
   array push($errors, "email already exists");
  }
}
// Finally, register user if there are no errors in the form
 if (count($errors) == 0) {
       $password = md5($password_1);//encrypt the password before saving in the database
       $query = "INSERT INTO users (username, email, password)
                      VALUES('$username', '$email', '$password')";
       mysqli_query($db, $query);
       $_SESSION['username'] = $username;
       $ SESSION['success'] = "You are now logged in";
       header('location: index.php');
}
}
```