



HTML

CSS

MORE ▾



# Logistic Distribution

[< Previous](#)[Next >](#)

## Logistic Distribution

Logistic Distribution is used to describe growth.

Used extensively in machine learning in logistic regression, neural networks etc.

It has three parameters:

**loc** - mean, where the peak is. Default 0.

**scale** - standard deviation, the flatness of distribution. Default 1.

**size** - The shape of the returned array.

## Example

Draw 2x3 samples from a logistic distribution with mean at 1 and stddev 2.0:

```
from numpy import random  
  
x = random.logistic(loc=1, scale=2, size=(2, 3))  
  
print(x)
```

[Try it Yourself >>](#)

# Visualization of Logistic Distribution


## Example

```
from numpy import random
import matplotlib.pyplot as plt
import seaborn as sns

sns.distplot(random.logistic(size=1000), hist=False)

plt.show()
```

## Result



Try it Yourself »

# Difference Between Logistic and Normal Distribution

Both distributions are near identical, but logistic distribution has more area under the tails. ie. It representage more possibility of occurence of an events further away from mean.

For higher value of scale (standard deviation) the normal and logistic distributions are near identical apart from the peak.


## Example

```
from numpy import random
import matplotlib.pyplot as plt
import seaborn as sns

sns.distplot(random.normal(scale=2, size=1000), hist=False, label='normal')
sns.distplot(random.logistic(size=1000), hist=False, label='logistic')

plt.show()
```

## Result




Try it Yourself »

◀ Previous

Next ▶

COLOR PICKER



HOW TO

Tabs  
Dropdowns

Accordions  
Side Navigation  
Top Navigation  
Modal Boxes  
Progress Bars  
Parallax  
Login Form  
HTML Includes  
Google Maps  
Range Sliders  
Tooltips  
Slideshow  
Filter List  
Sort List

SHARE



CERTIFICATES

HTML  
CSS  
JavaScript  
SQL  
Python  
PHP  
jQuery  
Bootstrap  
XML

[Read More »](#)

---

REPORT ERROR

PRINT PAGE

FORUM

ABOUT

---

## Top Tutorials

[HTML Tutorial](#)  
[CSS Tutorial](#)  
[JavaScript Tutorial](#)  
[How To Tutorial](#)  
[SQL Tutorial](#)  
[Python Tutorial](#)  
[W3.CSS Tutorial](#)  
[Bootstrap Tutorial](#)  
[PHP Tutorial](#)  
[jQuery Tutorial](#)  
[Java Tutorial](#)  
[C++ Tutorial](#)

## Top References

[HTML Reference](#)  
[CSS Reference](#)  
[JavaScript Reference](#)  
[SQL Reference](#)  
[Python Reference](#)  
[W3.CSS Reference](#)  
[Bootstrap Reference](#)  
[PHP Reference](#)  
[HTML Colors](#)  
[jQuery Reference](#)  
[Java Reference](#)  
[Angular Reference](#)

## Top Examples

[HTML Examples](#)  
[CSS Examples](#)  
[JavaScript Examples](#)  
[How To Examples](#)  
[SQL Examples](#)  
[Python Examples](#)  
[W3.CSS Examples](#)  
[Bootstrap Examples](#)  
[PHP Examples](#)  
[jQuery Examples](#)  
[Java Examples](#)  
[XML Examples](#)

## Web Certificates

[HTML Certificate](#)  
[CSS Certificate](#)  
[JavaScript Certificate](#)  
[SQL Certificate](#)  
[Python Certificate](#)  
[jQuery Certificate](#)

PHP Certificate  
Bootstrap Certificate  
XML Certificate

[Get Certified »](#)

---

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2020 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

