



HTML

CSS

MORE ▾



Python File Write

[< Previous](#)[Next >](#)

Write to an Existing File

To write to an existing file, you must add a parameter to the `open()` function:

"a" - Append - will append to the end of the file

"w" - Write - will overwrite any existing content

Example

Open the file "demofile2.txt" and append content to the file:

```
f = open("demofile2.txt", "a")
f.write("Now the file has more content!")
f.close()

#open and read the file after the appending:
f = open("demofile2.txt", "r")
print(f.read())
```

[Run Example »](#)

Example

Open the file "demofile3.txt" and overwrite the content:

```
f = open("demofile3.txt", "w")
f.write("Woops! I have deleted the content!")
f.close()

#open and read the file after the appending:
f = open("demofile3.txt", "r")
print(f.read())
```

[Run Example »](#)

Note: the "w" method will overwrite the entire file.

Create a New File

To create a new file in Python, use the `open()` method, with one of the following parameters:

- "x" - Create - will create a file, returns an error if the file exist
- "a" - Append - will create a file if the specified file does not exist
- "w" - Write - will create a file if the specified file does not exist

Example

Create a file called "myfile.txt":

```
f = open("myfile.txt", "x")
```

Result: a new empty file is created!

Example

Create a new file if it does not exist:

```
f = open("myfile.txt", "w")
```

[< Previous](#)[Next >](#)

COLOR PICKER



HOW TO

Tabs
Dropdowns
Accordions
Side Navigation
Top Navigation
Modal Boxes
Progress Bars
Parallax
Login Form
HTML Includes
Google Maps
Range Sliders
Tooltips
Slideshow
Filter List
Sort List

SHARE



CERTIFICATES

HTML
CSS
JavaScript
SQL
Python
PHP
jQuery
Bootstrap
XML

[Read More »](#)

[REPORT ERROR](#)

[PRINT PAGE](#)

[FORUM](#)

[ABOUT](#)

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
jQuery Tutorial
Java Tutorial
C++ Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference
Bootstrap Reference
PHP Reference
HTML Colors

[jQuery Reference](#)
[Java Reference](#)
[Angular Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)
[Java Examples](#)
[XML Examples](#)

Web Certificates

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[jQuery Certificate](#)
[PHP Certificate](#)
[Bootstrap Certificate](#)
[XML Certificate](#)

[Get Certified »](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2020 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

