



Seaborn

[< Previous](#)[Next >](#)

Visualize Distributions With Seaborn

Seaborn is a library that uses Matplotlib underneath to plot graphs. It will be used to visualize random distributions.

Install Seaborn.

If you have Python and PIP already installed on a system, install it using this command:

```
C:\Users\Your Name>pip install seaborn
```

If you use Jupyter, install Seaborn using this command:

```
C:\Users\Your Name>!pip install seaborn
```

Distplots

Distplot stands for distribution plot, it takes as input an array and plots a curve corresponding to the distribution of points in the array.

Import Matplotlib

import the pyplot object of the Matplotlib module in your code using following code

```
import matplotlib.pyplot as plt
```

Import Seaborn

import the seaborn in your code using following code

```
import seaborn as sns
```

Plotting a Displot

Example

```
import matplotlib.pyplot as plt
import seaborn as sns

sns.distplot([0, 1, 2, 3, 4, 5])

plt.show()
```

[Try it Yourself »](#)

Plotting a Distplot Without the Histogram

Example

```
import matplotlib.pyplot as plt
import seaborn as sns

sns.distplot([0, 1, 2, 3, 4, 5], hist=False)


plt.show()
```

Try it Yourself »

Note: We will be using: `sns.distplot(arr, hist=False)` to visualize random distributions in this tutorial.

[< Previous](#)[Next >](#)

COLOR PICKER



HOW TO

Tabs
Dropdowns
Accordions
Side Navigation
Top Navigation
Modal Boxes
Progress Bars
Parallax
Login Form
HTML Includes
Google Maps

Range Sliders

Tooltips

Slideshow

Filter List

Sort List

SHARE



CERTIFICATES

HTML

CSS

JavaScript

SQL

Python

PHP

jQuery

Bootstrap

XML

[Read More »](#)

REPORT ERROR

PRINT PAGE

FORUM

ABOUT

Top Tutorials

HTML Tutorial

CSS Tutorial

JavaScript Tutorial

How To Tutorial

[SQL Tutorial](#)
[Python Tutorial](#)
[W3.CSS Tutorial](#)
[Bootstrap Tutorial](#)
[PHP Tutorial](#)
[jQuery Tutorial](#)
[Java Tutorial](#)
[C++ Tutorial](#)

Top References

[HTML Reference](#)
[CSS Reference](#)
[JavaScript Reference](#)
[SQL Reference](#)
[Python Reference](#)
[W3.CSS Reference](#)
[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[jQuery Reference](#)
[Java Reference](#)
[Angular Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)
[Java Examples](#)
[XML Examples](#)

Web Certificates

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[jQuery Certificate](#)
[PHP Certificate](#)
[Bootstrap Certificate](#)
[XML Certificate](#)

[Get Certified »](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and

accepted our terms of use, cookie and privacy policy. Copyright 1999-2020 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

