



HTML

CSS

MORE ▼



Python Modules

[< Previous](#)[Next >](#)

What is a Module?

Consider a module to be the same as a code library.

A file containing a set of functions you want to include in your application.

Create a Module

To create a module just save the code you want in a file with the file extension `.py`:

Example

Save this code in a file named `mymodule.py`

```
def greeting(name):  
    print("Hello, " + name)
```

Use a Module

Now we can use the module we just created, by using the `import` statement:

Example

Import the module named `mymodule`, and call the `greeting` function:

```
import mymodule  
  
mymodule.greeting("Jonathan")
```

[Run Example »](#)

Note: When using a function from a module, use the syntax:
module_name.function_name.

Variables in Module

The module can contain functions, as already described, but also variables of all types (arrays, dictionaries, objects etc):

Example

Save this code in the file `mymodule.py`

```
person1 = {  
    "name": "John",  
    "age": 36,  
    "country": "Norway"  
}
```

Example

Import the module named mymodule, and access the person1 dictionary:

```
import mymodule  
  
a = mymodule.person1["age"]  
print(a)
```

[Run Example »](#)

Naming a Module

You can name the module file whatever you like, but it must have the file extension `.py`

Re-naming a Module

You can create an alias when you import a module, by using the `as` keyword:

Example

Create an alias for `mymodule` called `mx` :

```
import mymodule as mx

a = mx.person1["age"]
print(a)
```

[Run Example »](#)

Built-in Modules

There are several built-in modules in Python, which you can import whenever you like.

Example

Import and use the `platform` module:

```
import platform

x = platform.system()
print(x)
```

[Try it Yourself »](#)

Using the dir() Function

There is a built-in function to list all the function names (or variable names) in a module. The `dir()` function:

Example

List all the defined names belonging to the platform module:

```
import platform

x = dir(platform)
print(x)
```

[Try it Yourself »](#)

Note: The `dir()` function can be used on *all* modules, also the ones you create yourself.

Import From Module

You can choose to import only parts from a module, by using the `from` keyword.

Example

The module named `mymodule` has one function and one dictionary:

```
def greeting(name):
    print("Hello, " + name)

person1 = {
```

```
"name": "John",  
"age": 36,  
"country": "Norway"  
}
```

Example

Import only the person1 dictionary from the module:

```
from mymodule import person1  
  
print (person1["age"])
```

[Run Example »](#)

Note: When importing using the `from` keyword, do not use the module name when referring to elements in the module. Example: `person1["age"]` , **not** `mymodule.person1["age"]`

Test Yourself With Exercises

Exercise:

What is the correct syntax to import a module named "mymodule"?

`mymodule`

[Submit Answer »](#)

[Start the Exercise](#)[< Previous](#)[Next >](#)

COLOR PICKER



HOW TO

Tabs
Dropdowns
Accordions
Side Navigation
Top Navigation
Modal Boxes
Progress Bars
Parallax
Login Form
HTML Includes
Google Maps
Range Sliders
Tooltips
Slideshow
Filter List
Sort List

SHARE



CERTIFICATES

HTML
CSS
JavaScript
SQL
Python
PHP
jQuery
Bootstrap
XML

[Read More »](#)

[REPORT ERROR](#)

[PRINT PAGE](#)

[FORUM](#)

[ABOUT](#)

Top Tutorials

HTML Tutorial
CSS Tutorial
JavaScript Tutorial
How To Tutorial
SQL Tutorial
Python Tutorial
W3.CSS Tutorial
Bootstrap Tutorial
PHP Tutorial
jQuery Tutorial
Java Tutorial
C++ Tutorial

Top References

HTML Reference
CSS Reference
JavaScript Reference
SQL Reference
Python Reference
W3.CSS Reference

[Bootstrap Reference](#)
[PHP Reference](#)
[HTML Colors](#)
[jQuery Reference](#)
[Java Reference](#)
[Angular Reference](#)

Top Examples

[HTML Examples](#)
[CSS Examples](#)
[JavaScript Examples](#)
[How To Examples](#)
[SQL Examples](#)
[Python Examples](#)
[W3.CSS Examples](#)
[Bootstrap Examples](#)
[PHP Examples](#)
[jQuery Examples](#)
[Java Examples](#)
[XML Examples](#)

Web Certificates

[HTML Certificate](#)
[CSS Certificate](#)
[JavaScript Certificate](#)
[SQL Certificate](#)
[Python Certificate](#)
[jQuery Certificate](#)
[PHP Certificate](#)
[Bootstrap Certificate](#)
[XML Certificate](#)

[Get Certified »](#)

W3Schools is optimized for learning, testing, and training. Examples might be simplified to improve reading and basic understanding. Tutorials, references, and examples are constantly reviewed to avoid errors, but we cannot warrant full correctness of all content. While using this site, you agree to have read and accepted our terms of use, cookie and privacy policy. Copyright 1999-2020 by Refsnes Data. All Rights Reserved.

Powered by W3.CSS.

