

Mashbot — Part 3B Test Plan: Conditions, Cases & Traceability

SE3002 Assignment 01, Part 3B — Functional Test Derivation, Execution and Traceability

Baseline under test: git tag base line -v2 (commit 74bd4f8a / d6714ff after doc additions — no code changes since the tag). Test basis: the SRS wording cited per requirement in docs/requirements-scope.md.

Before executing: you need at least two test accounts: (1) an account promoted to `account_type = 'admin'` via the Supabase SQL editor, and (2) one or more accounts with the `approver` and `publisher` roles granted via Admin -> Manage user accounts, in addition to the default `contributor` role every new signup gets.

Table A — Test Condition Record

Test basis / requirement	Condition ID	Test condition
FR6 (SRS 0650/0660)	COND-01	Valid credentials on an active account log in successfully.
FR6 (SRS 0390/0650)	COND-02	Valid credentials on a deactivated account must be rejected at login.
FR6 (SRS 0660)	COND-03	An incorrect password must be rejected with a generic error (no account enumeration).
FR5 (SRS 0530)	COND-04	Scheduling content with no time specified must default the go-live time to exactly 00:00 on the chosen date.
FR7 (SRS 0450)	COND-05	Requesting a password reset for a valid, existing email triggers the reset flow and shows a success message.
FR2 (SRS 0480-0540)	COND-06	Creating a campaign whose end date is before its start date must be rejected.
FR2 (SRS 0480-0540)	COND-07	Editing an existing campaign to set an end date before its start date must be rejected (same rule as creation).
FR2 (SRS 0480-0540)	COND-08	A campaign whose start date equals its end date (0-day campaign) is a valid boundary and must be accepted.
FR4 (SRS 0210)	COND-09	A Contributor can submit their own draft/rejected content for approval, moving it to <code>pending_approval</code> .
FR4 (SRS 0220)	COND-10	A user without the Approver role cannot approve/reject content pending approval.
FR1 (SRS 0400/0410)	COND-11	A user account that owns a campaign or authored content cannot be deleted, only deactivated.
FR1 (SRS 0240/0270-0320)	COND-12	Registering a new account with all required fields and a unique email/username succeeds.
FR1 (SRS 0240)	COND-13	Registering a new account with an email already in use must be rejected.
FR3 (SRS 0590/0600)	COND-14	Connecting the same external provider + handle twice for one user must be rejected (uniqueness).
FR3 (SRS 0610)	COND-15	A full, real end-to-end publish to an external social network cannot be executed because the integration is simulated (see docs/assumptions.md, item 4).

Table B — Test Case Record

How to use this section: every field below is filled in except **Actual result**, **Status**, and **Evidence** — those three are marked **[EXECUTE AND FILL IN]** for you to complete by actually performing the steps in the running app and taking a screenshot. For the four test cases tied to confirmed code defects (TC-02, TC-04, TC-07, TC-14), the predicted actual result is pre-filled based on direct source review — executing them should reproduce exactly what’s written, but you must still perform the steps yourself and capture the real screenshot as your evidence.

TC-01 — Successful login with an active account

ID / title	TC-01 — Baseline login success
Level / category	Normal · Manual
Test basis / objective	COND-01 / SRS 0650, 0660 — a valid, active user must be able to log in.
Preconditions	An account exists with status = active and a known password.
Test data	Email/password of an active test account.
Steps	1. Go to /login. 2. Enter the correct email and password. 3. Click "Log in".
Expected result	User is redirected to /dashboard and sees their own name in the nav bar.
Actual result	[EXECUTE AND FILL IN]
Status	[EXECUTE AND FILL IN]
Evidence	[EXECUTE AND FILL IN]

TC-02 — Deactivated account can still log in (confirmed defect)

ID / title	TC-02 — Deactivated account login bypass
Level / category	Invalid input / account-state boundary · Manual
Test basis / objective	COND-02 / SRS 0390, 0650 — a deactivated account must be rejected at login.
Preconditions	An account exists; an admin has deactivated it via Admin -> Manage user accounts.
Test data	Email/password of the now-deactivated account.
Steps	1. As admin, deactivate a test account. 2. Log out. 3. Go to /login and enter that account's correct email/password. 4. Click "Log in".
Expected result	Login is rejected with “This account has been deactivated. Contact an administrator.” and the user remains on /login.
Actual result	Login succeeds and the user is redirected to /dashboard — the deactivation check is computed (src/lib/actions/auth.ts, signIn) but its result is never used to block the sign-in (see docs/assumptions.md / SonarQube Finding 1, Part 3A).
Status	FAILED
Evidence	[EXECUTE AND FILL IN]

TC-03 — Login rejected for wrong password

ID / title	TC-03 — Invalid password rejected
Level / category	Invalid input · Manual
Test basis / objective	COND-03 / SRS 0660 — the system requires a valid username and password.
Preconditions	An active account exists.
Test data	Correct email, deliberately wrong password.
Steps	1. Go to /login. 2. Enter a valid email with an incorrect password. 3. Submit.
Expected result	Login rejected with “Invalid email or password.”, no account details revealed.
Actual result	[EXECUTE AND FILL IN]
Status	[EXECUTE AND FILL IN]
Evidence	[EXECUTE AND FILL IN]

TC-04 — Scheduled go-live defaults to “now” instead of 00:00 (confirmed defect)

ID / title	TC-04 — Schedule default time boundary
Level / category	Exact boundary value · Manual
Test basis / objective	COND-04 / SRS 0530 — a schedule with no time chosen must default to 00:00 on the chosen day.
Preconditions	A piece of content exists in “approved” status; logged in as a user with the Publisher role.
Test data	Any future date; leave the time field blank.
Steps	1. Open the campaign containing the approved content. 2. In the schedule form, pick a date but leave time blank. 3. Click "Schedule".
Expected result	Content's scheduled_at is set to the chosen date at exactly 00:00.
Actual result	scheduled_at is set to the chosen date at the current wall-clock time (src/lib/actions/content.ts, scheduleContent falls back to `now` instead of "00:00" when the time field is blank).
Status	FAILED
Evidence	[EXECUTE AND FILL IN]

TC-05 — Password reset request end-to-end

ID / title	TC-05 — Password reset request
Level / category	System-level (manual, full user journey) · Normal
Test basis / objective	COND-05 / SRS 0450 — the system gives users the ability to reset their password.
Preconditions	An account exists with a known, valid email.
Test data	That account's email address.
Steps	1. From /login, click “Forgot password?”. 2. Enter the account's email. 3. Submit.
Expected result	A success message is shown: “If an account exists for that email, a reset link has been sent.” (Supabase sends the actual email in the background.)
Actual result	[EXECUTE AND FILL IN]
Status	[EXECUTE AND FILL IN]
Evidence	[EXECUTE AND FILL IN]

TC-06 — Creating a campaign with an invalid date range is rejected

ID / title	TC-06 — Campaign create date validation
Level / category	Invalid input · Manual
Test basis / objective	COND-06 / SRS 0480-0540 — a campaign's schedule must be internally consistent.
Preconditions	Logged in as any active user.
Test data	Start date = a later date; End date = an earlier date.
Steps	1. Go to Campaigns -> New campaign. 2. Enter a name. 3. Set an end date earlier than the start date. 4. Submit.
Expected result	Form is rejected with “End date cannot be before the start date.” and no campaign is created.
Actual result	[EXECUTE AND FILL IN]
Status	[EXECUTE AND FILL IN]
Evidence	[EXECUTE AND FILL IN]

TC-07 — Editing a campaign accepts an invalid date range (confirmed defect)

ID / title	TC-07 — Campaign edit date validation missing
Level / category	Invalid input · Manual
Test basis / objective	COND-07 / SRS 0480-0540 — the same validation must apply on edit as on create.
Preconditions	An existing campaign with a valid start date.
Test data	Edit the campaign: set end date earlier than its start date.
Steps	1. Open an existing campaign -> Edit. 2. Change the end date to before the start date. 3. Save.
Expected result	Rejected with the same message as TC-06 (“End date cannot be before the start date.”).
Actual result	The save succeeds with no validation error — the end-date-before-start-date check present in createCampaign was not carried over to updateCampaign (src/lib/actions/campaigns.ts).
Status	FAILED
Evidence	[EXECUTE AND FILL IN]

TC-08 — Contributor submits content for approval (system-level)

ID / title	TC-08 — Submit-for-approval workflow
Level / category	System-level (manual, full user journey) · Normal
Test basis / objective	COND-09 / SRS 0210 — Contributors may submit their content for approval.
Preconditions	Logged in as a user with the Contributor role; a campaign exists.
Test data	Any text content, e.g. “Test post body”.
Steps	1. Open a campaign. 2. Add new text content (status starts as draft). 3. Click “Submit for approval” on that content item.
Expected result	Content's status badge changes from “Draft” to “Pending approval”, visible immediately without a page reload.
Actual result	[EXECUTE AND FILL IN]
Status	[EXECUTE AND FILL IN]
Evidence	[EXECUTE AND FILL IN]

TC-09 — Non Approver cannot approve pending content (system-level)

ID / title	TC-09 — Approval permission enforcement
Level / category	System-level (manual, full user journey) · Invalid / permission
Test basis / objective	COND-10 / SRS 0220 — only Approvers may approve content.
Preconditions	Content exists in “pending_approval” status; logged in as a user who has the Contributor role only (no Approver role).
Test data	N/A.
Steps	1. Open the campaign containing the pending content as the Contributor-only account. 2. Observe the available actions on that content item.
Expected result	No Approve/Reject buttons are shown to this user (the UI only renders them for users with the Approver role) — the content cannot be approved from this account.
Actual result	[EXECUTE AND FILL IN]
Status	[EXECUTE AND FILL IN]
Evidence	[EXECUTE AND FILL IN]

TC-10 — Admin cannot delete a user account with history (system-level)

ID / title	TC-10 — Account deletion history guard
Level / category	System-level (manual, full user journey) · Normal / business rule
Test basis / objective	COND-11 / SRS 0400/0410 — accounts with campaign/content history can only be deactivated.
Preconditions	Logged in as admin; a target user account owns at least one campaign.
Test data	The target user’s account.
Steps	1. Go to Admin -> Manage user accounts. 2. Find a user who owns a campaign. 3. Click “Delete” on that account.
Expected result	Rejected with “This account has campaign or content history and can only be deactivated, not deleted (SRS 0400).”; the “Deactivate” action remains available instead.
Actual result	[EXECUTE AND FILL IN]
Status	[EXECUTE AND FILL IN]
Evidence	[EXECUTE AND FILL IN]

TC-11 — New user registration end-to-end (system-level)

ID / title	TC-11 — Registration happy path
Level / category	System-level (manual, full user journey) · Normal
Test basis / objective	COND-12 / SRS 0240, 0270-0320 — new accounts can be created with the required fields.
Preconditions	No account exists yet for the chosen email.
Test data	A fresh username, name, email, and an 8+ character password.
Steps	1. Go to /register. 2. Fill in all four fields with unique values. 3. Submit.
Expected result	Account is created, user is redirected straight to /dashboard, and a corresponding row appears in the profiles table with roles = {contributor}.
Actual result	[EXECUTE AND FILL IN]
Status	[EXECUTE AND FILL IN]
Evidence	[EXECUTE AND FILL IN]

TC-12 — Registration rejected for an email already in use

ID / title	TC-12 — Duplicate email registration
Level / category	Invalid input / error handling · Manual
Test basis / objective	COND-13 / SRS 0240 — accounts are uniquely identified.
Preconditions	An account already exists for a given email.
Test data	That same email, any username/name/password.
Steps	1. Go to /register. 2. Enter an email that's already registered. 3. Submit.
Expected result	Registration is rejected with an error surfaced from Supabase Auth (account already exists), no duplicate account is created.
Actual result	[EXECUTE AND FILL IN]
Status	[EXECUTE AND FILL IN]
Evidence	[EXECUTE AND FILL IN]

TC-13 — Duplicate external service account connection is rejected

ID / title	TC-13 — External account uniqueness
Level / category	Invalid input / boundary (uniqueness) · Manual
Test basis / objective	COND-14 / SRS 0590, 0600 — the same external account should not be connected twice.
Preconditions	A provider + handle combination is already connected for the logged-in user.
Test data	The identical provider and external username used previously.
Steps	1. Go to /accounts. 2. Connect provider = facebook, handle = “testpage”. 3. Attempt to connect the exact same provider + handle again.
Expected result	Second attempt rejected with “That account is already connected.”
Actual result	[EXECUTE AND FILL IN]
Status	[EXECUTE AND FILL IN]
Evidence	[EXECUTE AND FILL IN]

TC-14 — Real end-to-end publish to an external network cannot be executed (BLOCKED)

ID / title	TC-14 — External publish blocked by design
Level / category	System-level (manual) · Blocked
Test basis / objective	COND-15 / SRS 0610 — standardized interaction with a real external service account.
Preconditions	N/A — no real OAuth credentials exist for any provider in this MVP.
Test data	N/A.
Steps	1. Attempt to locate any feature that would push published content to a real Facebook/Twitter/etc. account.
Expected result	N/A — there is no way to reach this end result because the feature was never wired to a live API.
Actual result	External connections are simulated (provider name + username stored locally only, see docs/assumptions.md item 4); “publishing” only changes the content's own status in our database. The precondition for this test (a real external account to publish to) cannot be satisfied.
Status	BLOCKED
Evidence	N/A — blocked by a documented architectural limitation, not by a defect. Reference: docs/assumptions.md, item 4.

TC-15 — Campaign with equal start and end date is accepted (boundary)

ID / title	TC-15 — Zero-length campaign boundary
Level / category	Exact boundary value · Manual
Test basis / objective	COND-08 / SRS 0480-0540 — a 0-day campaign is the edge of the date-order rule, not a violation of it.
Preconditions	Logged in as any active user.
Test data	Start date = End date = the same date, e.g. 2026-10-01 for both.
Steps	1. Go to Campaigns -> New campaign. 2. Enter a name. 3. Set both start and end date to the identical date. 4. Submit.
Expected result	Campaign is created successfully (equal dates are not “before”, so the endDate < startDate check must not trigger).
Actual result	[EXECUTE AND FILL IN]
Status	[EXECUTE AND FILL IN]
Evidence	[EXECUTE AND FILL IN]

Table C — Traceability Record

Requirement	Condition	Test case	Execution result	Defect report
FR6	COND-01	TC-01	[EXECUTE AND FILL IN]	N/A
FR6	COND-02	TC-02	FAILED	BUG-01
FR6	COND-03	TC-03	[EXECUTE AND FILL IN]	N/A
FR5	COND-04	TC-04	FAILED	BUG-02
FR7	COND-05	TC-05	[EXECUTE AND FILL IN]	N/A
FR2	COND-06	TC-06	[EXECUTE AND FILL IN]	N/A
FR2	COND-07	TC-07	FAILED	BUG-03
FR4	COND-09	TC-08	[EXECUTE AND FILL IN]	N/A
FR4	COND-10	TC-09	[EXECUTE AND FILL IN]	N/A
FR1	COND-11	TC-10	[EXECUTE AND FILL IN]	N/A
FR1	COND-12	TC-11	[EXECUTE AND FILL IN]	N/A
FR1	COND-13	TC-12	[EXECUTE AND FILL IN]	N/A
FR3	COND-14	TC-13	[EXECUTE AND FILL IN]	N/A
FR3	COND-15	TC-14	BLOCKED	N/A (documented limitation, not a defect)
FR2	COND-08	TC-15	[EXECUTE AND FILL IN]	N/A

Coverage check against the assignment's minimum requirements

- Exact boundary values (≥ 2 required): TC-04, TC-15 — 2 present.
- Invalid input / error handling (≥ 2 required): TC-02, TC-03, TC-06, TC-07, TC-12, TC-13 — 6 present.
- Manual system-level tests (≥ 3 required): TC-05, TC-08, TC-09, TC-10, TC-11, TC-14 — 6 present.
- Genuine FAILED/BLOCKED, non-trivial (≥ 2 required): TC-02 (FAILED), TC-04 (FAILED), TC-07 (FAILED), TC-14 (BLOCKED) — 4 present, none manufactured (each traces to a real code defect or a documented architectural limitation, not a relabeled PASS).
- All 7 FRs covered: FR1 (TC-10–12), FR2 (TC-06, 07, 15), FR3 (TC-13–14), FR4 (TC-08–09), FR5 (TC-04), FR6 (TC-01–03), FR7 (TC-05).