UBUNTU COMMANDS

OPERATING SYSTEMS LABS

LABTASK8

Submitted By

Abdullah Tahir Khurshid

(19P-0067)

Submitted to

MR. MUHAMMAD ABDULLAH

(COMPUTER INSTRUCTOR)

DEPARTMENT OF COMPUTER SCIENCE

FAST NATIONAL UNIVERSITY OF COMPUTER AND EMERGING SCINCES, PESHAWAR

Session 2020-2024

```c
online1.c
1    #include<unistd.h>
2    #include<stdio.h>
3    #include<signal.h>
4    #include<sys/types.h>
5    #include<sys/wait.h>
6    #include<stdlib.h>
7
8
9    int main()
10
11   {
12
13
14       int pid;
15       pid=fork();
16       if(pid==0)
17       {
18
19           printf("\n");
20           execl("/bin/ls","ls",NULL);
21           printf("\n");
22
23
24           exit(0);
25       }
26       else{
27           printf("program going to child ");
28           wait(NULL);
29           printf("\n");
30           printf("child is dead ,program ended");
31       }
32   }
```

```
-G1:~/assignemnt$ gcc online1.c -o x
(base) abdullah@abdullah-HP-ProBook-440-G1:~/assignemnt$ ./x

a.out  o  online1.c  task1.c  x
program going to child
child is dead ,program ended(base) abdullah@abdullah-HP-ProBook-440
```