


Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
Parallel Run Task	31.758 s	3	1	2	0	10	4	2	4	

Tag		Scei	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@Task_37	3	1	2	0	1	0	1	0


FEATURES SUMMARY

-- 4 --



#	Feature Name	T	P	F	S	Duration
1	Parallel Run Task	3	1	2	0	31.758 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Parallel Run Task	Todo List Data Table	3	3	0	0	13.399 s
2	Parallel Run Task	Form Page Data Table List <list<>></list<>	2	1	1	0	3.001 s
3	Parallel Run Task	Positive Login	5	0	1	4	15.104 s

DETAILED SECTION -- 6 --

Parallel Run Task

Scenarios		Steps	
Total - 3		Total - 10	
Pass - 1	3	Pass - 4	10
Fail - 2		Fail - 2	
Skip - 0		Skip - 4	
	Total - 3 Pass - 1 Fail - 2	Total - 3 Pass - 1 Fail - 2	Total - 3 Pass - 1 Fail - 2 Total - 10 Pass - 4 Fail - 2


Todo List Data Table



#	Step / Hook Details	Status	Duration
1	Given goes to "http://webdriveruniversity.com/To-Do-List/index.html"	PASSED	5.765 s
2	When enters todos	PASSED	0.544 s
	Prepare breakfast Wash the dishes Take care of baby Help your kid's homework Study Selenium Sleep		
3	Then users closes browser	PASSED	1.298 s

Form Page Data Table List<List<>>

DETAILED SECTION -- 7 --




#	Step / Hook Details	Status	Duration
1	Given user goes to home page	PASSED	2.918 s
2	When user enters username ,user enters password ,user enters comment	FAILED	0.020 s
	john_doe John.123 Hello I am John ali_can Ali.123 Hello I am Ali ayse_han Ayse.123 Hello I am Ayse		
	io.cucumber.core.exception.CucumberException: Step [user enters username _user enters password _user enters comment] is defined with 0 parameters at 'StepDefinitions.ParallelStepDefinitions.userEntersUsernameUserEntersPasswordUserEntersComment()'. However, the gherkin step has 1 arguments: * Table: john_doe John.123 Hello am John ali_can Ali.123 Hello am Ali ayse_han Ayse.123 Hello am Ayse Step text: user enters username _user enters password_user enters comment at io.cucumber.core.runner.PickleStepDefinitionMatch.arityMismatch(PickleStepDefinitionMatch.java:83) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:42) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:84) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$run\$0(PickleRunners.java:151) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$run\$0(PickleRunners.java:137) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:137) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:137) at io.cucumber.junit.PickleRunners\$NoStepDescriptions.run(PickleRunners.java:148) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at io.cucumber.junit.FeatureRunner.runChild(FeatureRunner.java:28) at org.junit.runners.ParentRunners.SeatureRunner.java:331) at org.junit.runners.ParentRunners.SeatureRunner.java:329) at org.junit.runners.ParentRunner.seatureRunner.access\$100(ParentRunner.java:329) at org.junit.runners.ParentRunner.access\$100(ParentRunner.java		
	at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293)		

#	Step / Hook Details	Status	Duration
	at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunner.run(ParentRunner.java:413) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:196) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:396) at io.cucumber.junit.Cucumber.runChild(Cucumber.java:391) at org.junit.runners.ParentRunner\$4.run(ParentRunner.java:331) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner\$1.schedule(ParentRunner.java:79) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:329) at org.junit.runners.ParentRunner\$2.evaluate(ParentRunner.java:293) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runFeatures\$6(CucumberExecutionContext.java:148) at io.cucumber.core.runtime.CucumberExecutionContext.execute(CucumberExecutionContext.java:163) at io.cucumber.core.runtime.CucumberExecutionContext.runFeatures(CucumberExecutionContext.java:146) at io.cucumber.junit.Cucumber\$startAndFinishTestRun.evaluate(Cucumber.java:226) at org.junit.runners.ParentRunner\$3.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunners\$1.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunners\$1.evaluate(ParentRunner.java:413) at org.junit.runners.ParentRunners\$1.evaluate(ParentRunner.java:413) at org.junit.runners.ParentRunners\$1.evaluate(ParentRunner.java:306) at org.junit.runners.ParentRunners*1.evaluate(ParentRunner.java:317) at com.intellij.rt.junit.ldeaTestRunners*1.evaluate(IdeaTestRunner.java:38) at com.intellij.rt.junit.ldeaTestRunners*1.evaluate(IdeaTestRunner.java:38) at com.intellij.rt.punit.JunitStarter.pepares*1.evacute(IdeaTestRunner.java:35) at com.intellij.rt.punit.JunitStarter.pepares*1.evacute(IdeaTestRunner.java:35) at com.intellij.rt.junit.JunitStarter.pepares*1.evacute(IdeaTestRunner.java:35)		
	at com.intellij.rt.junit.JUnitStarter.main(JUnitStarter.java:55) AFTER - StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.162, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e, userDataDir: C:\Users\MONSTER\appData\Lo}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57431}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57431/devtoo, se:cdpVersion: 121.0.6167.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.\$RemoteWebDriver.getDriver(Driver.java:45)	FAILED	0.051 s

#	Step / Hook Details	Status	Duration
	at StepDefinitions.Hooks.tearDown(Hooks.java:28)		

Positive Login



#	Step / Hook Details	Status	Duration
1	When users enters username "XYZ@hotmail.com"	FAILED	15.071 s
	org.openga.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=121.0.6167.162) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: Windows 10', os. arch: 'and64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openga.selenium.chrome.ChromeDriver Command: [731ddf48550b423897636ba20d6c8ace, findElement (using=id, value=email)] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.162, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e, userDataDir: C:\Users\MONSTER\AppData\Lo), fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57447}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57447/devtoo, se:cdpVersion: 121.0.6167.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:largeBlob: true, webauthn:vitualAuthenticators: true) Session ID: 731ddf48550b423897636ba20d6c8ace at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:200) at org.openga.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133) at org.openga.selenium.remote.HttpCommandExecutor.execute(PtrocommandExecutor.java:175) at org.openga.selenium.remote.BementLocation\$Element(Element		

DETAILED SECTION -- 10 --

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354) at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68) at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38) at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source) at StepDefinitions.ContactListParallelStepDefinitions.userEntersUsername(ContactListParallelStepDefinitions.java:62) at ?.users enters username "XYZ@hotmail.com"(file:///C:/Users/MONSTER/IdeaProjects/CucumberProject/src/test/Resources/Features/Task_37.feature:28)		
	* Not displayable characters are replaced by '?'.	CIVIDDED	0.004 =
2	And users enters password "Clarusway.123"	SKIPPED	0.004 s
3	And users clicks on submit button	SKIPPED	0.001 s
4	Then users validates sign in	SKIPPED	0.002 s
5	And users closes browser	SKIPPED	0.000 s
	AFTER - StepDefinitions. Hooks.tearDown(io.cucumber.java.Scenario) org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.162, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e, userDataDir: C:\Users\MONSTER\AppData\Lo}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:57431}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:57431/devtoo, se:cdp\Version: 121.0.6167.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:extension:largeBlob: true, at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:596) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:600) at org.openqa.selenium.remote.RemoteWebDriver.gava	FAILED	0.010 s