


Feature	Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S		
Parallel Run Task	43.551 s	3	1	2	0	10	5	1	4		

Tag		Scer	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@ParallelTestRun	3	1	2	0	1	0	1	0
@Task_37	3	1	2	0	1	0	1	0


FEATURES SUMMARY

-- 4 --



#	Feature Name	T	P	F	S	Duration
1	Parallel Run Task	3	1	2	0	43.551 s

SCENARIOS SUMMARY -- 5 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	Parallel Run Task	Todo List Data Table	3	3	0	0	15.099 s
2	Parallel Run Task	Form Page Data Table List <list<>&gt;</list<>	2	2	0	0	11.246 s
3	Parallel Run Task	Positive Login	5	0	1	4	17.087 s

DETAILED SECTION -- 6 --

## **Parallel Run Task**

FAILED	DURATION - 43.551 s	Scenarios		Steps	
		Total - 3		Total - 10	
/ 2:26:49.772 AM // 2	2:27:33.323 AM /	Pass - 1	3	Pass - 5	10
		Fail - 2	, J	Fail - 1	
		Skip - 0		Skip - 4	


## **Todo List Data Table**



#	Step / Hook Details	Status	Duration
1	Given goes to "http://webdriveruniversity.com/To-Do-List/index.html"	PASSED	7.114 s
2	When enters todos	PASSED	0.763 s
	Prepare breakfast Wash the dishes Take care of baby Help your kid's homework Study Selenium Sleep		
3	Then users closes browser	PASSED	1.467 s

**Form Page Data Table List<List<>>** 


DETAILED SECTION -- 7 --



#	Step / Hook Details	Status	Duration
1	Given user goes to home page	PASSED	2.848 s
2	When user enters username ,user enters password ,user enters comment	PASSED	5.364 s
	john_doe John.123 Hello I am John ali_can Ali.123 Hello I am Ali ayse_han Ayse.123 Hello I am Ayse		
	AFTER - StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	FAILED	3.026 s
	org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.162, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e, userDataDir: C:\Users\MONSTER\AppData\Lo}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58013}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58013/devtoo, se:cdpVersion: 121.0.6167.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at Org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:36) at Utilities.Driver.getDriver(Driver.java:46) at StepDefinitions.Hooks.tearDown(Hooks.java:36)		

## **Positive Login**

DETAILED SECTION -- 8 --



#	Step / Hook Details	Status	Duration
1	When users enters username "XYZ@hotmail.com"	FAILED	17.051 s
1	When users enters username "XYZ@hotmail.com"  org.openqa.selenium.NoSuchElementException: no such element: Unable to locate element: {"method":"css selector","selector":"#email"} (Session info: chrome=121.0.6167.162) For documentation on this error, please visit: https://www.selenium.dev/documentation/webdriver/ troubleshooting/errors#no-such-element-exception Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os. arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [Idfadbc320fd7ada0b32023f539fed74, findElement {using=id, value=email}} Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.162, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e, userDataDir: C:\Users\MONSTER\AppData\Lo}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58054}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58054/devtoo, se:cdpVersion: 121.0.6167.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:miniPinLength: true, webauthn:extension:credBlob: true, webauthn:extension:iminiPinLength: true, webauthn:extension:extension:miniPinLength: true, webauthn:extension:credBlob: database/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(WithCaller(Constructor.java:502) at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:486) at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:133)	FAILED	17.051 s
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:52)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:191)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523)		
	at org.openga.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)		
	at org.openga.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:360)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:354)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)		
	at jdk.proxy2/jdk.proxy2.\$Proxy25.sendKeys(Unknown Source)		
	at StepDefinitions.ContactListParallelStepDefinitions.userEntersUsername(ContactListParallelStepDefinitions.java:62)		

DETAILED SECTION -- 9 --

#	Step / Hook Details	Status	Duration
	at ?.users enters username "XYZ@hotmail.com"(file:///C:/Users/MONSTER/IdeaProjects/CucumberProject/src/test/Resources/Features/Task_37.feature:29)  * Not displayable characters are replaced by '?'.		
2	And users enters password "Clarusway.123"	SKIPPED	0.004 s
3	And users clicks on submit button	SKIPPED	0.001 s
4	And users validates sign in	SKIPPED	0.005 s
5	Then users closes browser	SKIPPED	0.002 s
	AFTER - StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)  org.openqa.selenium.NoSuchSessionException: Session ID is null. Using WebDriver after calling quit()? Build info: version: '4.16.1', revision: '9b4c83354e' System info: os.name: 'Windows 10', os.arch: 'amd64', os.version: '10.0', java.version: '21.0.2' Driver info: org.openqa.selenium. chrome.ChromeDriver Command: [null, setTimeout {implicit=10000}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 121.0.6167.162, chrome: {chromedriverVersion: 121.0.6167.85 (3f98d690ad7e, userDataDir: C:\Users\MONSTER\AppData\Lo}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:58013}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:58013/devtoo, se:cdpVersion: 121.0.6167.162, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true,	FAILED	0.006 s
	webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:152) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:200) at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:175) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:523) at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteTimeouts.implicitlyWait(RemoteWebDriver.java:938) at Utilities.Driver.getDriver(Driver.java:46) at StepDefinitions.Hooks.tearDown(Hooks.java:28)		