

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>Data Tables</u>	4.909 s	1	1	0	0	3	3	0	0	
Parameterizing Feature	0.024 s	1	1	0	0	6	6	0	0	


Tag	Scenario			Feature				
Name	T	P	F	S	Т	P	F	S
@Smoke	2	2	0	0	2	2	0	0
@Todo	1	1	0	0	1	1	0	0
@FailedScenario	1	1	0	0	1	1	0	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration
1	<u>Data Tables</u>	1	1	0	0	4.909 s
2	Parameterizing Feature	1	1	0	0	0.024 s

SCENARIOS SUMMARY -- 5 --




7	#	Feature Name	Scenario Name	T	P	F	S	Duration
	1	<u>Data Tables</u>	Todo List Data Table	3	3	0	0	4.902 s
	2	Parameterizing Feature	Positive Login	6	6	0	0	0.024 s

DETAILED SECTION -- 6 --

Data Tables

PASSED	DURATION - 4.909 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 9:56:43.426 PM // 9	9:56:48.335 PM /	Pass - 1	1	Pass - 3	3
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	
				<u> </u>	

Todo List Data Table




#	Step / Hook Details	Status	Duration
1	Given go to "http://webdriveruniversity.com/To-Do-List/index.html"	PASSED	3.914 s
2	When enter todos	PASSED	0.003 s
	Prepare breakfast		
	Wash the dishes		
	Take care of baby		
	Help your kid's homework		
	Study Selenium Sleep		
			0.000
3	Then user closes browser	PASSED	0.000 s
	AFTER - StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.521 s
	Başarısız Senaryo Ekran Görüntüsü		
	NOOLE Lace Lace Noole No		

Parameterizing Feature

PASSED	DURATION - 0.024 s	Scenarios		Steps	
		Total - 1		Total - 6	
/ 9:56:48.359 PI	M // 9:56:48.383 PM /	Pass - 1	1	Pass - 6	6
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

Positive Login



#	Step / Hook Details	Status	Duration
1	Given user goes to homepage	PASSED	0.000 s
2	When user enters username "XYZ@hotmail.com"	PASSED	0.000 s
3	And user enters password "Clarusway.123"	PASSED	0.000 s
4	And user clicks on submit button	PASSED	0.000 s
5	Then user validates sign in	PASSED	0.000 s
6	And user closes browser	PASSED	0.000 s
	AFTER - StepDefinitions.Hooks.tearDown(io.cucumber.java.Scenario)	PASSED	0.000 s