

Name: M.Abdullah Imran

Roll#SU92-BSSEM-F25-041

ASSIGNMENT #03(PART 3)

PROGRAM#01

```
#include<iostream>
```

```
using namespace std;
```

```
int countEvenNumbers(int array[],int size){
```

```
    int count=0;
```

```
    for(int i=0;i<size;i++){
```

```
        if(array[i]%2==0){
```

```
            count++;
```

```
        }
```

```
    }
```

```
    return count;
```

```
}
```

```
int countOddNumbers(int array[],int size){
```

```
    int count=0;
```

```
    for(int i=0;i<size;i++){
```

```
        if(array[i]%2!=0){
```

```
            count++;
```

```

        }

    }

    return count;
}

int main(){

    int N;

    cout<<"Enter N"<<endl;

    cin>>N;

    int numbers[N];

    for(int i=0;i<N;i++){

        cout<<"Enter value in index"<<i<<":"<<endl;

        cin>>numbers[i];

    }

    cout<<"Even NUmbers"<<countEvenNumbers(numbers,N)<<endl;

    cout<<"Odd NUmbers"<<countOddNumbers(numbers,N)<<endl;

}

```

Program#02

```

#include<iostream>

using namespace std;

int main(){

    int R,C;

    cout<<"Enter Number of Rows and Columns"<<endl;

```

```

cin>>R>>C;

int arr[R][C];

cout<<"Enter Elements"<<endl;

for(int i=0;i<R;i++){
    for(int j=0;j<C;j++){
        cin>>arr[i][j];
    }
}

for(int i=0;i<R;i++){
    for(int j=0;j<C;j++){
        cout<<arr[i][j]<<" ";
    }
    cout<<endl;
}

return 0;
}

```

Program#03

```

#include<iostream>

using namespace std;

int findGCD(int a,int b){
    while(b!=0){
        int temp=b;

```

```

        b=a%b;

        a=temp;
    }

    return a;
}

int main(){

    cout<<findGCD(48,18);

}

```

Program#04

```

#include<iostream>

using namespace std;

int calculateStrikeRate(int runs,int balls){

    return((double)runs/balls)*100;

}

int main(){

    int runs,balls;

    cout<<"Enter runs and Balls"<<endl;

    cin>>runs>>balls;

    cout<<calculateStrikeRate(runs,balls)<<endl;

}

```

Program#05

```

#include<iostream>

using namespace std;

int getlength(char arr[]){
    int length=0;
    for(int i=0;arr[i]!='\0';i++){
        length++;
    }
    return length;
}

int main(){
    char name[]="Student";

    cout<<getlength(name);

    return 0;
}

```

Program#06

```

#include<iostream>

using namespace std;

void countword(char src[],char dest[],int length){

```

```
        for (int i=0;i<length;i++){  
            dest[i]=src[i];  
        }  
    dest[length]='\0';  
}  
  
int main(){  
    char original[]="Code";  
    char backup[10];  
    countword(original,backup,4);  
    cout<<backup;  
    return 0;  
}
```