```
create database store db;
create table countries(
    code int(3) not null primary key,
    name varchar(20) not null unique,
    continent name varchar(20) not null
);
create table users(
    id int(5) primary key,
    full name varchar(20) not null,
    email varchar(20) unique,
    gender char(1) check (gender='m' or gender='f'),
    date of birth varchar(15) not null,
    country code int(3),
    foreign key (country code) references countries(code)
) ;
create table orders(
    id int(3) not null primary key ,
    status varchar(6) check ( status='start' or
status='finish'),
    created at datetime,
    user id int(3),
    foreign key (user id) references users(id)
);
create table products(
    id int(3) not null primary key ,
    name varchar(10),
    price int(5) default 0,
    status varchar(10) check ( status='valid' or
status='expired'),
    created at datetime
);
create table order products(
    order id int(3),
    foreign key (order id) references orders(id),
    product id int(3),
    foreign key (product id) references products(id),
    quantity int default 0
);
#
```

```
insert into countries values
('966', 'saudiarabia', 'Makkah');
insert into countries values ('997', 'UAE', 'Dubai');
insert into countries values ('44','UK','london');
#
insert into users values
('1','AbdullahAli','abd@gmail.com','m','24apr1999','966')
insert into users values
('2', 'Faisal', 'fff@gmail.com', 'm', '12dec1999', '997');
insert into users values
('3', 'sara', 'ss@gmail.com', 'f', '1jun1988', '44');
insert into orders values ('01', 'start', '2025-03-19
10:00:00','1');
insert into orders values ('02', 'start', '2025-09-19
12:00:00','2');
insert into orders values ('03', 'finish', '2025-03-21
9:00:00','3');
#
insert into products values
('11','iphone','5000','valid','2025-03-21 9:00:00');
insert into products values
('12', 'Macbook', '7000', 'valid', '2025-03-19 13:35:24');
insert into products values
('13','PC','9000','valid','2025-02-14 2:30:21');
#
insert into order products values ('01','11','7');
insert into order_products values ('02','12','79');
insert into order_products values ('03','13','10');
#
update users set full name='Htoon' where id='3';
update users set email = 'hh@hotmail.com' where id='3';
```

delete from order_products where product_id = 11;