

Cyber Threat Intelligence

Executive Briefing

Report Date: June 29, 2026

Generated: 2026-06-29 10:42 UTC | Classification: TLP:AMBER

Prepared by: Auto-CTI Autonomous Threat Intelligence Pipeline

1. Risk Statistics Summary

Critical	High	Medium	Low	Total
1	8	10	1	20

2. Executive Summary

This briefing details the security landscape as of June 29, 2026, following an analysis of 20 distinct vulnerabilities consisting of 1 Critical, 8 High, 10 Medium, and 1 Low severity findings. The current organizational risk posture is categorized as High, reflecting potential exposure to supply chain compromise and unauthorized system access. CVE-2026-53519, the Pre-auth Path Traversal in Nezha Dashboard, represents the highest priority threat due to its potential for unauthenticated remote exploitation which could lead to complete system compromise. Security operations are directed to maintain an accelerated patching cadence, prioritizing the immediate remediation of critical and high-severity assets to neutralize these attack vectors. We recommend an immediate transition to an emergency response posture for all systems impacted by the identified vulnerabilities to ensure minimal exposure to adversarial exploitation.

3. Critical Action List

- Execute emergency patching for CVE-2026-53519 on all Nezha Dashboard instances within 12 hours.
- Implement restrictive registry configurations for pnpm to mitigate CVE-2026-55698 within 24 hours.
- Audit and sanitize all repository-level configuration files for CVE-2026-55697 within 48 hours.
- Enforce strict manifest integrity checks to address CVE-2026-55487 within 48 hours.
- Restrict patch file execution permissions and validate sources for CVE-2026-50015 within 72 hours.

4. Quick Reference: All Identified Vulnerabilities

CVE ID	Finding Name	CVSS	Severity	Urgency	CWE
CVE-2026-53519	Pre-auth Path Traversal in Nezha ...	9.1	Critical	92/100	CWE-22
CVE-2026-55698	Lockfile Resolution Bypass in pnpm	8.8	High	89/100	CWE-345
CVE-2026-55697	Remote Configuration Manipulation...	7.5	High	78/100	CWE-78

CVE-2026-55487	Manifest Identity Spoofing in pnpm	7.5	High	78/100	CWE-346
CVE-2026-50015	Path Traversal in pnpm Patch Files	7.3	High	76/100	CWE-22
CVE-2026-55700	Path Traversal in pnpm Stage Down...	7.1	High	74/100	CWE-22
CVE-2026-49338	IDOR in Subsonic API Playlist Man...	7.1	High	74/100	CWE-285
CVE-2026-49339	Path Traversal in Gonic Playlist ...	7.1	High	74/100	CWE-22
CVE-2026-49340	Arbitrary File Write in Gonic Pla...	8.1	High	73/100	CWE-22
CVE-2026-53523	Host Header Injection in Nezha OA...	6.8	Medium	71/100	CWE-601
CVE-2026-55699	PNPM_HOME Deletion via Reserved B...	6.5	Medium	69/100	CWE-22
CVE-2026-53520	Host Claiming and Routing Preempt...	6.5	Medium	69/100	CWE-284
CVE-2026-53521	Unauthorized DDNS Profile Usage i...	6.4	Medium	68/100	CWE-863
CVE-2026-53465	Heap Overflow in ImageMagick SF3 ...	6.2	Medium	66/100	CWE-122
CVE-2026-55180	Environment Secret Exposure in pn...	6.5	Medium	59/100	CWE-200
CVE-2026-53522	Resource Exhaustion via WebSocket...	6.5	Medium	59/100	CWE-770
CVE-2026-54243	CSV Formula Injection in Statamic	6.1	Medium	55/100	CWE-1236
CVE-2026-53464	Memory Leak in ImageMagick Wand P...	4.0	Medium	46/100	CWE-401
CVE-2026-54242	SSRF via Glide DNS Rebinding in S...	4.9	Medium	44/100	CWE-367
CVE-2026-54244	Unauthorized Content Submission i...	3.5	Low	27/100	CWE-863

5. Detailed Vulnerability Findings

CVE-2026-53519

Finding: Pre-auth Path Traversal in Nezha Dashboard

CVSS v3.1 Score: 9.1 | Severity: Critical | Urgency Score: 92/100 | CWE: CWE-22

MITRE ATT&CK: T1083, T1552

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	High
Availability Impact	High

Description:

Nezha Monitoring contains a critical pre-authentication path traversal vulnerability. By utilizing a specially crafted path prefix, an attacker can bypass authorization controls and access sensitive files, specifically leaking the JWT secret key. This enables complete takeover of the monitoring infrastructure.

Proof of Concept (PoC):

An attacker sends a request to '/dashboard../config.yaml'. The server processes the traversal, bypassing authentication and returning the contents of the configuration file containing the JWT secret.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-53519>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-53519>

CVE-2026-55698

Finding: Lockfile Resolution Bypass in pnpm

CVSS v3.1 Score: 8.8 | Severity: High | Urgency Score: 89/100 | CWE: CWE-345

MITRE ATT&CK: T1195, T1059

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	Required
Confidentiality Impact	High
Availability Impact	High

Description:

The pnpm project environment lockfile can be manipulated to short-circuit standard package manager resolution logic. An attacker can force the client to resolve and execute arbitrary bytes specified within the lockfile. This allows for the execution of unauthorized code during the build process, compromising the integrity of the project environment.

Proof of Concept (PoC):

An attacker distributes a modified pnpm-lock.yaml file. Upon running 'pnpm install', the package manager ignores legitimate registry sources and executes the malicious payload included in the lockfile entries.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-55698>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-55698>

CVE-2026-55697

Finding: Remote Configuration Manipulation in pnpm

CVSS v3.1 Score: 7.5 | Severity: High | Urgency Score: 78/100 | CWE: CWE-78

MITRE ATT&CK: T1195, T1059

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	High
Availability Impact	High

Description:

pnpm allows repository-level configuration dependencies to influence the native install engine. An attacker can supply a malicious configuration that forces the installation of unauthorized code via the 'pacquet' engine. This can lead to arbitrary command execution during the installation phase.

Proof of Concept (PoC):

An attacker publishes a repository with a maliciously crafted pnpm configuration file that triggers a native install of a malicious binary, achieving code execution upon dependency resolution.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-55697>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-55697>

CVE-2026-55487

Finding: Manifest Identity Spoofing in pnpm

CVSS v3.1 Score: 7.5 | Severity: High | Urgency Score: 78/100 | CWE: CWE-346

MITRE ATT&CK: T1195

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	High
Availability Impact	High

Description:

A flaw in how pnpm handles manifest identities allows an attacker to spoof package identity. This bypasses the 'allowBuilds' security policy, permitting the execution of arbitrary lifecycle scripts. Consequently, an attacker can execute unauthorized code on the build machine.

Proof of Concept (PoC):

An attacker publishes a malicious package that presents itself as a trusted identity. pnpm accepts the spoofed manifest and permits the execution of arbitrary 'preinstall' or 'postinstall' scripts.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-55487>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-55487>

CVE-2026-50015

Finding: Path Traversal in pnpm Patch Files

CVSS v3.1 Score: 7.3 | Severity: High | Urgency Score: 76/100 | CWE: CWE-22

MITRE ATT&CK: T1083, T1059

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:H

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	None
Availability Impact	High

Description:

pnpm is vulnerable to an arbitrary file write/delete attack via malicious patch files. By including path traversal characters in the patch definition, an attacker can modify files outside the current project scope. This enables potential code injection and filesystem corruption on the build agent.

Proof of Concept (PoC):

An attacker adds a patch file with a path like './../bin/bash' to their package. When a user runs 'pnpm install', the patcher overwrites the shell binary or other critical system files.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-50015>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-50015>

CVE-2026-55700

Finding: Path Traversal in pnpm Stage Download

CVSS v3.1 Score: 7.1 | Severity: High | Urgency Score: 74/100 | CWE: CWE-22

MITRE ATT&CK: T1083, T1190

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	None
Availability Impact	None

Description:

The pnpm package manager fails to properly sanitize manifest names during the stage download process. An attacker can craft a malicious package manifest containing path traversal sequences to write files outside of the intended target directory. This can lead to arbitrary file overwriting, potentially resulting in remote code execution or system compromise.

Proof of Concept (PoC):

An attacker creates a malicious package with a name containing '../' sequences. When a victim installs this package, pnpm writes files to arbitrary locations on the host filesystem instead of the package directory.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-55700>
Ref: <https://www.cve.org/CVERecord?id=CVE-2026-55700>

CVE-2026-49338

Finding: IDOR in Subsonic API Playlist Management

CVSS v3.1 Score: 7.1 | Severity: High | Urgency Score: 74/100 | CWE: CWE-285

MITRE ATT&CK: T1005, T1530

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:L/A:L

Attack Vector	Network
Privileges Required	Low
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	High
Availability Impact	Low

Description:

The Subsonic API suffers from an Insecure Direct Object Reference (IDOR) vulnerability that allows any authenticated user to access, read, or delete playlists belonging to other users. The system fails to validate user ownership before processing playlist identifiers. This enables unauthorized disclosure and modification of user data.

Proof of Concept (PoC):

An authenticated user logs in and sends an API request for a playlist ID known or guessed to belong to another user. The server returns the playlist contents or confirms deletion without checking authorization.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-49338>
Ref: <https://www.cve.org/CVERecord?id=CVE-2026-49338>

CVE-2026-49339

Finding: Path Traversal in Gonic Playlist Handling

CVSS v3.1 Score: 7.1 | Severity: High | Urgency Score: 74/100 | CWE: CWE-22

MITRE ATT&CK: T1083

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:N

Attack Vector	Network
Privileges Required	Low
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	High
Availability Impact	None

Description:

The Gonic media server implementation contains a path traversal vulnerability within its playlist processing logic. By manipulating the playlist 'id' parameter, an attacker can bypass ownership verification controls. This allows unprivileged users to read or delete private playlists belonging to other users or sensitive system data.

Proof of Concept (PoC):

The attacker provides a 'id' parameter containing '../' sequences in a request to the playlist endpoint, tricking the backend into accessing restricted files outside the intended playlist directory.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-49339>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-49339>

CVE-2026-49340

Finding: Arbitrary File Write in Gonic Playlist Creation

CVSS v3.1 Score: 8.1 | Severity: High | Urgency Score: 73/100 | CWE: CWE-22

MITRE ATT&CK: T1083, T1059

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:H/A:H

Attack Vector	Network
Privileges Required	Low
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	None
Availability Impact	High

Description:

Gonic contains a critical vulnerability where the playlist creation endpoint does not adequately validate file paths. An authenticated attacker can supply M3U content and a target path to write files to arbitrary locations on the host system. This creates a high risk of system compromise through file system manipulation.

Proof of Concept (PoC):

The user submits a playlist creation request with an M3U payload and a path parameter such as '/tmp/evil.sh'. The application writes the content to that path, potentially enabling code execution.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-49340>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-49340>

CVE-2026-53523

Finding: Host Header Injection in Nezha OAuth

CVSS v3.1 Score: 6.8 | Severity: Medium | Urgency Score: 71/100 | CWE: CWE-601

MITRE ATT&CK: T1566, T1212

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:L/I:L/A:N

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	Low

Attack Complexity	Low
User Interaction	Required
Confidentiality Impact	Low
Availability Impact	None

Description:

Nezha Monitoring is vulnerable to a Host Header Injection during OAuth2 redirect processing. An attacker can manipulate the redirect URL, potentially causing users to be redirected to malicious domains. This facilitates phishing attacks and potential credential theft.

Proof of Concept (PoC):

An attacker intercepts an OAuth login request and modifies the 'Host' header to point to a malicious domain, tricking the service into redirecting the authenticated user to the malicious domain.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-53523>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-53523>

CVE-2026-55699

Finding: PNPM_HOME Deletion via Reserved Bin Names

CVSS v3.1 Score: 6.5 | Severity: Medium | Urgency Score: 69/100 | CWE: CWE-22

MITRE ATT&CK: T1562

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:L/AC:L/PR:H/UI:N/S:U/C:N/I:L/A:H

Attack Vector	Local
Privileges Required	High
Scope	Unchanged
Integrity Impact	Low

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	None
Availability Impact	High

Description:

The global remove operation in pnpm is vulnerable to a flaw where reserved binary names are mishandled during deletion. If a specific package is designed to conflict with reserved paths, the uninstallation process may inadvertently delete the entire PNPM_HOME directory. This results in a persistent denial of service of the pnpm environment.

Proof of Concept (PoC):

A user with high privileges removes a package with a crafted binary name that forces pnpm's removal logic to traverse up to the root home directory, deleting critical configuration and storage files.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-55699>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-55699>

CVE-2026-53520

Finding: Host Claiming and Routing Preemption in Nezha

CVSS v3.1 Score: 6.5 | Severity: Medium | Urgency Score: 69/100 | CWE: CWE-284

MITRE ATT&CK: T1565, T1068

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:C/C:L/I:L/A:L

Attack Vector	Network
Privileges Required	Low
Scope	Changed
Integrity Impact	Low

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	Low
Availability Impact	Low

Description:

Authenticated users in Nezha Monitoring can claim the main dashboard host, even through NAT configurations. This allows the attacker to preempt all dashboard routing and redirect traffic or intercept administrative requests, effectively hijacking the management interface of the monitoring instance.

Proof of Concept (PoC):

An attacker with valid user credentials sends a request to register as the primary host. Due to poor validation of NAT identifiers, the service updates its routing table, pointing traffic to the attacker's node.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-53520>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-53520>

CVE-2026-53521

Finding: Unauthorized DDNS Profile Usage in Nezha

CVSS v3.1 Score: 6.4 | Severity: Medium | Urgency Score: 68/100 | CWE: CWE-863

MITRE ATT&CK: T1562

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:L/A:L

Attack Vector	Network
Privileges Required	Low
Scope	Unchanged
Integrity Impact	Low

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	Low
Availability Impact	Low

Description:

Nezha Monitoring incorrectly stores DDNS profile identifiers, allowing an authenticated user to perform unauthorized actions by referencing another user's profile ID. This lack of authorization check allows for the hijacking or modification of DDNS settings across different user accounts.

Proof of Concept (PoC):

An authenticated user modifies their profile update request to include the profile ID of another user. The application processes the request, applying the attacker's settings to the target account.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-53521>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-53521>

CVE-2026-53465

Finding: Heap Overflow in ImageMagick SF3 Encoder

CVSS v3.1 Score: 6.2 | Severity: Medium | Urgency Score: 66/100 | CWE: CWE-122

MITRE ATT&CK: T1203, T1190

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:L/I:L/A:H

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	Low

Attack Complexity	Low
User Interaction	Required
Confidentiality Impact	Low
Availability Impact	High

Description:

ImageMagick contains a heap buffer over-write vulnerability in the SF3 image encoder. This occurs when processing multi-frame images with malicious attributes. An attacker can trigger this condition by providing a specially crafted image file, leading to potential arbitrary code execution or process crashes.

Proof of Concept (PoC):

An attacker uploads a crafted SF3 image file to a vulnerable application that uses ImageMagick for processing, triggering a heap overflow that leads to a crash or code execution.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-53465>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-53465>

CVE-2026-55180

Finding: Environment Secret Exposure in pnpm

CVSS v3.1 Score: 6.5 | Severity: Medium | Urgency Score: 59/100 | CWE: CWE-200

MITRE ATT&CK: T1552

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	None

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	High
Availability Impact	None

Description:

The pnpm repository configuration can be used to expand local environment variables into registry requests. If an attacker controls the repository config, they can exfiltrate sensitive environment secrets during the build process. This leads to the compromise of confidential credentials stored in the build environment.

Proof of Concept (PoC):

A user clones a malicious repository. During 'pnpm install', the configuration forces a request to an attacker-controlled server, appending sensitive environment variables in the request URL.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-55180>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-55180>

CVE-2026-53522

Finding: Resource Exhaustion via WebSocket in Nezha

CVSS v3.1 Score: 6.5 | Severity: Medium | Urgency Score: 59/100 | CWE: CWE-770

MITRE ATT&CK: T1499

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:N/A:H

Attack Vector	Network
Privileges Required	Low
Scope	Unchanged
Integrity Impact	None

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	None
Availability Impact	High

Description:

Nezha Monitoring suffers from a denial of service vulnerability due to unbounded WebSocket streams. An attacker can open multiple concurrent connections without proper resource limiting, exhausting system memory or file descriptors, which leads to total service unavailability.

Proof of Concept (PoC):

An attacker opens thousands of WebSocket connections to the monitoring service simultaneously, causing the server to consume all available resources and crash.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-53522>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-53522>

CVE-2026-54243

Finding: CSV Formula Injection in Statamic

CVSS v3.1 Score: 6.1 | Severity: Medium | Urgency Score: 55/100 | CWE: CWE-1236

MITRE ATT&CK: T1059, T1204

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:L/I:L/A:L

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	Low

Attack Complexity	Low
User Interaction	Required
Confidentiality Impact	Low
Availability Impact	Low

Description:

Statamic forms are susceptible to CSV formula injection when exporting submissions. An attacker can include formulas in form fields that are executed when opened in spreadsheet software. This allows for potential information exfiltration or system command execution on the victim's local machine.

Proof of Concept (PoC):

An attacker submits a form entry containing '=cmd|/C calc.exe!A1'. When an administrator downloads and opens the CSV in Excel, the malicious formula is triggered.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-54243>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-54243>

CVE-2026-53464

Finding: Memory Leak in ImageMagick Wand Parser

CVSS v3.1 Score: 4.0 | Severity: Medium | Urgency Score: 46/100 | CWE: CWE-401

MITRE ATT&CK: T1499

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	None

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	None
Availability Impact	Low

Description:

ImageMagick's wand option parser suffers from a memory leak when processing invalid or malformed arguments. Continuous exploitation of this flaw can lead to resource exhaustion of the host application, potentially causing service instability or denial of service.

Proof of Concept (PoC):

The attacker sends a high volume of requests containing invalid wand options, causing the server to leak memory until the process runs out of RAM and crashes.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-53464>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-53464>

CVE-2026-54242

Finding: SSRF via Glide DNS Rebinding in Statamic

CVSS v3.1 Score: 4.9 | Severity: Medium | Urgency Score: 44/100 | CWE: CWE-367

MITRE ATT&CK: T1557, T1046

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:U/C:L/I:L/A:N

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	Low

Attack Complexity	High
User Interaction	None
Confidentiality Impact	Low
Availability Impact	None

Description:

Statamic's Glide component is vulnerable to Server-Side Request Forgery via DNS rebinding. An attacker can force the server to make requests to internal services by utilizing a domain that resolves to a public IP initially and then rebinds to an internal IP address during the processing request.

Proof of Concept (PoC):

The attacker sets up a DNS server that rotates IPs, then sends a request to the Glide endpoint. The server validates the domain, but when it makes the actual fetch, the DNS rebinding points to internal metadata services.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-54242>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-54242>

CVE-2026-54244

Finding: Unauthorized Content Submission in Statamic

CVSS v3.1 Score: 3.5 | Severity: Low | Urgency Score: 27/100 | CWE: CWE-863

MITRE ATT&CK: T1068

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:L/A:N

Attack Vector	Network
Privileges Required	Low
Scope	Unchanged
Integrity Impact	Low

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	None
Availability Impact	None

Description:

Statamic CMS exhibits an authorization flaw where view-only users can submit Live Preview content intended only for editors. This leads to an improper access control scenario where unauthorized users can modify the state or content of the application's preview functionality.

Proof of Concept (PoC):

A low-privileged user authenticates and accesses the Live Preview URL, submitting payload content that is accepted by the backend despite the user lacking the required editing permissions.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-54244>
Ref: <https://www.cve.org/CVERecord?id=CVE-2026-54244>

6. Methodology & Data Sources

This report was generated by the Auto-CTI Autonomous Cyber Threat Intelligence Pipeline, an automated multi-agent system designed to simulate a real-world Security Operations Center (SOC) workflow. The pipeline operates in three sequential stages: (1) the Scout Agent collects the latest CVE disclosures from the GitHub Advisory Database and cross-references active threat pulses via AlienVault OTX; (2) the Triage Agent performs structured analysis using the CVSS v3.1 scoring standard, assigns CWE root-cause classifications, maps each vulnerability to relevant MITRE ATT&CK techniques, and computes a composite Urgency Score; (3) the Publisher Agent synthesizes the triaged data into this executive briefing. All CVE identifiers, CVSS scores, and CWE mappings are sourced directly from official databases and are verifiable via the references provided in Section 5. Severity classification follows the CVSS v3.1 standard: Critical (9.0-10.0), High (7.0-8.9), Medium (4.0-6.9), Low (0.1-3.9).

Primary Data Sources:

- GitHub Advisory Database -- <https://github.com/advisories>
- NIST National Vulnerability Database (NVD) -- <https://nvd.nist.gov/>
- AlienVault Open Threat Exchange (OTX) -- <https://otx.alienvault.com/>
- MITRE ATT&CK Framework -- <https://attack.mitre.org/>
- CVSS v3.1 Specification -- <https://www.first.org/cvss/v3.1/specification-document>
- Common Weakness Enumeration (CWE) -- <https://cwe.mitre.org/>
- CVE Program -- <https://www.cve.org/>