

Cyber Threat Intelligence

Executive Briefing

Report Date: June 30, 2026

Generated: 2026-06-30 14:16 UTC | Classification: TLP:AMBER

Prepared by: Auto-CTI Autonomous Threat Intelligence Pipeline

1. Risk Statistics Summary

Critical	High	Medium	Low	Total
0	11	8	1	20

2. Executive Summary

This briefing dated June 30, 2026, details the analysis of 20 identified vulnerabilities, categorized as 0 Critical, 11 High, 8 Medium, and 1 Low severity findings. The current organizational risk posture remains elevated, characterized by high-impact exposures that require immediate remediation to prevent unauthorized system integrity compromise. The primary threat is CVE-2026-55698, identified as a pnpm Lockfile Integrity Short-Circuit, which serves as the top priority due to its potential to manipulate package manager resolution and facilitate supply chain compromise. Consequently, the organization must adopt an aggressive defensive posture, prioritizing the immediate patching of all high-severity vulnerabilities to neutralize systemic risks to the operational environment.

3. Critical Action List

- Immediate isolation and patch deployment for CVE-2026-55698 within 24 hours to prevent lockfile resolution manipulation.
- Remediate CVE-2026-49340 via gonic application updates within 48 hours to mitigate arbitrary file write risks.
- Apply vendor-issued security hotfixes for CVE-2026-47426 and CVE-2026-47424 regarding OpenAM identity services within 48 hours.
- Update pnpm dependencies for CVE-2026-55697 within 72 hours to prevent unauthorized config dependency injection.
- Initiate enterprise-wide remediation for the remaining six high-severity vulnerabilities within the next 96 hours to restore baseline security parity.

4. Quick Reference: All Identified Vulnerabilities

CVE ID	Finding Name	CVSS	Severity	Urgency	CWE
CVE-2026-55698	pnpm Lockfile Integrity Short-Cir...	8.8	High	89/100	CWE-345

CVE-2026-49340	Arbitrary File Write in gonic cre...	8.1	High	83/100	CWE-22
CVE-2026-47426	OpenAM JWKS Resolver Cache Impers...	8.8	High	79/100	CWE-287
CVE-2026-47424	OpenAM Groovy Sandbox Escape RCE	8.8	High	79/100	CWE-693
CVE-2026-55697	pnpm Config Dependency Injection	7.5	High	78/100	CWE-78
CVE-2026-55487	pnpm Manifest Identity Spoofing	7.5	High	78/100	CWE-346
CVE-2026-55700	pnpm Manifest Directory Traversal	7.1	High	74/100	CWE-22
CVE-2026-49338	IDOR in Subsonic API Playlist	7.1	High	74/100	CWE-285
CVE-2026-49339	Path Traversal in gonic Playlist ...	7.1	High	74/100	CWE-22
CVE-2026-48717	OpenAM OAuth PKCE Authorization B...	8.1	High	73/100	CWE-285
CVE-2026-53523	Nezha Monitoring Host Header Inje...	6.8	Medium	71/100	CWE-601
CVE-2026-55699	pnpm Global Remove Deletes PNPM_H...	6.5	Medium	69/100	CWE-22
CVE-2026-55180	pnpm Environment Secret Exposure	6.5	Medium	69/100	CWE-200
CVE-2026-53522	Nezha Monitoring WebSocket DoS	6.5	Medium	69/100	CWE-770
CVE-2026-44840	DQL Injection in Dgraph GraphQL	7.5	High	68/100	CWE-943
CVE-2026-53465	ImageMagick SF3 Encoder Buffer Ov...	6.2	Medium	66/100	CWE-122
CVE-2026-54243	CSV Formula Injection in Statamic	6.1	Medium	55/100	CWE-1236
CVE-2026-54242	Statamic Glide DNS Rebinding SSRF	4.9	Medium	44/100	CWE-367
CVE-2026-53464	ImageMagick Memory Leak	4.0	Medium	36/100	CWE-401
CVE-2026-54244	Statamic CMS Unauthorized Preview...	3.5	Low	27/100	CWE-863

5. Detailed Vulnerability Findings

CVE-2026-55698

Finding: pnpm Lockfile Integrity Short-Circuit

CVSS v3.1 Score: 8.8 | Severity: High | Urgency Score: 89/100 | CWE: CWE-345

MITRE ATT&CK: T1195

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	Required
Confidentiality Impact	High
Availability Impact	High

Description:

pnpm contains a vulnerability where a project lockfile can manipulate package manager resolution. An attacker can force the installation of malicious bytecode by bypassing standard integrity checks via the lockfile.

Proof of Concept (PoC):

The attacker provides a modified lockfile in a repository. When a developer runs pnpm install, the utility uses the manipulated lockfile data to download and execute malicious bytes rather than verified registry sources.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-55698>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-55698>

CVE-2026-49340

Finding: Arbitrary File Write in gonic createPlaylist

CVSS v3.1 Score: 8.1 | Severity: High | Urgency Score: 83/100 | CWE: CWE-22

MITRE ATT&CK: T1190

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:H/A:H

Attack Vector	Network
Privileges Required	Low
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	None
Availability Impact	High

Description:

gonic allows authenticated users to perform arbitrary file writes through the createPlaylist function. By injecting malicious paths into M3U content, an attacker can write data to arbitrary locations on the host server.

Proof of Concept (PoC):

An authenticated user creates a playlist request and specifies a target path using directory traversal sequences in the filename field. The gonic application writes the M3U content to the attacker-controlled path, allowing for file system corruption.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-49340>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-49340>

CVE-2026-47426

Finding: OpenAM JWKS Resolver Cache Impersonation

CVSS v3.1 Score: 8.8 | Severity: High | Urgency Score: 79/100 | CWE: CWE-287

MITRE ATT&CK: T1550

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:H

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	High
Availability Impact	High

Description:

OpenAM suffers from an OAuth client impersonation vulnerability caused by flaws in the JWKS resolver cache. An attacker can poison the cache to force the server to trust fraudulent identity tokens, enabling successful impersonation of legitimate clients.

Proof of Concept (PoC):

The attacker triggers the OpenAM JWKS resolver to fetch a malicious key set by providing a controlled URI. Subsequent requests by the application use the poisoned cache entry to validate malicious tokens, allowing the attacker to assume any user identity.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-47426>
Ref: <https://www.cve.org/CVERecord?id=CVE-2026-47426>

CVE-2026-47424

Finding: OpenAM Groovy Sandbox Escape RCE

CVSS v3.1 Score: 8.8 | Severity: High | Urgency Score: 79/100 | CWE: CWE-693

MITRE ATT&CK: T1203, T1059

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:H

Attack Vector	Network
Privileges Required	Low
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	High
Availability Impact	High

Description:

An authenticated remote code execution vulnerability exists in OpenAM due to an insufficient Groovy sandbox implementation. Attackers with low-level privileges can escape the sandbox to execute arbitrary system commands on the host server.

Proof of Concept (PoC):

The authenticated attacker submits a Groovy script designed to exploit the missing sandbox restrictions. The server processes the script, which accesses underlying Java classes, allowing the attacker to execute shell commands with the service process's permissions.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-47424>
Ref: <https://www.cve.org/CVERecord?id=CVE-2026-47424>

CVE-2026-55697

Finding: pnpm Config Dependency Injection

CVSS v3.1 Score: 7.5 | Severity: High | Urgency Score: 78/100 | CWE: CWE-78

MITRE ATT&CK: T1195

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	Required
Confidentiality Impact	High
Availability Impact	High

Description:

pnpm allows repository-controlled configDependencies to select a paquet native install engine, which can lead to code execution. This vulnerability allows an attacker to control the execution environment of the package manager.

Proof of Concept (PoC):

An attacker creates a repository with malicious configDependencies. When a user runs pnpm install, the tool is directed to use a malicious install engine, resulting in arbitrary command execution on the host.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-55697>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-55697>

CVE-2026-55487

Finding: pnpm Manifest Identity Spoofing

CVSS v3.1 Score: 7.5 | Severity: High | Urgency Score: 78/100 | CWE: CWE-346

MITRE ATT&CK: T1195

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:H/I:H/A:H

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	Required
Confidentiality Impact	High
Availability Impact	High

Description:

pnpm is vulnerable to manifest identity spoofing, which allows an attacker to bypass build restrictions and execute arbitrary lifecycle scripts. This leads to unauthorized execution within the environment.

Proof of Concept (PoC):

The attacker publishes a package that spoofs the manifest identity of a trusted dependency. pnpm improperly validates this manifest, allowing the attacker-controlled lifecycle scripts to execute automatically upon install.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-55487>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-55487>

CVE-2026-55700

Finding: pnpm Manifest Directory Traversal

CVSS v3.1 Score: 7.1 | Severity: High | Urgency Score: 74/100 | CWE: CWE-22

MITRE ATT&CK: T1190

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:H/A:N

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	None
Availability Impact	None

Description:

pnpm is vulnerable to a directory traversal flaw during package manifest processing, allowing it to write files outside of the intended target directory. This can be exploited to overwrite critical system files or inject malicious binaries.

Proof of Concept (PoC):

An attacker publishes a malicious package to the registry with a manifest name containing traversal sequences (e.g., ../). When a victim installs this package, pnpm fails to sanitize the name, leading to an arbitrary write in the parent directory.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-55700>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-55700>

CVE-2026-49338

Finding: IDOR in Subsonic API Playlist

CVSS v3.1 Score: 7.1 | Severity: High | Urgency Score: 74/100 | CWE: CWE-285

MITRE ATT&CK: T1592

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:L/I:H/A:L

Attack Vector	Network
Privileges Required	Low
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	Low
Availability Impact	Low

Description:

The Subsonic API suffers from an Insecure Direct Object Reference (IDOR) vulnerability. Any authenticated user can read or delete arbitrary playlists belonging to other users by manipulating the playlist ID in API requests.

Proof of Concept (PoC):

An authenticated attacker captures an API request for a playlist and modifies the 'id' parameter. The server fails to verify if the requesting user owns the resource, allowing the attacker to delete or expose private content.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-49338>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-49338>

CVE-2026-49339

Finding: Path Traversal in gonic Playlist API

CVSS v3.1 Score: 7.1 | Severity: High | Urgency Score: 74/100 | CWE: CWE-22

MITRE ATT&CK: T1190

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:H/I:H/A:N

Attack Vector	Network
Privileges Required	Low
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	High
Availability Impact	None

Description:

gonic is vulnerable to path traversal within the playlist ID parameter. An attacker can bypass ownership checks to read or delete playlists outside the scope of their own user directory.

Proof of Concept (PoC):

The attacker sends an API request to the gonic playlist endpoint with a path-traversal sequence (e.g., ../) in the ID parameter. The server interprets this as a path on the file system, granting access to arbitrary playlist files.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-49339>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-49339>

CVE-2026-48717

Finding: OpenAM OAuth PKCE Authorization Bypass

CVSS v3.1 Score: 8.1 | Severity: High | Urgency Score: 73/100 | CWE: CWE-285**MITRE ATT&CK: T1550****CVSS v3.1 Scoring Criteria:**

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:H/A:N

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	High
Availability Impact	None

Description:

OpenAM exhibits an authorization bypass vulnerability within its OAuth implementation related to PKCE challenge validation. An attacker can manipulate the authentication flow to gain unauthorized access to client sessions without fulfilling the cryptographic challenge requirements.

Proof of Concept (PoC):

The attacker initiates an OAuth authorization request and intercepts the flow. By omitting or spoofing the PKCE code challenge during the token exchange phase, the attacker forces the server to grant an access token due to improper state validation.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-48717>Ref: <https://www.cve.org/CVERecord?id=CVE-2026-48717>**CVE-2026-53523****Finding: Nezha Monitoring Host Header Injection****CVSS v3.1 Score: 6.8 | Severity: Medium | Urgency Score: 71/100 | CWE: CWE-601****MITRE ATT&CK: T1566****CVSS v3.1 Scoring Criteria:**

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:C/C:L/I:L/A:N

Attack Vector	Network
Privileges Required	None
Scope	Changed
Integrity Impact	Low

Attack Complexity	Low
User Interaction	Required
Confidentiality Impact	Low
Availability Impact	None

Description:

Nezha Monitoring is vulnerable to a Host Header Injection during OAuth2 redirect URL processing. An attacker can manipulate the redirect location, potentially leading to credential theft through phishing.

Proof of Concept (PoC):

An attacker crafts an authentication link with a modified Host header. When a user clicks the link, they are redirected to an attacker-controlled site instead of the legitimate callback URL, facilitating credential interception.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-53523>Ref: <https://www.cve.org/CVERecord?id=CVE-2026-53523>**CVE-2026-55699****Finding: pnpm Global Remove Deletes PNPM_HOME****CVSS v3.1 Score: 6.5 | Severity: Medium | Urgency Score: 69/100 | CWE: CWE-22**

MITRE ATT&CK: T1485

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:L/AC:L/PR:N/UI:R/S:U/C:N/I:N/A:H

Attack Vector	Local
Privileges Required	None
Scope	Unchanged
Integrity Impact	None

Attack Complexity	Low
User Interaction	Required
Confidentiality Impact	None
Availability Impact	High

Description:

The pnpm global remove operation is vulnerable to a logic error involving reserved binary names, which can lead to the accidental deletion of the PNPM_HOME directory. This results in denial of service by wiping user environment configuration and global packages.

Proof of Concept (PoC):

A local attacker tricks a user into running a global remove command for a specially named package. The utility erroneously interprets the reserved name and triggers a recursive removal on the root pnpm home directory.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-55699>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-55699>

CVE-2026-55180

Finding: pnpm Environment Secret Exposure

CVSS v3.1 Score: 6.5 | Severity: Medium | Urgency Score: 69/100 | CWE: CWE-200

MITRE ATT&CK: T1552

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	None

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	High
Availability Impact	None

Description:

pnpm repository configurations can expand environment secrets into registry requests. This leads to potential exposure of sensitive credentials to unauthorized third-party registries.

Proof of Concept (PoC):

An attacker configures a malicious repository for a project. When pnpm is executed, it automatically expands environment secrets as part of its network requests to the attacker's registry, exposing the credentials.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-55180>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-55180>

CVE-2026-53522

Finding: Nezha Monitoring WebSocket DoS

CVSS v3.1 Score: 6.5 | Severity: Medium | Urgency Score: 69/100 | CWE: CWE-770

MITRE ATT&CK: T1499

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:H

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	None

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	None
Availability Impact	High

Description:

Nezha Monitoring is vulnerable to resource exhaustion through unbounded WebSocket stream creation. An attacker can open multiple connections to degrade or deny service to legitimate users.

Proof of Concept (PoC):

The attacker repeatedly initiates new WebSocket connection requests without closing them. The server exhausts available memory and connection handles, preventing other users from accessing the monitoring dashboard.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-53522>Ref: <https://www.cve.org/CVERecord?id=CVE-2026-53522>**CVE-2026-44840****Finding: DQL Injection in Dgraph GraphQL****CVSS v3.1 Score: 7.5 | Severity: High | Urgency Score: 68/100 | CWE: CWE-943**

MITRE ATT&CK: T1190

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:H/I:N/A:N

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	None

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	High
Availability Impact	None

Description:

Dgraph is susceptible to DQL injection via the checkUserPassword GraphQL query. An attacker can craft malicious inputs to manipulate the underlying database queries, potentially leading to unauthorized data disclosure or authentication bypass.

Proof of Concept (PoC):

An attacker sends a specially crafted GraphQL query to the checkUserPassword endpoint. By injecting DQL syntax into the password field, the attacker bypasses standard query constraints, allowing them to extract unauthorized records from the database.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-44840>Ref: <https://www.cve.org/CVERecord?id=CVE-2026-44840>**CVE-2026-53465****Finding: ImageMagick SF3 Encoder Buffer Overflow****CVSS v3.1 Score: 6.2 | Severity: Medium | Urgency Score: 66/100 | CWE: CWE-122**

MITRE ATT&CK: T1190

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:L/I:L/A:H

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	Low

Attack Complexity	Low
User Interaction	Required
Confidentiality Impact	Low
Availability Impact	High

Description:

ImageMagick is vulnerable to a heap buffer overflow in the SF3 encoder when processing multi-frame images. This could potentially lead to code execution or application crash.

Proof of Concept (PoC):

The attacker uploads a specially crafted multi-frame SF3 image file to a server using ImageMagick. The application attempts to parse the image, triggering a buffer overflow that can lead to memory corruption or arbitrary code execution.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-53465>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-53465>

CVE-2026-54243

Finding: CSV Formula Injection in Statamic

CVSS v3.1 Score: 6.1 | Severity: Medium | Urgency Score: 55/100 | CWE: CWE-1236

MITRE ATT&CK: T1190

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:R/S:U/C:L/I:H/A:N

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	High

Attack Complexity	Low
User Interaction	Required
Confidentiality Impact	Low
Availability Impact	None

Description:

Statamic is vulnerable to CSV formula injection when exporting form submission data. An attacker can inject malicious spreadsheet formulas into form fields that execute when a user opens the export in Excel or similar software.

Proof of Concept (PoC):

The attacker submits a form entry containing a leading spreadsheet formula character (e.g., '=cmd|'). When an administrator exports the submissions and opens the resulting CSV file, the formula is interpreted and executed by the spreadsheet application.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-54243>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-54243>

CVE-2026-54242

Finding: Statamic Glide DNS Rebinding SSRF

CVSS v3.1 Score: 4.9 | Severity: Medium | Urgency Score: 44/100 | CWE: CWE-367

MITRE ATT&CK: T1190

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:H/PR:N/UI:N/S:C/C:L/I:N/A:N

Attack Vector	Network
Privileges Required	None
Scope	Changed
Integrity Impact	None

Attack Complexity	High
User Interaction	None
Confidentiality Impact	Low
Availability Impact	None

Description:

Statamic's Glide image processor is vulnerable to Server-Side Request Forgery (SSRF) via DNS rebinding. This allows an attacker to bypass firewalls and access internal services by manipulating resolution during image requests.

Proof of Concept (PoC):

The attacker provides a domain name to the Glide image processor that resolves to a public IP initially, and then to a private network IP. By timing the request, the attacker can force the server to fetch sensitive data from internal network resources.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-54242>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-54242>

CVE-2026-53464**Finding: ImageMagick Memory Leak**

CVSS v3.1 Score: 4.0 | Severity: Medium | Urgency Score: 36/100 | CWE: CWE-401

MITRE ATT&CK: T1499

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:N/UI:N/S:U/C:N/I:N/A:L

Attack Vector	Network
Privileges Required	None
Scope	Unchanged
Integrity Impact	None

Attack Complexity	Low
User Interaction	None
Confidentiality Impact	None
Availability Impact	Low

Description:

ImageMagick exhibits a memory leak in the wand option parser when invalid arguments are provided. This can be exploited to cause a denial-of-service through resource exhaustion.

Proof of Concept (PoC):

An attacker repeatedly sends requests to the application with crafted invalid arguments to the wand option parser. Each request leaks memory, eventually exhausting available system resources and causing the application to crash.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-53464>

Ref: <https://www.cve.org/CVERecord?id=CVE-2026-53464>

CVE-2026-54244**Finding: Statamic CMS Unauthorized Preview Access**

CVSS v3.1 Score: 3.5 | Severity: Low | Urgency Score: 27/100 | CWE: CWE-863

MITRE ATT&CK: T1068

CVSS v3.1 Scoring Criteria:

Vector: CVSS:3.1/AV:N/AC:L/PR:L/UI:N/S:U/C:N/I:L/A:N

Attack Vector	Network
---------------	----------------

Attack Complexity	Low
-------------------	------------

Privileges Required	Low
Scope	Unchanged
Integrity Impact	Low

User Interaction	None
Confidentiality Impact	None
Availability Impact	None

Description:

Statamic CMS contains an authorization flaw that permits view-only users to submit content for Live Preview, a feature intended exclusively for editors. This leads to improper access control and potential integrity issues.

Proof of Concept (PoC):

A user with low-level view access crafts an HTTP request to the Live Preview endpoint. The application fails to check the user's role against the required editor permissions, allowing the user to push draft content to the system.

Ref: <https://nvd.nist.gov/vuln/detail/CVE-2026-54244>
Ref: <https://www.cve.org/CVERecord?id=CVE-2026-54244>

6. Methodology & Data Sources

This report was generated by the Auto-CTI Autonomous Cyber Threat Intelligence Pipeline, an automated multi-agent system designed to simulate a real-world Security Operations Center (SOC) workflow. The pipeline operates in three sequential stages: (1) the Scout Agent collects the latest CVE disclosures from the GitHub Advisory Database and cross-references active threat pulses via AlienVault OTX; (2) the Triage Agent performs structured analysis using the CVSS v3.1 scoring standard, assigns CWE root-cause classifications, maps each vulnerability to relevant MITRE ATT&CK techniques, and computes a composite Urgency Score; (3) the Publisher Agent synthesizes the triaged data into this executive briefing. All CVE identifiers, CVSS scores, and CWE mappings are sourced directly from official databases and are verifiable via the references provided in Section 5. Severity classification follows the CVSS v3.1 standard: Critical (9.0-10.0), High (7.0-8.9), Medium (4.0-6.9), Low (0.1-3.9).

Primary Data Sources:

- GitHub Advisory Database -- <https://github.com/advisories>
- NIST National Vulnerability Database (NVD) -- <https://nvd.nist.gov/>
- AlienVault Open Threat Exchange (OTX) -- <https://otx.alienvault.com/>
- MITRE ATT&CK Framework -- <https://attack.mitre.org/>
- CVSS v3.1 Specification -- <https://www.first.org/cvss/v3.1/specification-document>
- Common Weakness Enumeration (CWE) -- <https://cwe.mitre.org/>
- CVE Program -- <https://www.cve.org/>