

Appendix C - Spare parts catalog



Index 00

5.24 Housing





Pos.	Part number	Description
1	M666051	Keypad
2	M603681	Display E-Code < 140
	M725451SP	Display CompoDock E-Code ≥ 140
	M725461SP	Display cable CompoDock E-Code ≥ 140
3	M647731	Bag tray, left
4	M644991	Heater cover
4	M659271	Heater cover, E-code 030 and higher
5	M611101	Side table, right (optional)
6	M611171	Side table, left (optional)
7	M647431	Housing, consisting of two parts
8	M64970	Cover, tube clamp - cover - cover holder
8	6613181	Cover, tube clamp, E-code 030 and higher - cover - cover holder
9	M653811	Threaded pin M2x6 mm
9	M659331 M653811	Tappet, E-code 030 and higher Switching pin, E-code 030 and higher
10	M649691	Spring
11	M644791	Central block
11	6613131	Central block, E-code 030 and higher
12	M647741	Bag tray, right
13	M645601	Housing cover, yellow 1016, for CompoDock <E-code 069
13a	6613671	Housing cover, rear, for CompoDock DM, E-code 069 and higher
14	M606571	Foot
15	M664901	Voltage selector switch and filter with fuses <E-code 069
15a	M667711	Power input module, E-code 069 and higher:
not ill.	6415911	Fuse T4A < E-code 069
not ill.	6470151	Fuse T2A < E-code 069
not ill.	6440671	Fuse T6.3A, E-code 069 and higher
not ill.	M645621	Housing bottom
not ill.	M609111	Switching pin

5.25 Base plate





Pos.	Part number	Description
1	M609331	Bolt
2	M609151	Support for base plate
3	M609131	Housing, heating element, left, part 1
4	M609781	Housing, heating element, left, part 2
5	M609141	Housing heating element, right
6	M609221	Hinged arm 1
7	M609231	Hinged arm 2
8	M609281	Microswitch
9	M611061	Switch
10	6452161	Cylindrical pin 3 x 12 mm
11	6442061	Cylindrical pin 4 x 24 mm
12	M644391	Hinge block
13	M609011	Fan block
14	M609261	Fan gasket
15	M609371	Fan E-Code <140
16	M609251	Fan tube
	M725431SP	Axial Fan CompoDock E-Code ≥ 140

5.26 X system assembly




Pos.	Part number	Description
1	M609461	Switching pin
2	M609311	Spring
3	M610181	Toothed lock washer Z=24
4	M610371	Threaded pin M3x10 mm
5	M609681	Toothed belt
6	M610171	Toothed belt disk
7	6457441	Threaded pin M3x3 mm
8	M609691	Microswitch
9	M661041	Motor with 10:1 gearing for device < E- code 140
	M725371SP	Motor Maxon CompoDock E-Code ≥ 140
10	M609911	Optical sensor / photosensor
11	M609641	Pulse disk

5.27 Tube clamps




Pos.	Part number	Description
1	M659171	Tube clamp right, complete
1	M659621	Tube clamp right, complete, for China
2	M659181	Tube clamp left, complete
2	M659631	Tube clamp left, complete, for China
3	M619561	Clamping lever, right
4	M609801	Threaded pin M4x6 mm
5	6438721	Ball d 3mm
6	6428611	Threaded pin M4x10 mm
7	M619581	Wedge, right
8	6613141	Metal U piece, E-code 030 and higher
9	M647511	Cover plate, right
10	M619571	Wedge, left
11	M619551	Clamping lever, left
12	M647521	Cover plate, left
not ill.	5525501	Flat head screw for cover plate M3x8
not ill.	M639451	Modification kit, new, clamp including bag trays up to E-code 030
not ill.	M659191	Positioning clamp modification kit from E-code 030 to E-code 060

5.28 Y system assembly




Pos.	Part number	Description
1	M647561	Y system assembly
2	M661041	Motor with 10:1 gearing for device < E- code 140
	M725371SP	Motor Maxon CompoDock E-Code ≥ 140
3	M610281	Toothed belt
4	M644771	Y spindle with spindle nut
5	M611061	Switch

5.29 HF system assembly





Pos.	Part number	Description
1	M610191	Toothed belt disk Z72
2	M610301	Toothed belt 6 T2.5 / 230
3	M644731	Motor holding sheet
4	M644641	Cold electrode, right
5	M644881	Head, hot electrode, right
6	M644901	Hot electrode insulator, right
7	M644651	Hot electrode, left/right
8	M644891	Hot electrode insulator, left
9	M644871	Head, hot electrode, left
10	M644631	Cold electrode, left
11	M610201	Toothed belt disk Z12
12	M661041	Motor with 10:1 gearing for device < E-code 140
	M725371SP	Motor Maxon CompoDock E-Code $\geq$ 140
not ill.	M662321	LONG HOT ELECTRODE, LEFT FOR COMPODOCK
not ill.	M662331	LONG HOT ELECTRODE, RIGHT FOR COMPODOCK
not ill.	M662341	LONG COLD ELECTRODE, LEFT FOR COMPODOCK
not ill.	M662351	LONG COLD ELECTRODE, RIGHT FOR COMPODOCK
not ill.	M662361	ISOLATED HOT ELECTRODE, LEFT, COMPODOCK
not ill.	M662371	ISOLATED HOT ELECTRODE, RIGHT, COMPODOCK

5.30 Seal head box




Pos.	Part number	Description
1	M612421	Modification kit seal head box
not ill.	M600911	Carbonyl core for coil

5.31 Heating element



Pos.	Part number	Description
1	6746991	Hexagon nut M5, self-locking
3	5522451	Fillister-head screw, cross recess, M3x10
4	5536921	Washer A3.2
5	M644481	Switching bar 1
6	M647481	Distance sleeve M5
7	M647421	Distance sleeve M3
8	M644501	Switching bar 2
9	M644521	Spring washer, crinkled
10	M644511	Flange sleeve
11	M644491	Bearing holder, slotted
12	M644471	Adjusting shaft
13	M610551	Sliding bearing
14	M610451	Bearing holder
15	M611061	Switch
16	M610531	Heating element
17	6610861	Silicone ring (EC 010 and higher)
18	6756261	Washer A3.2
19	M610671	Spring
not ill.	M644531	Modification kit heater mechanics

5.32 P.C.B. LP 1058 microprocessor board



Pos.	Part number	Description
	M645311	P.C.B. LP 1058 E-Code < 069
	M667611	P.C.B LP 1058-1 E-Code 069-130
	M654341	Buzzer / audible alarm generator
	M726321SP	LP 1058 Control Board E-Code ≥ 140 for China
	M725441SP	LP 1058 Control Board E-Code ≥ 140

5.33 Tools and other equipment




1



2




3



4



5



6



7



8



9



10



11



12



13




14



15



16



17



18



19



20



21



22



23

Pos.	Part number	Description
1	6711991	Feeler gauge (0.1–20 mm)
2	M600241	Test tubings Fresenius Ø 4.2 mm, order quantity in meters
	M600251	Fresenius Ø 4.55 mm, order quantity in meters
3	6712391	Spring cramps Allen screw M4x40, required 2x
	M609731	Spring 98092, required 2x
	5596951	Washer A5.3 polyamide, required 2x
	5536991	Washer A4.3 required 2x
4	M651681	Adjusting gauge, tube clamps
5	M659261	Adjusting gauge, tube clamps, E-code 030 and higher
6	M649791	Adjusting gauge, HF unit
7	6442061	Adjusting pin 24 x 4.0 mm
8	M651931	Adjusting pin 25 x 4.3 mm
9	M667551	Adjusting pin 25 x 4.9 mm (China version)
10	M649781	U spacer
11	M661571	Gauge block 10 mm
12	M662431	Retainer for electrode adjustment
13	M600221	Power cable 120 V USA
14	M661971	Power cable 120 V China
15	6467701	Power cable 230 V Euro
16	M642401	Silicone spray Loctite 8021
17	M672471	Service plug
18	M672361	Extension cable D-SUB 9, plug/socket
19	9028931	Scanner for CompoDock
20	M672351	Zero-modem-cable D-SUB 9, socket/socket
21	M672381	USB to COM 2-fold (incl. 0.9m USB cable)
22	M672371	USB to COM 4-fold (incl. 0.9 m USB cable and power supply unit)
23	M672401	USB 2.0 active extension, A plug/A socket, 5m
not ill.	M672391	USB 2.0 FullSpeed cable, A plug/A socket, 5m
not ill.	M608141	Holder for scanner
not ill.	M604591	Turning aid for Y spindle

Pos.	Part number	Description
not ill.	M639211	Calibration pin HF voltage
not ill.	M726331	CompoDock Service Tool V2
not ill.	M726341	CompoDock Upgrade stick V2.47.1 E-code ≥ 140
not ill.	M675621	Infrared thermometer Testo 845

History

Index	Modification	Date	Name
00	Initial issue	17.07.2020	A. Becker