

Smart PMS

Developer Integration Guide

This document describes how the Crito Smart PMS platform is built, how it connects to the Apaleo property management system and smart lock hardware, how guest communications are orchestrated, and the complete Apaleo API reference used by the platform.

ISSUED BY

Crito Germany GmbH

DOCUMENT TYPE

Technical Integration Guide

SCOPE

Apaleo API + Smart Lock Integration

CLASSIFICATION

Confidential — Authorised Integrators

INTRODUCTION

Introduction

This document describes how the Smart PMS platform is built, how it connects to the Apaleo property management system and to smart lock hardware, how guest communications are orchestrated, and which Apaleo API endpoints the platform calls and why.

Smart PMS (product name: Crito Smart PMS) is the operational and guest-experience layer that sits on top of a property management system. It does not replace the PMS for core inventory and billing logic; it extends it. Apaleo is the PMS connected today and remains the system of record for properties, rooms, reservations, folios, and payments. Smart PMS holds a local copy of reservation and operational data, reacts to Apaleo events in real time, and drives the guest journey from booking confirmation through post-stay feedback.

The guide is organised as follows. The Terminology section establishes the names used throughout. The Architecture section describes how the layers fit together. Subsequent sections cover the Apaleo connection, smart lock integration, room-to-lock mapping, the confirmation form and guest communication, the end-to-end reservation workflow, the webhook catalogue, and the full Apaleo API reference. The guide closes with a data reference and an integrator summary.

Scope

This guide documents Apaleo external APIs only. Smart lock vendor endpoints are not listed; access control is covered conceptually in Section 5.

TERMINOLOGY

Terminology

The following terms are used consistently throughout this document.

Term	Definition
Smart PMS	The Crito Smart PMS platform: the service layer, database, scheduler, and guest-facing flows described in this guide.
Apaleo	The third-party property management system and system of record for all PMS data: properties, units, reservations, folios, and payments.
Property	A hotel or serviced-apartment site, identified by an <code>apaleo_external_property_id</code> in Smart PMS and by a <code>propertyId</code> in Apaleo.

Term	Definition
Unit	A single rentable room or apartment synced from Apaleo inventory (e.g. "Room 101"). Stored locally as <code>apaleo_units</code> .
Unit Group	A room category or type in Apaleo (e.g. "Deluxe Double"). Used for availability searches and offer pricing.
Reservation	A single-night or multi-night stay record. Created in Apaleo and mirrored locally in <code>apaleo_reservations</code> .
Booking	The parent record in Apaleo that groups one or more reservations (e.g. a split-room group booking).
Folio	The guest bill in Apaleo. Charges, payments, and invoices are attached to a folio. Each reservation has at least one folio.
Payment Link	A hosted Apaleo checkout URL created via POST <code>.../payments/by-link</code> and sent to the guest by email.
Confirmation Form	The pre-arrival web form served by Smart PMS. The guest fills personal details, accepts house rules, and completes payment before arrival.
eKey	A time-bound digital access credential (mobile key or PIN passcode) provisioned by Smart PMS on the smart lock cloud.
Lock	A physical smart lock device synced from the lock provider.
Unit-Lock Connection	The many-to-many mapping in <code>apaleo_unit_lock_connections</code> — which lock(s) to open when a given unit is assigned.
Task	A scheduled action in <code>apaleo_tasks</code> , typically an email send or access provisioning step, processed by the background scheduler.
Webhook	An HTTP POST event pushed by Apaleo to <code>/api/webhooks/reservation</code> when a reservation or folio changes.
Task Processor	The background cron job that reads pending rows from <code>apaleo_tasks</code> and executes the corresponding action at the scheduled time.

SECTION 01

1. What Smart PMS Is

Smart PMS is the operational and guest-experience layer on top of a property management system. It does not replace the PMS for core inventory and billing logic; it extends it with the capabilities below.

Automated guest emails and reminders across the full stay lifecycle

A pre-arrival confirmation form and Apaleo-hosted payment links

Digital and physical room access via smart lock integration

Dashboards, task management, and workflow state

Guest-facing flows for check-in, checkout, door access, invoice, and stay extension

Apaleo remains the system of record for all property, room, reservation, and financial data. Smart PMS stores a local working copy and reacts to Apaleo webhook events in real time to drive the guest journey forward.

SECTION 02

2. System Architecture

The platform is made up of four external systems and one internal service layer.

External systems are Apaleo (the PMS REST API), Apaleo Webhooks (which push change events into Smart PMS), the Smart Lock cloud (a separate vendor integration for physical door hardware), and the email delivery provider.

Inside Smart PMS, the Apaleo Service is the single component that talks outward. It reads from and writes to a dedicated database and is triggered both by inbound webhook events and by the background task scheduler (cron) for time-based jobs. Staff access the service through the internal API gateway; guests reach it through tokenised short-URL links.

Layer	Responsibility
Apaleo	Properties, units, reservations, folios, invoices, payment links, check-in/out state
Smart PMS	Guest journey, email tasks, lock credentials, confirmation form, local workflow, audit logs
Smart Lock Cloud	Hardware access: PINs, mobile keys, RFID cards (integrated by Smart PMS, not by Apaleo)

SECTION 03

3. How Apaleo Connects to Smart PMS

3.1 Credentials and Authentication

Each property stores Apaleo OAuth client credentials in Smart PMS (apaleo_pms_credentials). On every outbound call the Apaleo Service obtains a bearer token from Apaleo Identity and attaches it to the request.

Service	Base URL	Role
Apaleo Identity	https://identity.apaleo.com	POST /connect/token — issue and refresh access tokens
Apaleo API	https://api.apaleo.com	All business operations (inventory, booking, finance)
Apaleo Webhook API	https://webhook.apaleo.com	Register subscriptions so Apaleo pushes events to Smart PMS

OAuth scopes used: inventory, finance, settings.

3.2 Outbound Sync (Smart PMS Apaleo)

Staff actions and background jobs call Apaleo REST APIs to:

- Pull or push properties, units, and unit groups
- Read and update reservations
- Create bookings and offers
- Manage folios, payment links, terminal payments, and invoices
- Perform check-in, checkout, unit assignment, cancellation, and amendment

3.3 Inbound Sync (Apaleo Smart PMS)

Apaleo sends webhooks to Smart PMS at POST /api/webhooks/reservation whenever a reservation or folio changes. On receipt Smart PMS:

- Resolves the property by Apaleo propertyId
- Upserts the reservation in apaleo_reservations
- Schedules or updates tasks in apaleo_tasks
- Creates or revokes lock access when check-in, unit-assign, or checkout events arrive

Webhook subscriptions are registered per property via webhook.apaleo.com/v1/subscriptions.

3.4 Property Linkage

Each Smart PMS property (organisation tenant) is linked to an Apaleo property ID. All Apaleo API calls for that hotel use the credentials and property scope for that ID.

SECTION 04

4. How Smart Locks Connect to Smart PMS

Smart locks are not connected through Apaleo. They are a separate integration managed entirely within Smart PMS:

Credentials — The property stores smart lock vendor credentials in Smart PMS.

Lock sync — Smart PMS imports the list of physical locks from the lock provider and stores them as `apaleo_locks` (name, external lock ID).

Access commands — When a guest is entitled to access, Smart PMS calls the lock cloud to create a time-bound passcode or mobile eKey valid for the stay window.

Revocation — On checkout, cancellation, or room change, Smart PMS deletes or updates the credentials on the lock side.

Apaleo's only role here is to communicate which unit is assigned and when the stay begins and ends. Smart PMS translates that into lock provisioning based on the room-lock mapping described in the next section.

SECTION 05

5. Room and Lock Connectivity in Smart PMS

Room-lock connectivity is the logical link between a PMS room and a physical door lock. Apaleo has no concept of locks; Smart PMS owns and maintains this mapping.

5.1 Data Model

Entity	Meaning
Unit (<code>apaleo_units</code>)	A rentable room synced from Apaleo inventory
Lock (<code>apaleo_locks</code>)	A physical smart lock synced from the lock provider
Connection (<code>apaleo_unit_lock_connections</code>)	Many-to-many link — this unit opens this lock (supports secondary locks such as a building entrance)

5.2 Configuration

Sync units from Apaleo — rooms appear in Smart PMS.

Sync locks from the smart lock provider.

In the dashboard, create connections pairing each unit with one or more locks.

No Apaleo API is involved in creating or managing this mapping; it is Smart PMS configuration only.

5.3 Runtime Access Flow

Reservation Created (Apaleo reservation/created webhook)

Smart PMS stores reservation and guest contact details

Confirmation form and payment task is scheduled

Room Assigned (Apaleo unit-assigned webhook or staff action)

Smart PMS reads the assigned apaleo_unit_id

Looks up apaleo_unit_lock_connections for that unit

For each linked lock: creates PIN or eKey valid from arrival to departure

Guest Checks In (Confirmation form completed, staff action, or checked-in webhook)

Payment and pre-arrival rules are confirmed as satisfied

eKey or check-in email is sent with access instructions

Checkout or Cancellation

Passcodes and eKeys on all linked locks are revoked

Folio is closed; checkout and feedback emails are scheduled

If the guest moves rooms (unit-assigned / unit-unassigned webhooks), Smart PMS revokes access on the old unit's locks and provisions the new unit's locks.

SECTION 06

6. The Confirmation Form and Guest Communication

6.1 The Confirmation Form

What the form contains. The form collects guest personal details (name, contact information, identity document where required), the number of occupants, any special requests or notes, and agreement to the property's house rules and cancellation policy. It also presents the outstanding balance and embeds the Apaleo-hosted payment link.

How it is delivered. When Apaleo fires a reservation/created webhook, Smart PMS schedules a `form_send` task. The task processor sends the guest an email containing a tokenised link unique to that reservation. The link opens the form pre-populated with reservation details.

How payment works within the form. Smart PMS creates a payment link via Apaleo POST `/finance/v1/folios/{folioid}/payments/by-link` and embeds the URL on the form page. When the guest pays, Apaleo fires a `folio/balance-changed` webhook. Smart PMS syncs the updated payment status and once the balance threshold is met, marks the form step as complete.

What happens after submission. On form submission Smart PMS records the guest-provided data against the reservation, updates the workflow state in `apaleo_reservations`, and schedules subsequent tasks.

Channel-manager bookings. Reservations arriving from OTAs via channel manager may arrive with payment already collected by the OTA. In that case the confirmation form step is either skipped or shown in a read-only acknowledgement mode.

Resending the form. Staff can resend the confirmation form email from the reservation screen at any time, which re-generates the tokenised link and delivers a fresh email to the guest.

6.2 Email Scheduling

When a reservation is created, Smart PMS creates rows in `apaleo_tasks` for each email in the guest journey. The task processor runs on a schedule, reads pending tasks whose fire time has passed, and executes the appropriate email function. All sends are logged in `apaleo_email_logs`.

Timing respects the property's configured timezone (for example, the check-in instructions email fires at 14:00 local time on the arrival day).

6.3 Email Types and Triggers

Email	When Sent	Purpose
Confirmation form and payment	Shortly after booking (form_send)	Guest fills pre-arrival form and pays via Apaleo payment link
Payment reminder	~24 hours before arrival	Reduces unpaid arrivals
Same-day reminder	13:00 on arrival day	Urgent nudge for same-day bookings
Check-in instructions	14:00 on arrival day (checkin_send)	Arrival information; requires form and payment to be complete first
eKey / digital access	After check-in rules met (ekey_send)	Passcode or mobile key instructions for door access
Checkout reminder	After guest checks in	Departure time and checkout steps
Feedback	Morning of departure day	Post-stay survey
Extension offer	Manual or extension flow	Invite guest to extend the stay
Cancellation	On reservation/canceled webhook	Notifies guest the reservation has been cancelled

6.4 Relationship to Apaleo Payments

All financial transactions go through Apaleo. Smart PMS creates the payment link, embeds it in guest-facing communications, and listens for folio/balance-changed webhooks to learn when payment is complete. Smart PMS never handles card data or stores payment credentials.

SECTION 07

7. End-to-End Reservation Workflow

Booking Created

A booking source (OTA, direct) creates a reservation in Apaleo. Apaleo fires reservation/created to Smart PMS. Smart PMS upserts the reservation locally, fetches full reservation and folio detail from Apaleo, creates a payment link, schedules the form_send task, and sends the guest the confirmation form and payment email.

Pre-Arrival

The guest opens the form, fills in personal details, and pays via the Apaleo payment link. Apaleo fires folio/balance-changed. Smart PMS syncs the payment status and unlocks the check-in email stage. Reminder tasks fire if payment is not completed ~24 hours before arrival.

Room Assignment

When Apaleo fires unit-assigned (by staff or automatically), Smart PMS reads the assigned unit, looks up its lock connections, and provisions time-bound PINs or eKeys on all linked locks.

Check-In

Staff or the guest initiates check-in. Smart PMS calls Apaleo PUT /booking/v1/reservation-actions/{id}/checkin. Apaleo confirms and fires checked-in. Smart PMS sends the guest the eKey email.

Checkout

Apaleo fires checked-out. Smart PMS revokes all lock credentials for the reservation and schedules the feedback email.

SECTION 08

8. Apaleo Webhooks Consumed by Smart PMS

Inbound endpoint: POST /api/webhooks/reservation

Event	Smart PMS Action
reservation/created	Import reservation; schedule email tasks; create payment link when needed
reservation/amended, reservation/changed	Refresh dates and guest data; reschedule tasks; adjust lock validity window
reservation/canceled	Mark cancelled; send cancellation email; revoke locks
reservation/set-to-no-show	Update status; halt pending access provisioning
reservation/checked-in	Sync in-house state; trigger access if not already sent
reservation/check-in-reverted	Revert workflow to confirmed state; revoke access
reservation/checked-out	Close guest journey; revoke lock credentials; schedule feedback email
reservation/unit-assigned	Provision locks for the newly assigned room
reservation/unit-unassigned	Revoke locks for the removed room
folio/balance-changed	Sync payment status from Apaleo; no new payment links created
invoice/paid	Acknowledged; heavy processing is disabled to prevent loops
system/healthcheck	Returns a health response only

Subscription management (outbound): GET / POST / DELETE
https://webhook.apaleo.com/v1/subscriptions

SECTION 09

9. Apaleo API Reference

The following is the complete set of Apaleo HTTP endpoints called from this codebase. For full request and response schemas refer to the Apaleo Developer Documentation at apaleo.dev.

The "Used for" column describes why Smart PMS calls the endpoint, not the full Apaleo specification.

9.1 Identity — Authentication

Endpoint	Method	Used For
<code>https://identity.apaleo.com/connect/to/ken</code>	POST	Obtain an OAuth2 access token via client credentials or refresh token; required before every <code>api.apaleo.com</code> call

9.2 Inventory — Properties

Endpoint	Method	Used For
<code>/inventory/v1/properties</code>	GET	List properties available to the connected Apaleo account
<code>/inventory/v1/properties</code>	POST	Create a property in Apaleo during onboarding
<code>/inventory/v1/properties/{propertyId}</code>	GET	Load property details for sync and dashboard
<code>/inventory/v1/properties/{propertyId}</code>	PATCH	Update property settings in Apaleo
<code>/inventory/v1/properties/{propertyId}</code>	DELETE	Remove property from Apaleo when deprovisioning

9.3 Inventory — Units (Rooms)

Endpoint	Method	Used For
<code>/inventory/v1/units?propertyId={id}</code>	GET	Bulk sync all rooms for a property into Smart PMS
<code>/inventory/v1/units</code>	GET	Query units with filters
<code>/inventory/v1/units</code>	POST	Create a unit in Apaleo
<code>/inventory/v1/units/{unitId}</code>	GET	Fetch single room detail
<code>/inventory/v1/units/{unitId}</code>	PATCH	Update room attributes in Apaleo
<code>/inventory/v1/units/{unitId}</code>	DELETE	Remove unit from Apaleo inventory

9.4 Inventory — Unit Groups (Room Categories)

Endpoint	Method	Used For
/inventory/v1/unit-groups?propertyId={id}	GET	Sync room types and categories for offers and reporting
/inventory/v1/unit-groups	GET/POST	List or create unit groups
/inventory/v1/unit-groups/{unitGroupId}	GET/PATCH/DELETE	Read, update, or delete a category

9.5 Inventory — Unit Attributes

Endpoint	Method	Used For
/inventory/v1/unit-attributes	GET	Load optional metadata definitions applied to units

9.6 Availability

Endpoint	Method	Used For
/availability/v1/unit-groups	GET	Check which unit groups have availability for a date range (booking, voice AI)
/availability/v1/calendar	GET	Calendar view of availability for planning and stay extensions

9.7 Booking — Search and Offers

Endpoint	Method	Used For
/booking/v1/offers	GET	Search bookable offers (rate + room type + dates) for dashboard, kiosk, and voice
/booking/v1/service-offers	GET	List add-on services such as breakfast or parking
/booking/v1/availability	GET	Alternative availability check in the booking flow

9.8 Booking — Bookings and Reservations

Endpoint	Method	Used For
/booking/v1/bookings	POST	Create a new booking with one or more reservations
/booking/v1/bookings	GET	List bookings
/booking/v1/bookings/{bookingId}	GET	Retrieve booking header and child reservations
/booking/v1/reservations	GET	List or search reservations
/booking/v1/reservations/{reservationId}	GET	Full reservation detail for sync, dashboard, and webhook processing
/booking/v1/reservations/{reservationId}	PATCH	Update reservation fields (comments, guest data)
/booking/v1/reservations/{reservationId}/offers	GET	Offers to amend or upgrade an existing reservation
/booking/v0-nsfw/reservations/{reservationId}	GET	Extended reservation payload including sensitive guest fields

9.9 Booking — Reservation Actions (Lifecycle)

These endpoints change reservation state in Apaleo. Smart PMS calls them for staff actions, kiosk flows, and guest self-service.

Endpoint	Method	Used For
/booking/v1/reservation-actions/{id}/assign-unit	PUT	Assign a room to the reservation
/booking/v1/reservation-actions/{id}/assign-unit/{unitId}	PUT	Assign a specific unit by ID
/booking/v0-nsfw/reservation-actions/{id}/unassign-units	PUT	Remove room assignment

Endpoint	Method	Used For
/booking/v1/reservation-actions/{id}/checkin	PUT	Mark guest as checked in (in-house)
/booking/v1/reservation-actions/{id}/checkout	PUT	Mark guest as checked out
/booking/v1/reservation-actions/{id}/revert-checkin	PUT	Undo check-in (return to confirmed state)
/booking/v1/reservation-actions/{id}/cancel	PUT	Cancel the reservation
/booking/v1/reservation-actions/{id}/amend	PUT	Change dates, products, or conditions

9.10 Booking — Payment Accounts

Endpoint	Method	Used For
/booking/v1/payment-accounts	GET	List tokenised payment methods for charging a folio

9.11 Finance — Folios

A folio is the guest bill in Apaleo. Most payment automation in Smart PMS revolves around folios tied to reservationIds.

Endpoint	Method	Used For
/finance/v1/folios?reservationIds={id}	GET	Find open or closed folios for a reservation
/finance/v1/folios	GET/POST	List folios or create a folio when needed
/finance/v1/folios/{folioId}	GET/PATCH	Read balance and charges or update folio
/finance/v0-nsfw/folios/{folioId}	GET/PATCH	Extended folio operations for sensitive billing data

9.12 Finance — Payments

Endpoint	Method	Used For
/finance/v1/folios/{folioId}/payments	GET	List payments on a folio
/finance/v1/folios/{folioId}/payments	POST	Post a manual payment record
/finance/v1/folios/{folioId}/payments/{paymentId}	GET	Inspect a single payment
/finance/v1/folios/{folioId}/payments/{paymentId}/cancel	PUT	Cancel a pending payment
/finance/v1/folios/{folioId}/payments/by-link	POST	Create the guest payment URL embedded in the confirmation form email
/finance/v1/folios/{folioId}/payments/by-terminal	POST	Initiate a card terminal payment at the kiosk
/finance/v0-nsfw/folios/{folioId}/payments/by-terminal	POST	Terminal payment via the extended API variant
/finance/v1/folios/{folioId}/payments/by-payment-account	POST	Charge a stored payment account
/finance/v1/payments/{paymentId}	GET	Look up a payment by ID

9.13 Finance — Folio Actions and Invoices

Endpoint	Method	Used For
/finance/v1/folio-actions/{folioId}/close	PUT	Close folio at checkout before invoicing
/finance/v1/invoices	GET/POST	List or create invoices from a folio
/finance/v1/invoices/preview	GET	Preview invoice lines before issuing
/finance/v1/invoices/{invoiceId}/pdf	GET	Download the invoice PDF for the guest

9.14 Payment — Transaction Actions

Endpoint	Method	Used For
/payment/v1/payment-transaction-actions/{paymentTransactionId}/cancel	PUT	Cancel an in-flight card transaction

9.15 Webhook API — Subscriptions

Endpoint	Method	Used For
https://webhook.apaleo.com/v1/subscriptions	GET	List active webhook subscriptions for a property
https://webhook.apaleo.com/v1/subscriptions	POST	Register the Smart PMS inbound URL and event types for a property
https://webhook.apaleo.com/v1/subscriptions/{subscriptionId}	DELETE	Remove a subscription when a property is offboarded

SECTION 10

10. Local Data Smart PMS Keeps

Developers integrating a replacement PMS should plan for equivalent entities:

Table / Concept	Source of Truth
apaleo_reservations	Synced from Apaleo; workflow and form state fields are owned by Smart PMS
apaleo_tasks	Smart PMS only — email and access scheduling
apaleo_payment_links	Smart PMS record + Apaleo-hosted payment URL
apaleo_passcodes, apaleo_access_links	Smart PMS + lock provider
apaleo_units, apaleo_locks, apaleo_unit_lock_connections	Units from Apaleo; locks from provider; mapping is Smart PMS only
apaleo_forms, apaleo_feedback, apaleo_email_logs	Smart PMS only

For questions about this integration guide, contact the Crito engineering team via crito.io.