

Goal

Create:

```
Parent Flow
  ↓
Child Flow
  ↓
Return response
```

Use case:

```
Parent flow receives employee request.
Child flow prepares reusable notification message.
Parent flow displays final result.
```

Important Requirement

Child flows work properly inside a **Solution**.

So first create a Solution.

Step 1: Create a Solution

Go to:

```
Power Automate → Solutions → New solution
```

Enter:

```
Display name: Day4 Advanced Automation
Name: Day4AdvancedAutomation
Publisher: Default Publisher
Version: 1.0.0.0
```

Click:

Create

Open the solution.

Step 2: Create Child Flow

Inside the solution:

New → Automation → Cloud flow → Instant

Name:

Child - Build Notification Message

Trigger:

Manually trigger a flow

Add inputs:

EmployeeName - Text

RequestType - Text

Message - Text

Step 3: Add Compose in Child Flow

Add action:

Compose

Input:

Employee Notification

```
Employee Name: @triggerBody()['text']  
Request Type: @triggerBody()['text_1']  
Message: @triggerBody()['text_2']
```

Status: Request received successfully.

Step 4: Respond from Child Flow

Add action:

Respond to a Power App or flow

Add output:

notificationMessage - Text

Value:

Outputs from Compose

Save the child flow.

Step 5: Create Parent Flow

Inside the same solution:

New → Automation → Cloud flow → Instant

Name:

Parent - Employee Request Processor

Trigger:

```
Manually trigger a flow
```

Add inputs:

```
EmployeeName - Text
```

```
RequestType - Text
```

```
Message - Text
```

Step 6: Call Child Flow

Add action:

```
Run a Child Flow
```

Select child flow:

```
Child - Build Notification Message
```

Map fields:

```
EmployeeName → EmployeeName
```

```
RequestType → RequestType
```

```
Message → Message
```

Step 7: Add Compose in Parent Flow

Add action:

```
Compose
```

Input:

```
Parent Flow Completed
```

```
Child Flow Response:
```

```
@{outputs('Run_a_Child_Flow')?['body/notificationMessage']}
```

Step 8: Test Parent Flow

Run parent flow manually.

Enter:

```
EmployeeName: Abdullah Khan
```

```
RequestType: Laptop Request
```

```
Message: Need a laptop for new project work.
```

Expected output:

```
Parent Flow Completed
```

```
Child Flow Response:
```

```
Employee Notification
```

```
Employee Name: Abdullah Khan
```

```
Request Type: Laptop Request
```

```
Message: Need a laptop for new project work.
```

```
Status: Request received successfully.
```

Key Explanation

Child flow is reusable.

Instead of repeating logic in every flow:

```
Format message
```

```
Send email
```

Create log
Return status