
Product Catalogue Changes(Poultry)

Please make the changes below.

1. Categories



Category	Instructions (add / remove / rename)
Enzymes	Subheading unchanged. Icon picture change, names of all 4 enzymes will change details mentioned below
Organic Acids	2 products will be added here. No change in subheading
Toxin Binders	No change in subhead. 3 toxin binders
Antioxidant	No change
Emulsifier	Change bag picture
Bile Acid	No change
Organic Minerals	No change
Alternative Protein	No change
Probiotics	1 product. Add this category. Add bag pic Subhead: Gut health that fuels performance.
Fly Control	1 product:Add this category. Bag pic Subhead: Break the fly cycle at the source.
Feed Pigment	2 products: Add this category.bag pic Subhead: Consistent color without compromise
Feed Hygienizer	1 product. Add this category. Bag pic Subhead: Fresher feed, fewer toxin risks
Phytogenic Anticoccidials	1 product. Add this category.bag pic Subhead: Plant-powered protection against coccidiosis.

2. Products in each category

Category 1: __ ENZYMES_____

Product	Instructions (add / remove / change)
PHYTINGEST 10G & 20G	Change name into this. Add trademark sign  write 10,000 and 20,000 ftu IN BRACKETS also in the enzyme activity bar.
KEMZYME POULTRY	Change compound nspase into this. add registered sign
MANNAGEST	Change name of coregest M to this. Add tradmark
XYGEST HTX	Change name of xylanase into this. Add trademark sign.  **remove the word CJ bio in technology and intro paragraphs.**
1.PHYTINGEST™ 10 G & 20 G 2. KEMZYME® Poultry 3. MANNAGEST™ 4. XYGEST™ HTX	Change all the pictures, will be provided by rizwan. All the text other than mentioned changes will remain the same

Category 2: _____Organic Acids_____

Product	Instructions (add / remove / change)
Prophorce SR 130	No change
Antamix	Add this product. Picture from rizwan. **Anta®Mix ME** *Acid complex with microencapsulated acids and essential oils, for poultry gut health and performance* Anta®Mix ME combines formic, lactic and phosphoric acid salts with microencapsulated acids and essential oils. It acts in the feed, the crop and stomach, and the hindgut. It also supplies highly available calcium and phosphorus. **Technical specifications** | | | |---|---| | Product | Anta®Mix ME | | Category | Organic acids |

Product	Instructions (add / remove / change)
	<table><tr><td>Active ingredients</td><td>Formic, lactic and phosphoric acid, microencapsulated essential oils</td></tr><tr><td>Application</td><td>Poultry feed (broilers, layers)</td></tr><tr><td>Technology</td><td>Fat-encapsulated actives, released gradually by lipase in the intestine</td></tr><tr><td>Primary benefits</td><td>Gut health, nutrient digestibility, antibacterial action, feed efficiency</td></tr></table> **KEY BENEFITS** • Improves Feed Intake and Palatability • Improves Digestion and Nutrient Absorption • Reduces Pathogen Pressure • Improves Shell Quality (Better Calcium Utilisation) • Reduces Mortality • Better Feed Conversion Ratio (FCR) and Weight Gain **APPLICATIONS** Broilers · Layers · Commercial Poultry Farms · Feed Manufacturers **FEATURES** • Protected actives pass the stomach and release gradually along the gut. • Provides highly available calcium and phosphorus. • Free-flowing, silo-compatible, non-corrosive and does not react with other feed components. • Heat stable

Category 3: _____TOXIN BINDERS_____

Instructions (add / remove / change)
Probond. No change
Elenco superfix. No change
Add this product. Take Pictures from rizwan.

Instructions (add / remove / change)

ProSid TB 207
Multi-functional mycotoxin binder with phytogenics and calcium propionate

ProSid TB 207 is a toxin binder that adsorbs polar and non-polar mycotoxins. It also acts as a prebiotic, supports gut health and reduces oxidative stress and immunosuppression. It contains phytogenic compounds (carob, milk thistle, rosemary and licorice root) and calcium propionate.

Technical specifications

Product	ProSid TB 207
Category	Toxin binder
Active ingredients	Toxin binder, phytogenics (carob, milk thistle, rosemary, licorice root), calcium propionate
Application	Poultry feed
Technology	Multi-functional adsorption and protection
Primary benefits	Mycotoxin binding, gut health, liver protection, antioxidant support, feed efficiency

KEY BENEFITS

- Binds Aflatoxin B1, Zearalenone and T-2 Toxin
- Supports Gut Health and Gut Microbiota
- Protects Liver Function
- Reduces Oxidative Stress and Immunosuppression
- Supports Nutrient Digestibility Under Mycotoxin Challenge
- Supports Weight Gain and Feed Conversion Ratio (FCR)

APPLICATIONS

Broilers · Layers · Breeders · Commercial Poultry Farms · Feed Manufacturers

FEATURES

- Adsorbs polar and non-polar mycotoxins.
- Prebiotic action supports a healthy gut microbiota.
- Phytogenics add antioxidant, immune and liver support.
- Calcium propionate protects against yeast and mold.
- Cost-effective

Category 4: _____Antioxidant, Emulsifier, Bile Acids, Organic minerals and alternative protein_____

Product	Instructions (add / remove / change)
	All these four categories require no change except for the pictures

Category 9: ___Probiotics_____

Product	Instructions (add / remove / change)
Alterion NE	Add this category and this new product. Pictures will be given **Alterion NE** *Bacillus subtilis probiotic for gut health and poultry performance* Alterion NE is a direct-fed microbial based on *Bacillus subtilis*. It strengthens gut health in three layers: the microbiota, the gut epithelium (barrier) and the immune response. This makes the gut less favourable to opportunistic pathogens such as *C. perfringens*. **Technical specifications** | | | |---|---| | Product | Alterion NE | | Category | Probiotic | | Active ingredient | *Bacillus subtilis* (1×10^{10} CFU/g) | | Application | Poultry feed | | Technology | Heat-stable spores, germinating in the gut | | Primary benefits | Gut health, intestinal integrity, pathogen resilience, performance | **KEY BENEFITS** • Improves Gut Health and Resilience • Supports Intestinal Villus Development • Strengthens the Gut Epithelial Barrier • Supports a Balanced Immune Response • Reduces Pathogen Pressure (incl. *C. perfringens*) • Supports Weight Gain and Feed Conversion Ratio (FCR) **APPLICATIONS** Broilers ·Layers. Breeders. Commercial Poultry Farms · Feed Manufacturers **FEATURES**

Product	Instructions (add / remove / change)
	• proven germination in the gut • Heat stable • Free-flowing powder with good compressibility. • Compatible with ionophore coccidiostats and antibiotic growth promoters. • Can be combined with feed enzymes for complementary effects.

Category 10: _____Fly Control_____

Product	Instructions (add / remove / change)
AntiFly	Add this product. **Antifly** *Poultry feed premix for fly control through larvae growth regulation* Antifly is a feed additive containing cyromazine, an insect growth regulator. About 99.9% of the dose passes through the bird and is excreted in the manure. There it stops fly larvae from developing into adult flies, which breaks the breeding cycle and reduces fly numbers in the poultry house. **Technical specifications** | | | |---|---| | Product | Antifly | | Category | Insect growth regulator (larvicide) premix | | Active ingredient | Cyromazine (triazine class) | | Application | Poultry feed | | Technology | Cellulose-coated, passes through the bird and acts in the manure | | Primary benefits | Fly control, disease prevention, ammonia and odour reduction | **KEY BENEFITS** • Controls Fly Breeding in Manure • Reduces Fly-Borne Disease Risk (Viral and Bacterial) • Reduces Ammonia and Odour in Poultry Houses • Reduces Stress Caused by Flies • Improves Egg and Manure Quality • Easy to Use and Cost Effective **APPLICATIONS** Commercial Poultry Farms · Feed Manufacturers

Product	Instructions (add / remove / change)
	FEATURES • Cyromazine inhibits chitin synthesis in the fly exoskeleton and disrupts the hormones that regulate its growth. • Stops eggs, larvae and pupae from developing into adult flies. • the product is safe for poultry. • start early, before fly season (around March), and continue until the end of summer (around September). • Add to feed only, and mix well.

Category 11: _____Feed Pigments_____

Product	Instructions (add / remove / change)
Canthaxanthin & Lutein	**Feed Pigment** *red and yellow carotenoid pigments for egg yolk and broiler skin colour* Corn-based diets don't carry enough carotenoids for the colour consumers want. Supplementing with natural red and yellow pigments builds a deeper orange yolk and richer skin and shank colour. **Technical specifications** [table] **KEY BENEFITS** • Deeper, More Uniform Egg Yolk Colour • Richer Broiler Skin and Shank Colour • Natural Yellow Base from Marigold Extract • Red Pigment for High Colour Scores • Supports Consumer Appeal and Perceived Quality • Cost-Effective Colour Programme **APPLICATIONS**

Product	Canthaxanthin & Lutein (Red and Yellow)
Category	Feed pigments
Active ingredients	Red: canthaxantin 10% Yellow: lutein 2%
Application	Poultry feed (layers, broilers)
Technology	Free-flowing powder (yellow) and granule (red), premixed before the mixer
Primary benefits	Yolk colour, skin and shank colour, consistent product appearance

Product	Instructions (add / remove / change)
	Layers · Broilers · Commercial Poultry Farms · Feed Manufacturers **FEATURES** • well absorbed by the bird. • Free-flowing powder and granule forms that mix evenly into feed. • Dosage adjusts to the corn level in the diet. • Premix before the mixer, since the amounts are very small.

Category 12: _____Feed Hygienizer _____

Product	Instructions (add / remove / change)
MoldCid	**MoldCid** *Propionic acid–based feed preservative against mold and spoilage* MoldCid is a blend of propionic acid with its ammonium and calcium salts on a mineral carrier. The mix of free acids and salts gives a long-lasting effect. It controls mold growth, protects feed and grain from spoilage and keeps nutrient and dry matter losses low. **Technical specifications** | | | |---|---| | Product | MoldCid | | Category | Feed Hygienizer | | Active ingredients | Propionic acid, ammonium propionate, calcium propionate | | Application | Compound feed and grain | | Technology | Free acids plus salts on a mineral carrier, with steady release into the feed | | Primary benefits | Antifungal protection, feed hygiene, reduced nutrient and dry matter losses | **KEY BENEFITS** • Controls Mold Growth in Feed and Grain • Protects Against Nutrient and Dry Matter Losses • Improves Feed Hygiene • Helps Prevent Mycotoxins and Biogenic Amines • Supports Healthy Feed, Lower Mortality and Better Feed Efficiency • Reduces Feed Costs from Spoilage

Product	Instructions (add / remove / change)
	APPLICATIONS Feed Manufacturers · Commercial Poultry Farms · Grain Storage **FEATURES** • Long-lasting effect from the free acid and salt combination. • Free-flowing, • non-corrosive and easy to handle, with a particle size that suits easy dosing.

Category 13: _____Phtyogenic Anticoccidial_____

Product	Instructions (add / remove / change)
Coxield	**Coxield** *Phytogenic anticoccidial with three modes of action* Coxield is a natural alternative to anticoccidial drugs, made from a blend of two phytogenics. It acts on the early phase of the *Eimeria* life cycle in three ways. It kills sporozoites directly, blocks their invasion of gut cells and slows merozoite multiplication inside the cells. This supports broiler growth and reduces oocyst discharge and lesion score. **Technical specifications** | | | |---|---| | Product | Coxield | | Category | Phytogenic anticoccidial | | Active ingredients | Blend of two phytogenics | | Application | Poultry feed | | Technology | Triple mode of action against *Eimeria* | | Primary benefits | Coccidiosis control, gut protection, growth performance | **KEY BENEFITS** • Kills Sporozoites Directly • Inhibits Cell Invasion • Suppresses Merozoite Proliferation • Reduces Oocyst Discharge and Lesion Score • Supports Broiler Growth Performance and FCR

Product	Instructions (add / remove / change)
	• Natural Alternative to Chemical Anticoccidial Drugs **APPLICATIONS** Broilers ·Layers. Breeders. Commercial Poultry Farms · Feed Manufacturers **FEATURES** • kills sporozoites, inhibits cell invasion and suppresses merozoite proliferation. • No withdrawal period and no residue issues. • Less resistance risk than anticoccidial drugs. • Faster protection than vaccines. • Selected through screening of natural ingredients.

3. Anything else to add or remove
