

Lab Exam:01

Title: Association/Classification/Fact and Dimension Table

Course title: Data Mining Problem Description

Course code: CSE-452
4th Year 1st Semester Examination 2025

Date of Submission: 23/April/2026



Submitted to-

Md. Humayun Kabir

Professor

Department of Computer Science and Engineering
Jahangirnagar University

&

Dr. Md Musfique Anwar

Professor

Department of Computer Science and Engineering
Jahangirnagar University
Savar, Dhaka-1342

Class Roll	Exam Roll	Name
391	210911	Md. Khaled Mahmud Jon

1. Classification On my project dataset “Intelligence Automatic Supervisor Allocation System ”

Weka Explorer

Preprocess Classify Cluster Associate Select attributes Visualize

Classifier: Choose J48 -C 0.25 -M 2

Test options:
☐ Use training set
☐ Supplied test set
☒ Cross-validation Folds 10
☐ Percentage split % 66
More options...

(Nom) Performance_Class
Start Stop
Result list (right-click for options)
12:36:52 - trees.J48

Classifier output

==== Run information ====
Scheme: weka.classifiers.trees.J48 -C 0.25 -M 2
Relation: ThesisHub_J48_500_Dataset
Instances: 500
Attributes: 6
CPA
Attendance
Submission_Days
Teacher_Rating
Final_Marks
Performance_Class
Test mode: 10-fold cross-validation
==== Classifier model (full training set) ====

J48 pruned tree

```
Final_Marks <= 84
|
| Final_Marks <= 74
| |
| | Final_Marks <= 64: Poor (6.0)
| |
| | Final_Marks > 64: Average (132.0)
| |
| | Final_Marks > 74: Good (221.0)
| |
| Final_Marks > 84: Excellent (141.0)
```

Number of Leaves : 4
Size of the tree : 7

Time taken to build model: 0.01 seconds

==== Stratified cross-validation ====

==== Summary ====

Correctly Classified Instances	500	100	%
Incorrectly Classified Instances	0	0	%
Kappa statistic	1		
Mean absolute error	0		
Root mean squared error	0		
Relative absolute error	0	%	
Root relative squared error	0	%	
Total Number of Instances	500		

==== Detailed Accuracy By Class ====

	TP Rate	FP Rate	Precision	Recall	F-Measure	MCC	ROC Area	PRC Area	Class
1.000	0.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	Good
1.000	0.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	Poor
1.000	0.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	Average
1.000	0.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	Excellent
Weighted Avg.	1.000	0.000	1.000	1.000	1.000	1.000	1.000	1.000	

==== Confusion Matrix ====

Status: OK

Weka Explorer

Preprocess Classify Cluster Associate Select attributes Visualize

Classifier: Choose J48 -C 0.25 -M 2

Test options:
☐ Use training set
☐ Supplied test set
☒ Cross-validation Folds 10
☐ Percentage split % 66
More options...

(Nom) Performance_Class
Start Stop
Result list (right-click for options)
12:36:52 - trees.J48

Classifier output

==== Run information ====
Scheme: weka.classifiers.trees.J48 -C 0.25 -M 2
Relation: ThesisHub_J48_500_Dataset
Instances: 500
Attributes: 6
CPA
Attendance
Submission_Days
Teacher_Rating
Final_Marks
Performance_Class
Test mode: 10-fold cross-validation
==== Classifier model (full training set) ====

J48 pruned tree

```
Final_Marks <= 84
|
| Final_Marks <= 74
| |
| | Final_Marks <= 64: Poor (6.0)
| |
| | Final_Marks > 64: Average (132.0)
| |
| | Final_Marks > 74: Good (221.0)
| |
| Final_Marks > 84: Excellent (141.0)
```

Number of Leaves : 4
Size of the tree : 7

Time taken to build model: 0.01 seconds

==== Stratified cross-validation ====

==== Summary ====

Correctly Classified Instances	500	100	%
Incorrectly Classified Instances	0	0	%
Kappa statistic	1		
Mean absolute error	0		
Root mean squared error	0		
Relative absolute error	0	%	
Root relative squared error	0	%	
Total Number of Instances	500		


==== Detailed Accuracy By Class ====

	TP Rate	FP Rate	Precision	Recall	F-Measure	MCC	ROC Area	PRC Area	Class
1.000	0.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	Good
1.000	0.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	Poor
1.000	0.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	Average
1.000	0.000	1.000	1.000	1.000	1.000	1.000	1.000	1.000	Excellent
Weighted Avg.	1.000	0.000	1.000	1.000	1.000	1.000	1.000	1.000	


==== Confusion Matrix ====

a	b	c	d	← classified as
221	0	0	0	a = Good
0	6	0	0	b = Poor
0	0	132	0	c = Average
0	0	0	141	d = Excellent

Status: OK




2. Association Rule On my project dataset “Intelligence Automatic Supervisor Allocation System”



3. Design Fact Table and Dimension Table

Fact Table: 1. Creation



The screenshot shows the MongoDB Compass interface. On the left, the 'CONNECTIONS (2)' panel lists two connections: 'cluster14584.5wca2wu.mongodb.net' and 'localhost:27017'. Under 'localhost:27017', the 'SupervisorAllocation' database is expanded, showing collections: 'student_dimension', 'teacher_dimension', 'thesis_dimension', 'thesis_performance_fact', and 'time_dimension'. The main panel displays the MongoDB Shell with the following commands and output:

```
> use SupervisorAllocation
switched to db SupervisorAllocation
> db.thesis_performance_fact.insertMany([
  { _id: 1001, Student_ID: 1, Teacher_ID: 101, Thesis_ID: 201, Time_ID: 301, Final_Marks: 85.5, Submission_Days: 120, Feedback_Score: 85.5 },
  { _id: 1002, Student_ID: 2, Teacher_ID: 102, Thesis_ID: 202, Time_ID: 302, Final_Marks: 78.0, Submission_Days: 130, Feedback_Score: 78.0 },
  { _id: 1003, Student_ID: 3, Teacher_ID: 103, Thesis_ID: 203, Time_ID: 303, Final_Marks: 91.75, Submission_Days: 110, Feedback_Score: 91.75 },
  { _id: 1004, Student_ID: 4, Teacher_ID: 104, Thesis_ID: 204, Time_ID: 304, Final_Marks: 80.0, Submission_Days: 125, Feedback_Score: 80.0 },
  { _id: 1005, Student_ID: 5, Teacher_ID: 105, Thesis_ID: 205, Time_ID: 305, Final_Marks: 87.0, Submission_Days: 115, Feedback_Score: 87.0 },
  { _id: 1006, Student_ID: 6, Teacher_ID: 106, Thesis_ID: 206, Time_ID: 306, Final_Marks: 92.0, Submission_Days: 100, Feedback_Score: 92.0 },
  { _id: 1007, Student_ID: 7, Teacher_ID: 107, Thesis_ID: 207, Time_ID: 307, Final_Marks: 76.0, Submission_Days: 140, Feedback_Score: 76.0 },
  { _id: 1008, Student_ID: 8, Teacher_ID: 108, Thesis_ID: 208, Time_ID: 308, Final_Marks: 83.5, Submission_Days: 118, Feedback_Score: 83.5 },
  { _id: 1009, Student_ID: 9, Teacher_ID: 109, Thesis_ID: 209, Time_ID: 309, Final_Marks: 88.0, Submission_Days: 112, Feedback_Score: 88.0 },
  { _id: 1010, Student_ID: 10, Teacher_ID: 110, Thesis_ID: 210, Time_ID: 310, Final_Marks: 90.5, Submission_Days: 105, Feedback_Score: 90.5 }
])
{
  acknowledged: true,
  insertedIds: {
    '0': 1001,
    '1': 1002,
    '2': 1003,
    '3': 1004,
    '4': 1005,
    '5': 1006,
    '6': 1007,
    '7': 1008,
    '8': 1009,
    '9': 1010
  }
}
```

The output shows that the data was successfully inserted into the 'thesis_performance_fact' collection, with 10 documents inserted and their IDs listed in the 'insertedIds' field.

2. Shows data

The image displays two screenshots of the MongoDB Compass interface, showing data from the 'thesis_performance_fact' collection in the 'SupervisorAllocation' database on 'localhost:27017'.

Top Screenshot: The 'Documents' tab is active, displaying a table with 10 documents. The columns are: `_id` (Int32), `Student_ID` (Int32), `Teacher_ID` (Int32), `Thesis_ID` (Int32), and `Time_ID` (Int). The data is as follows:

	<code>_id</code> Int32	<code>Student_ID</code> Int32	<code>Teacher_ID</code> Int32	<code>Thesis_ID</code> Int32	<code>Time_ID</code> Int
1	1001	1	101	201	301
2	1002	2	102	202	302
3	1003	3	103	203	303
4	1004	4	104	204	304
5	1005	5	105	205	305
6	1006	6	106	206	306
7	1007	7	107	207	307
8	1008	8	108	208	308
9	1009	9	109	209	309
10	1010	10	110	210	310


Bottom Screenshot: The 'Documents' tab is active, displaying a table with 10 documents. The columns are: `Final_Marks` (Mixed), `Submission_Days` (Int32), `Feedback_Score` (Double), and `Task_Completion` (Int32). The data is as follows:

	<code>Final_Marks</code> Mixed	<code>Submission_Days</code> Int32	<code>Feedback_Score</code> Double	<code>Task_Completion</code> Int32
1	85.5	120	4.6	95
2	78	130	4.2	88
3	91.75	110	4.8	98
4	80	125	4.3	90
5	87	115	4.6	93
6	92	100	4.9	97
7	76	140	4.1	85
8	83.5	118	4.4	89
9	88	112	4.2	92
10	90.5	105	4.7	96

Dimension Table

1. Creation


1.1 Student_dimension



The screenshot shows the MongoDB Compass interface. On the left, the 'CONNECTIONS' panel lists the 'localhost:27017' connection with a tree view showing databases like 'SupervisorAllocation', 'student_dimension', 'teacher_dimension', 'thesis_dimension', and 'time_dimension'. The main panel displays a MongoDB shell session with the following commands and output:

```
> use SupervisorAllocation
switched to db SupervisorAllocation
> db.student_dimension.insertMany([
  { _id: 1, CGPA: 3.75, Department: "CSE", Semester: "Spring 2024", Attendance: 92.5 },
  { _id: 2, CGPA: 3.60, Department: "EEE", Semester: "Spring 2024", Attendance: 88.0 },
  { _id: 3, CGPA: 3.90, Department: "CSE", Semester: "Fall 2024", Attendance: 95.0 },
  { _id: 4, CGPA: 3.45, Department: "BBA", Semester: "Fall 2024", Attendance: 85.0 },
  { _id: 5, CGPA: 3.80, Department: "CSE", Semester: "Spring 2025", Attendance: 93.0 },
  { _id: 6, CGPA: 3.20, Department: "EEE", Semester: "Spring 2025", Attendance: 80.0 },
  { _id: 7, CGPA: 3.95, Department: "CSE", Semester: "Fall 2025", Attendance: 96.0 },
  { _id: 8, CGPA: 3.50, Department: "BBA", Semester: "Fall 2025", Attendance: 87.0 },
  { _id: 9, CGPA: 3.70, Department: "CSE", Semester: "Spring 2026", Attendance: 91.0 },
  { _id: 10, CGPA: 3.30, Department: "EEE", Semester: "Spring 2026", Attendance: 82.0 }
])
{
  acknowledged: true,
  insertedIds: {
    '0': 1,
    '1': 2,
    '2': 3,
    '3': 4,
    '4': 5,
    '5': 6,
    '6': 7,
    '7': 8,
    '8': 9,
    '9': 10
  }
}
> db.student_dimension.find()
```


1.2 Teacher_dimension




The screenshot shows the MongoDB Compass interface. On the left, the 'CONNECTIONS' panel lists the 'localhost:27017' connection with a tree view showing databases like 'SupervisorAllocation', 'student_dimension', 'teacher_dimension', 'thesis_dimension', and 'time_dimension'. The main panel displays a MongoDB shell session with the following commands and output:

```
> db.teacher_dimension.insertMany([
  { _id: 101, Expertise_Area: "Machine Learning", Evaluation_Rating: 4.5, Supervised_Groups: 5 },
  { _id: 102, Expertise_Area: "Power Systems", Evaluation_Rating: 4.2, Supervised_Groups: 3 },
  { _id: 103, Expertise_Area: "Data Science", Evaluation_Rating: 4.8, Supervised_Groups: 6 },
  { _id: 104, Expertise_Area: "Cyber Security", Evaluation_Rating: 4.3, Supervised_Groups: 4 },
  { _id: 105, Expertise_Area: "Software Engineering", Evaluation_Rating: 4.6, Supervised_Groups: 7 },
  { _id: 106, Expertise_Area: "AI", Evaluation_Rating: 4.9, Supervised_Groups: 8 },
  { _id: 107, Expertise_Area: "Networking", Evaluation_Rating: 4.1, Supervised_Groups: 3 },
  { _id: 108, Expertise_Area: "Database", Evaluation_Rating: 4.4, Supervised_Groups: 5 },
  { _id: 109, Expertise_Area: "IoT", Evaluation_Rating: 4.2, Supervised_Groups: 4 },
  { _id: 110, Expertise_Area: "Cloud Computing", Evaluation_Rating: 4.7, Supervised_Groups: 6 }
])
{
  acknowledged: true,
  insertedIds: {
    '0': 101,
    '1': 102,
    '2': 103,
    '3': 104,
    '4': 105,
    '5': 106,
    '6': 107,
    '7': 108,
    '8': 109,
    '9': 110
  }
}
> db.thesis_dimension.insertMany([
  { _id: 201, Thesis_Topic: "AI Based Disease Prediction", Research_Domain: "AI", Thesis_Type: "Group" },
  { _id: 202, Thesis_Topic: "Smart Grid Optimization", Research_Domain: "Electrical", Thesis_Type: "Individual" },
  { _id: 203, Thesis_Topic: "Big Data Analytics", Research_Domain: "Data Science", Thesis_Type: "Group" },
])
```

1.3 Thesis_dimension




1.4 Time_dimension



Show all dimension data:


1.1 Student_dimension Table



The screenshot shows the MongoDB Compass interface with the 'student_dimension' collection selected. The table displays 10 documents with the following columns: _id (Int32), CGPA (Double), Department (String), Semester (String), and Attendance (Double). The data is as follows:

_id	CGPA	Department	Semester	Attendance
1	3.75	"CSE"	"Spring 2024"	92.5
2	3.6	"EEE"	"Spring 2024"	88
3	3.9	"CSE"	"Fall 2024"	95
4	3.45	"BBA"	"Fall 2024"	85
5	3.8	"CSE"	"Spring 2025"	93
6	3.2	"EEE"	"Spring 2025"	80
7	3.95	"CSE"	"Fall 2025"	96
8	3.5	"BBA"	"Fall 2025"	87
9	3.7	"CSE"	"Spring 2026"	91
10	3.3	"EEE"	"Spring 2026"	82

1.2 Teacher_dimension Table



The screenshot shows the MongoDB Compass interface with the 'teacher_dimension' collection selected. The table displays 10 documents with the following columns: _id (Int32), Expertise_Area (String), Evaluation_Rating (Double), and Supervised_Groups (Int32). The data is as follows:

_id	Expertise_Area	Evaluation_Rating	Supervised_Groups
101	"Machine Learning"	4.5	5
102	"Power Systems"	4.2	3
103	"Data Science"	4.8	6
104	"Cyber Security"	4.3	4
105	"Software Engineering"	4.6	7
106	"AI"	4.9	8
107	"Networking"	4.1	3
108	"Database"	4.4	5
109	"IoT"	4.2	4
110	"Cloud Computing"	4.7	6

1.3 Thesis_dimension Table

The screenshot shows the MongoDB Compass interface with the 'thesis_dimension' collection selected. The table contains 10 documents, each with an '_id', 'Thesis_Topic', 'Research_Domain', and 'Thesis_Type'.

	_id Int32	Thesis_Topic String	Research_Domain String	Thesis_Type String
1	201	"AI Based Disease Predict..	"AI"	"Group"
2	202	"Smart Grid Optimization"	"Electrical"	"Individual"
3	203	"Big Data Analytics"	"Data Science"	"Group"
4	204	"Blockchain Security"	"Cyber Security"	"Group"
5	205	"Web App Development"	"Software"	"Individual"
6	206	"Deep Learning Model"	"AI"	"Group"
7	207	"Network Optimization"	"Networking"	"Individual"
8	208	"Database Tuning"	"Database"	"Group"
9	209	"Smart Home IoT"	"IoT"	"Group"
10	210	"Cloud Deployment System"	"Cloud"	"Individual"

1.4 Time_dimension Table

The screenshot shows the MongoDB Compass interface with the 'time_dimension' collection selected. The table contains 10 documents, each with an '_id', 'Month', 'Semester', and 'Year'.

	_id Int32	Month String	Semester String	Year Int32
1	301	"January"	"Spring"	2024
2	302	"February"	"Spring"	2024
3	303	"March"	"Spring"	2024
4	304	"April"	"Spring"	2024
5	305	"May"	"Spring"	2024
6	306	"June"	"Spring"	2024
7	307	"July"	"Summer"	2024
8	308	"August"	"Summer"	2024
9	309	"September"	"Fall"	2024
10	310	"October"	"Fall"	2024