TOPIC MODELING

By: METIS



AGENDA

- Topic Modeling Overview
- Matrix Factorization
 - Latent Semantic Analysis (LSA)
 - Non-Negative Matrix Factorization (NMF)
- Probabilistic Modeling
 - ► Latent Dirichlet Allocation (LDA)





TOPIC MODELING OVERVIEW

TOPIC MODELING

► The process of discovering "topics" that occur in a collection of documents

- Let's go through two examples:
 - 1. Understand the concept of a "topic"
 - 2. Understand how this is a form of dimensionality reduction



Example #1: Topics



LET'S SAY WE HAVE 5 DOCUMENTS

- I like bananas and oranges.
- Frogs and fish live in ponds.
- Kittens and puppies are fluffy.
- For breakfast, I had a spinach and apple smoothie.
- My kitten loves kale.

Intuitively, what are the topics that you see here?



EXAMPLE TOPIC MODELING OUTPUT

- I like bananas and oranges. 100% Topic A
- Frogs and fish live in ponds. 100% Topic B
- Kittens and puppies are fluffy. 100% Topic B
- For breakfast, I had a spinach and apple smoothie. 100%
 Topic A
- My kitten loves kale. 60% Topic A, 40% Topic B

The model outputs the "topics" it finds.

The user needs to assign a name to the "topics".



EXAMPLE TOPIC MODELING OUTPUT

- I like bananas and oranges. 100% Food
- Frogs and fish live in ponds. 100% Topic B
- Kittens and puppies are fluffy. 100% Topic B
- For breakfast, I had a spinach and apple smoothie. 100%
- My kitten loves kale. 60% Food, 40% Topic B

The model outputs the "topics" it finds.

The user needs to assign a name to the "topics".



EXAMPLE TOPIC MODELING OUTPUT

- I like bananas and oranges. 100% Food
- Frogs and fish live in ponds. 100% Animals
- Kittens and puppies are fluffy. 100% Animals
- For breakfast, I had a spinach and apple smoothie. 100%
 Food
- My kitten loves kale. 60% Food, 40% Animals

The model outputs the "topics" it finds.

The user needs to assign a name to the "topics".



Example #2: From Words —> Topics (Dimensionality Reduction)



- "I love my pet rabbit."
- "That dish yesterday was amazing."
- "She cooked the best rabbit dish ever."
- "I gave leftovers of that dish to my pet, mr. rabbit"
- "Rabbits make messy pets."
- "My rabbit growls when I pet her."
- "He has five rabbits."
- "I had this weird dish with fried rabbit."
- "That's my pet rabbit's favorite dish."



- "I love my pet rabbit."
- "That dish yesterday was amazing."
- "She cooked the best rabbit dish ever."
- "I gave leftovers of that dish to my pet, mr. rabbit"
- "Rabbits make messy pets."
- "My rabbit growls when I pet her."
- "He has five rabbits."
- "I had this weird dish with fried rabbit."
- "That's my pet rabbit's favorite dish."

Let's clean this text a bit:

- Remove stop words
- Keep only nouns



- "I love my pet rabbit."
- "That dish yesterday was amazing."
- "She cooked the best rabbit dish ever."
- "I gave leftovers of that **dish** to my **pet**, mr. **rabbit**"
- "Rabbits make messy pets."
- "My rabbit growls when I pet her."
- "He has five rabbits."
- "I had this weird dish with fried rabbit."
- "That's my pet rabbit's favorite dish."

We end up with 3 features:


- Pet
- Rabbit
- Dish



- "I love my pet rabbit."
- "That dish yesterday was amazing."
- "She cooked the best rabbit dish ever."
- "I gave leftovers of that dish to my pet, mr. rabbit"
- "Rabbits make messy pets."
- "My rabbit growls when I pet her."
- "He has five rabbits."
- "I had this weird dish with fried rabbit."
- "That's my pet rabbit's favorite dish."

Let's move from the word space (3 features) to the topic space (2 features).











HOW TO GO FROM 3D -> 2D?

Feature Selection


- ► Start with 3 features: PET, RABBIT, DISH
- Decide that DISH isn't an important feature
- ► End with 2 features: PET, RABBIT

Feature Extraction

- ► Start with 3 features: PET, RABBIT, DISH
- Create 2 new features that are combos of PET / RABBIT / DISH (example: PCA)
- ► End with 2 features: Principal Component 1, Principal Component 2




FEATURE EXTRACTION






FEATURE EXTRACTION






FEATURE EXTRACTION





CLUSTERING IS EASIER IN 2D





```
"I love my pet rabbit."

"Rabbits make messy pets."

"My rabbit growls when I pet her."

"He has five rabbits."
```

"That dish yesterday was amazing."

"She cooked the best rabbit dish ever."

"I had this weird dish with fried rabbit."

"I gave leftovers of that dish to my pet, Mr. Rabbit" "That's my pet rabbit's favorite dish."



```
Axis 1: 1.5(Rabbit) + 1.1 (Pet) + 0.1(Dish)
Axis 2: 0.9(Rabbit) + 0.02(Pet) + 1.6(Dish)
```

```
"I love my pet rabbit."

"Rabbits make messy pets."

"My rabbit growls when I pet her."

"He has five rabbits."
```

"That dish yesterday was amazing."

"She cooked the best rabbit dish ever."

"I had this weird dish with fried rabbit."

"I gave leftovers of that dish to my pet, Mr. Rabbit" "That's my pet rabbit's favorite dish."



```
Axis 1: 1.5(Rabbit) + 1.1 (Pet) + 0.1(Dish)
Axis 2: 0.9(Rabbit) + 0.02(Pet) + 1.6(Dish)
```

Axis 1: High Axis 2: Low "I love my pet rabbit."

"Rabbits make messy pets."

"My rabbit growls when I pet her."

"He has five rabbits."

Axis 1: Low Axis 2: High "That dish yesterday was amazing."

"She cooked the best rabbit dish ever."

"I had this weird **dish** with fried **rabbit**."

Axis 1: High Axis 2: High

"I gave leftovers of that **dish** to my **pet**, Mr. **Rabbit**" "That's my **pet rabbit's** favorite **dish**."



```
Topic 1: 1.5(Rabbit) + 1.1 (Pet) + 0.1(Dish) <- pets, pet rabbits
Topic 2: 0.9(Rabbit) + 0.02(Pet) + 1.6(Dish) <- food, rabbit dishes
                "I love my pet rabbit."
                "Rabbits make messy pets."
Topic 1: High
Topic 2: Low
                "My rabbit growls when I pet her."
                "He has five rabbits."
                "That dish yesterday was amazing."
Topic 1: Low
                "She cooked the best rabbit dish ever."
Topic 2: High
                "I had this weird dish with fried rabbit."
Topic 1: High
                "I gave leftovers of that dish to my pet, Mr. Rabbit"
Topic 2: High
                "That's my pet rabbit's favorite dish."
```




Topic modeling produces soft / fuzzy clusters. A document does not belong to a single cluster. Each document contains bits of each topic.

88% 80%	T2 13% 12% 20% 34%	"I love my pet rabbit." " Rabbits make messy pets ." "My rabbit growls when I pet her." "He has five rabbits ."
16%	98% 84% 85%	"That dish yesterday was amazing." "She cooked the best rabbit dish ever." "I had this weird dish with fried rabbit ."
, .	53% 58%	"I gave leftovers of that dish to my pet , Mr. Rabbit " "That's my pet rabbit's favorite dish ."



WHAT IS A TOPIC?

A topic can be thought of as a probability distribution of words



Take the "pet rabbits" topic for example:

- Words more likely to appear: pet, rabbit, lettuce, cage, fluffy...
- · Words less likely to appear: metis, dish, opaque, hi...



```
Topic 1: 1.5(Rabbit) + 1.1 (Pet) + 0.1(Dish) <- pets, pet rabbits

Topic 2: 0.9(Rabbit) + 0.02(Pet) + 1.6(Dish) <- food, rabbit dishes
```

Word	Prob in [Topic 1]	Prob in [Topic 2]
pet	2.3x107	1.2x1010
rabbit	7.9x10 ⁷	3.4x108
dish	6.8x1011	4.5x10 ⁷
car	3.1x1012	1.8x1012
hello	8.3x109	1.4x109
the	7.4x104	7.3x104
love	5.4x108	3.9x108
affair	3.0x1013	2.1x1013
delicious	9.1x10 ⁹	9.8x10 ⁸



```
Topic 1: 1.5(Rabbit) + 1.1(Pet) + 0.1(Dish) <— pets, pet rabbits Topic 2: 0.9(Rabbit) + 0.02(Pet) + 1.6(Dish) <— food, rabbit dishes
```

Word	Prob in [Pets]	Prob in [Food]
pet	2.3x107	1.2x1010
rabbit	7.9x107	3.4x108
dish	6.8x1011	4.5x107
car	3.1x10 ¹²	1.8x1012
hello	8.3x109	1.4x109
the	7.4x104	7.3x104
love	5.4x108	3.9x108
affair	3.0x1013	2.1x1013
delicious	9.1x10 ⁹	9.8x10 ⁸



```
Topic 1: 1.5(Rabbit) + 1.1 (Pet) + 0.1(Dish) <- pets, pet rabbits

Topic 2: 0.9(Rabbit) + 0.02(Pet) + 1.6(Dish) <- food, rabbit dishes
```

Word	Prob in [Pets]	Prob in [Food]
pet	2.3x10 ⁷	1.2x1010
rabbit	7.9x10 ⁷	3.4x108
dish	6.8x1011	4.5x107
car	3.1x1012	1.8x1012
hello	8.3x109	1.4x109
the	7.4x104	7.3x104
love	5.4x108	3.9x108
affair	3.0x1013	2.1x1013
delicious	9.1x10 ⁹	9.8x108



```
Topic 1: 1.5(Rabbit) + 1.1(Pet) + 0.1(Dish) <— pets, pet rabbits Topic 2: 0.9(Rabbit) + 0.02(Pet) + 1.6(Dish) <— food, rabbit dishes
```

Word	Prob in [Pets]	Prob in [Food]
pet	2.3x107	1.2x1010
rabbit	7.9x10 ⁷	3.4x108
dish	6.8x1011	4.5x107
car	3.1x1012	1.8x1012
hello	8.3x109	1.4x10 ⁹
the	7.4x104	7.3x104
love	5.4x108	3.9x108
affair	3.0x1013	2.1x1013
delicious	9.1x109	9.8x108



TOPIC MODELING

► The process of discovering "topics" that occur in a collection of documents

- We went through two examples:
 - 1. Understand the concept of a "topic"
 - 2. Understand how this is a form of dimensionality reduction





Latent Semantic Analysis (LSA) & Non-Negative Matrix Factorization (NMF)

MATRIX FACTORIZATION APPROACHES

MATRIX FACTORIZATION


► This is a standard machine learning approach that can also be used for topic modeling

- ► We will review two techniques:
 - ► Latent Semantic Analysis (LSA)
 - Non-Negative Matrix Factorization (NMF)




Singular Value Decomposition

$$X = U \sum V^{T}$$




Singular Value Decomposition

$$X = U \sum V^{T}$$




Singular Value Decomposition

$$X = U \sum V^{T}$$



Singular Value Decomposition

$$X = U \sum V^{T}$$




terms x docs

terms x topics topics x topics

topics x docs

Latent Semantic Analysis

$$X = U \sum V^{T}$$




terms x docs

terms x topics topics x topics

topics x docs

Latent Semantic Analysis

$$X = U \sum V^{T}$$



Decompose the document-term matrix to identify topics in the documents.

LSA CODE


Go to the Topic_Modeling_LSA_NMF.ipynb

- ► Input: Count Vectorizer or TF-IDF Vectorizer
- Parameters to Tune:
 - Number of Topics
 - ► Text Preprocessing (stop words, min / max doc freq, parts of speech...)
- ▶ Output: U Matrix (terms —> topics) and V Matrix (documents —> topics)




Non-Negative Matrix Factorization

$$V = W \times H$$



Same idea, but all three matrices must have only positive values.

WHY ONLY POSITIVE VALUES?



- Since NMF can never undo the application of a latent feature, it is much more careful about what it adds at each step. In some applications, this can make for more human interpretable latent features.
- Because NMF has the extra constraint of positive values, it will tend to lose more information when truncating. Also, NMF does not have to give orthogonal latent vectors.

NMF CODE

Go to the Topic_Modeling_LSA_NMF.ipynb

- ► Input: Count Vectorizer or TF-IDF Vectorizer
- Parameters to Tune:
 - Number of Topics
 - ► Text Preprocessing (stop words, min / max doc freq, parts of speech...)
- ▶ Output: W Matrix (terms —> topics) and H Matrix (documents —> topics)





Latent Dirichlet Allocation (LDA)

PROBABILISTIC APPROACH

LATENT DIRICHLET ALLOCATION

Latent: Hidden

Dirichlet: Type of Probability Distribution

```
output = []
for _ in range(1000):
    output.append(np.random.dirichlet((1, 1, 1)))
print(np.mean(output, axis=0))
```

0.3297311 0.33714122 0.33312768]



LATENT DIRICHLET ALLOCATION

Think in terms of probability distributions

Every **document** consists of a distribution of **topics**



100% Topic A



100% Topic B




60% Topic A 40% Topic B

Every **topic** consists of a distribution of **words**










LATENT DIRICHLET ALLOCATION

alpha: per doc topic distribution

- high: each doc has lots of topics
- low: each doc has few topics

beta: per topic word distribution

- high: each topic has lots of words
- low: each topic has few words





How LDA Works

Perspective #1




Let's use an algorithm specifically developed to find topics.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



First, I'll decide what topics to write on. Choose the topic distribution.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%



Let's use an algorithm specifically developed to find topics.

Model the process of writing

Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.


Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Ok. I'll write the document word by word (bag of words). First word!



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on. Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Ok. I'll write the document word by word (bag of words). First word!



Let's use an algorithm specifically developed to find topics.

Model the process of writing



First, I'll decide what topics to write on. Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Ok. I'll write the document word by word (bag of words). First word!

Choose which topic this word will be about. Roll the dice, pick randomly from the topic distribution for the doc.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



First, I'll decide what topics to write on. Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Ok. I'll write the document word by word (bag of words). First word!

Choose which topic this word will be about. Roll the dice, pick randomly from the topic distribution for the doc.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%


Ok. I'll write the document word by word (bag of words). First word!

A Rock'n Roll word. Randomly pick a word according to the probability distribution of the Rock'n Roll topic.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.


Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.


Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.


Roll the dice.

Choose the word according to this topic. Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.


Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.


Roll the dice.

Choose the word according to this topic. Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.


Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.


Roll the dice.

Choose the word according to this topic. Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.


Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.


Roll the dice.

Choose the word according to this topic. Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.


Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.


Roll the dice.

Choose the word according to this topic. Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.


Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.


Roll the dice.

Choose the word according to this topic. Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.


Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%


Choose next word's topic.

Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%


Choose next word's topic.

Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%


Choose next word's topic.

Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%


Choose next word's topic.

Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%


Choose next word's topic.

Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.

Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%


Choose next word's topic.

Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%


Choose next word's topic.

Roll the dice.



Let's use an algorithm specifically developed to find topics.

Model the process of writing



Empty page: I'll write a document.

First, I'll decide what topics to write on.

Choose the topic distribution.

Sex: 2%, Drugs: 33%, Rock'n Roll: 65%

Choose next word's topic.

Roll the dice.



LDA DOES THIS IN REVERSE

Start with a corpus of documents

- ► Assume some topic distribution in each document
- Assume some word distribution in each topic

Look at the corpus and try to find what topic and word distributions would be most likely to generate that data



How LDA Works

Perspective #2



• Goal: You want LDA to learn the topic mix in each document, and the word mix in each topic.



- Goal: You want LDA to learn the topic mix in each document, and the word mix in each topic.
- Choose the number of topics you think there are in your corpus
 Example: K = 2





Topic A: Food

Topic B: Animals

Document #1

- Goal: You want LDA to learn the topic mix in each document, and the word mix
- Choose the number of topics you think there are in your corpus Example: K = 2
- Randomly assign each word in each document to one of 2 topics Example: The word 'banana' in Document #1 is randomly assigned to Topic B (animal-like topic)





Topic A: Food

Topic B: Animals

- Goal: You want LDA to learn the topic mix in each document, and the word mix
- Choose the number of topics you think there are in your corpus Example: K = 2
- Randomly assign each word in each document to one of 2 topics Example: The word 'banana' in Document #1 is randomly assigned to Topic B (animal-like topic)
- Go through every word and its topic assignment in each document. Look at (1) how often the topic occurs in the document and (2) how often the word occurs in the topic overall. Based on this info, assign the word a new topic.
 - Example: It looks like (1) animals don't occur often in Document #1 and (2) 'banana' doesn't occur much in Topic B, so the word 'banana' should be assigned to Topic A instead





Topic A: Food

Topic B: Animals

- Goal: You want LDA to learn the topic mix in each document, and the word mix
- Choose the number of topics you think there are in your corpus
 Example: K = 2
- Randomly assign each word in each document to one of 2 topics
 Example: The word 'banana' in Document #1 is randomly assigned to Topic B (animal-like topic)
- Go through every word and its topic assignment in each document. Look at (1) how often the topic occurs in the document and (2) how often the word occurs in the topic overall. Based on this info, assign the word a new topic.
 - Example: It looks like (1) animals don't occur often in Document #1 and (2) 'banana' doesn't occur much in Topic B, so the word 'banana' should be assigned to Topic A instead
- Go through multiple iterations of this. Eventually, the topics will start making sense Interpret them.





Topic A: Food

Topic B: Animals

Document #1

Goal: You want LDA to learn the topic mix in each document, and the word mix

Choose the number of topics you think there are in your corpus Example: K = 2

You can use a Python library like gensim to do this part for you.

Go through multiple iterations of this. Eventually, the topics will start making sense Interpret them.



LDA IN PYTHON

▶ Inputs

- ► Term-Document Matrix
- Dictionary of Words

Parameters

- ► LDA Specific(# Topics, # Passes...)
- ► Text Preprocessing (stop words, min / max doc freq, parts of speech, bi-grams...)

Outputs

- Word Distribution in Each Topic
- ► Topic Distribution in Each Document





TOPIC MODELING SUMMARY

WAYS TO USE TOPIC MODELING

Exploratory Data Analysis

- Example: Look at how the topic distribution for documents change over time
- Example: If reduced to 2 or 3 dimensions, can visualize documents on a plot

Supervised Learning

- Use to reduce dimensions before applying a regression or classification technique
- Example: Instead of inputting 100 words (100 features) into a spam classification model, input in 5 topics (5 features) into the model instead

Unsupervised Learning

- Use to reduce dimensions before determining how similar documents are
- Example: Two articles may look very different in terms of words, but when represented as topic distributions, can look more similar (doc 1: 90% sports vs doc 2: 95% sports)



TOPIC MODELING WORKFLOW

- 1. Choose an algorithm (LSA, NMF, LDA)
- 2. Transform your data from the word space to the latent topic space
- 3. Each axis in the latent space represents a topic it is your job as a human to interpret them
- 4. Tune the parameters of the algorithms until the topics make sense
- 5. Once your topics make sense, you are done



LSA vs NMF vs LDA

- LSA and NMF tend to work better on smaller documents (tweets)
- ► LDA tends to work better on larger documents (books)
- Try multiple techniques on your data set

- This is an iterative process your topics likely won't make sense on the first try
- ► Apply a technique, look at the results, and continuously tweak your parameters until the topics make sense





QUESTIONS?

LET'S GO TO AN LDA EXERCISE!