Idle Space Destroyer

[Advertisements]

[In-App purchases]

[Facebook Analytics]

[Create new planets]


[Upgrades]

[How to add a new Ship Skin]


Advertisements

We are using Unity ADS in the game.
To enable them:


1) Make sure to enable Ads and IAP in the services menu



2) Copy the GAME IDs from Unity Dashboard



3) Paste them to UnityAds.cs



```
using System.Collections;
using System.Collections.Generic;
using UnityEngine;
using UnityEngine.Advertisements;

public class UnityAds : MonoBehaviour {


    // Use this for initialization
    void Start () {
#if UNITY_IOS
        Advertisement.Initialize("3041496");
#elif UNITY_ANDROID
        Advertisement.Initialize("3041497");
#endif

    }

    // Update is called once per frame
    void Update () {

    }
}
```

4) An Interstitial ad pops up in every “timeToShowAds” seconds



```
public class UnityAds : MonoBehaviour {

    // Use this for initialization
    void Start () {
#if UNITY_IOS
        Advertisement.Initialize("3041496");
#elif UNITY_ANDROID
        Advertisement.Initialize("3041497");
#endif

    }


    public float timeToShowAds = 150;
    float timer = 0;

    // Update is called once per frame
    void Update () {
        timer += Time.deltaTime;


        if (timer > timeToShowAds) {
            timer = 0;
            Advertisement.Show();
        }
    }
}
```

In-App purchases


1) Create the products in your Itunes / Google play account




2) If Unity IAP is not integrated in the product go to Services - Unity IAP and enable -> import it



3) Paste these IDs to the Unity IAP Catalog in the editor - Be sure to copy the correct ids and add them to the Store ID Overrides section for Appstore and GooglePlay




4) You can modify the current IAPs. Every IAP is under the Shop gameobject in the inspector. On the IAP Button (script) the BuyCoinSuccessful method is called when a successful purchase occures.
The Price Text is automatically overwritten by the exact price of the item converted to local curencies.



Facebook Analytics


1) Create your facebook app at https://developers.facebook.com/apps/
2) Change the app id




3) FBLog.cs handles the facebook main app events

Create new planets


1) Create an empty gameobject on the screen and add the following components: Rigidbody2D, Planet.cs (drag the desired explosion effect to the Explosion prefab slot), Rotator.cs if you want to rotate and SpriteRenderer.
At the Sprite Renderer Click the highlighted field to make the planet destructible




2) Remove D2D Line Collider and add D2D Polygon Collider



3) Set the collider's tag to "Planet"



4) Drag the gameobject to the Prefabs/Planets folder and Drag it to Managers -> LevelManager.cs -> Planets




Upgrades

The game has a wide Upgrade system, you can adjust the prices and values in Upgrades.cs

```
34    void Update () {
35
36    }
37
38    #region ClickUpgrade
39    [Header("Click Upgrade")]
40    public float moneyPerClick;
41    public float damagePerClick;
42    int clickLevel;
43    public UpgradeObject clickUpgrade;
44
45    public void UpgradeClicks() { For every upgraddses, the public function called when you click on the upgrade object in the shop
46        if (cm.coins >= clickUpgrade.price) { Checking if you have enough money
47            cm.AddCoins(-clickUpgrade.price); //Decreasing money
48            clickLevel++;
49
50            SetClickStats();
51
52            PlayerPrefs.SetInt("CLICK_LEVEL", clickLevel); Saving locally
53        }
54    }
55
56    void SetClickStats() {
57        clickUpgrade.price = GetPrice(30, clickLevel * 2.35f, 18, clickLevel); Calculating the next price -> modify these values to change the prices
58        clickUpgrade.priceText.text = CurrencyManager.GetSuffix(clickUpgrade.price);
59
60        moneyPerClick = clickLevel / (float)2;
61        damagePerClick = .5f + clickLevel / (float)4;
62        clickUpgrade.levelText.text = "LVL " + clickLevel;
63    }
64    #endregion
65
66    MissileDamage
92
93    MissileSpawnRate
```

How to add a new Ship Skin

1) Duplicate an existing ShipSkin. Change the condition value (Level = complete ‘x’ level to unlock, Day = play at least ‘x’ days to unlock, Damage = Deal at least ‘x’ damage to unlock



2) Drag the gameobject of the new skin to Canvas - ShipShop.cs

