Let S denote the set of all compositions (x, y, z) satisfying |x - y| = |y - z| = 1. Determine Φ_S with respect to the weight function given by the size of the composition.

Solution: The generating series is given as,

$$\Phi_{\mathcal{S}}(x) = \sum_{\alpha \in \mathcal{S}} x^{\omega(\alpha)} = \sum_{\alpha \in \mathcal{S}} x^{x+y+z}$$

If we fix y and manipulate the other variables, we have the following possible composition arrangements; (y+1,y,y-1), (y+1,y,y+1), (y-1,y,y+1), (y-1,y,y-1), which implies that the weight function has the following possible values; 3y-2, 3y, 3y+2, 3y, for all $y \ge 2$. For y=1, the only allowed composition would be (2,1,2). Hence we compute the generating series as follows,

$$\begin{split} \Phi_{\mathcal{S}}(x) &= x^5 + \sum_{y \geq 2} x^{3y-2} + x^{3y+2} + 2x^{3y} \\ &= x^5 + \sum_{y \geq 2} x^{3y} (x^{-2} + x^2 + 2) \\ &= x^5 + (x^{-2} + x^2 + 2) \sum_{y \geq 2} x^{3y} \\ &= x^5 + (x^{-2} + x^2 + 2) \sum_{y \geq 0} x^{3(y+2)} \\ &= x^5 + x^6 (x^{-2} + x^2 + 2) \sum_{y \geq 0} x^{3y} \\ &= x^5 + x^6 (x^{-2} + x^2 + 2) \sum_{y \geq 0} x^{3y} \\ &= x^5 + \frac{x^4 + x^8 + 2x^6}{1 - x^3} \\ &= \frac{x^5 + x^4 + 2x^6}{1 - x^3} \end{split}$$