

A
J_H4, Illumina (Sharma et al.)
a genotype effect across mice, another platform
Mutations per 10^3 bp
Wt
Ldha deleted
AID-null
B
CH12F3, Illumina (Wang et al.)
activity of AID mutants in one cell line
Mutations per 10^3 bp
AID
R50E
R174E/ R178E
empty
C
Spectrum and targeting
do the mutant's calls look like AID's?
n = 27
S5F 2.46
n = 54
S5F 0.73
Share of calls (%)
AID
R174E/ R178E
C→T or G→A
other G:C
A:T
D
Indels in Ramos, Illumina (Wu et al.)
indels, not only substitutions
Events per clone (20,000 reads)
Wt
HMCES KO
AID KO
deletions
insertions
E
UMI consensus, R10 (Karst et al.)
error after consensus, 103 molecules
raw reads 9.5%
all 103: 0.17%
57-fold
(35–99)
Error per base (%)
consensus
all errors
substitutions
3–4
n = 4
5–9
n = 7
10–19
n = 15
≥20
n = 77
Reads per molecule (n, molecules)
F
Ectopic AID, non-B cells (Pérez-Durán)
does the spectrum follow UNG?
Transitions at C:G (%)
Ugi
(UNG off)
empty
UNG
(extra)
dead AID (E58Q), every mismatch, Q > 20
AID, every mismatch, Q > 20
AID, SHMtrace calls