

# Pengembangan Aplikasi Web

## Pertemuan Ke-1 (Pengenalan PHP)

Noor Ifada

`noor.ifada@trunojoyo.ac.id`

# Sub Pokok Bahasan

- PHP
- Instalasi Software
- Aktivasi Modul
- Pengujian Instalasi
- Tag PHP
- Echo dan *Concatenation*
- Penggunaan Komentar
- Kombinasi HTML dan PHP
- Langkah Operasional
- Variabel

# PHP




- Merupakan *server-side scripting language*
- Mirip dengan sintaks C, Java dan Perl
- Sejarah:
  - ❑ Dikembangkan oleh Rasmus Lerdorf pada tahun 1994
  - ❑ Sekarang dikelola oleh PHP Group (<http://php.net/>)
- *Cross Platform*
  - ❑ (*Free*) untuk Windows, Linux, Mac dan Unix
  - ❑ Dapat bekerja dengan berbagai *web server* (contoh: IIS, Apache) dan sistem basisdata (contoh: MySQL, MS SQL Server, Oracle)
- Dokumentasi: <http://www.php.net/docs.php>

# Instalasi Software

Dibutuhkan	Spesifikasi minimal	
Web Server	Apache 2.4.27	XAMPP for Windows 7.1.8
PHP Engine	7.1.8	
Server/Sistem Basisdata	MariaDB 10.1.26	
Text Editor	Notepad++	
Web Browser	Google Chrome	

**NOTE: Cek dokumen praktikum (bagian I)!**

# Aktivasi Modul




# Pengujian Instalasi

- Web server:

- ❑ Melalui web browser buka URL: <http://localhost>

- ❑ Penyimpanan data di *local drive*: <C:\xampp\htdocs\>

- PHP:



```
1 <?php
2     phpinfo ()
3 ?>
```

PHP Version 7.1.8	
System	Windows NT TOSHIBA-PC 6.1 build 7601 (Windows 7 Home Premium Edition Service Pack 1) i586
Build Date	Aug 1 2017 20:56:01
Compiler	MSVC14 (Visual C++ 2015)
Architecture	x86
Configure Command	cscrip /nologo configure.js "--enable-snapshot-build" "--enable-debug-pack" "--with-pdo-oci=c:\php-snap-build\deps_aux\oracle\x86\instantclient_12_1\sdk,shared" "--with-oci8-12c=c:\php-snap-build\deps_aux\oracle\x86\instantclient_12_1\sdk,shared" "--enable-object-out-dir=../obj/" "--enable-com-dotnet=shared" "--with-mcrypt=static" "--without-analyzer" "--with-pgo"
Server API	Apache 2.0 Handler
Virtual Directory Support	enabled
Configuration File (php.ini) Path	C:\windows
Loaded Configuration File	C:\xampp\php\php.ini
Scan this dir for additional .ini files	(none)
Additional .ini files parsed	(none)
PHP API	20160303
PHP Extension	20160303
Zend Extension	320160303
Zend Extension Build	API320160303,TS,VC14
PHP Extension Build	API20160303,TS,VC14

# Tag PHP

Start tag: `<?php`

End tag: `?>`

- Tag lain (*not recommended*):

`<? ?>`

`<% %>`






- Contoh PHP sederhana:

```
<?php echo "Hello World!"; ?>
```

# Echo dan Concatenation

<http://php.net/manual/en/function.echo.php>

- Echo: untuk mencetak/menampilkan hasil di *web browser*

<code>echo 'hello world';</code>		hello world
<code>echo 42;</code>		42
<code>echo('hello world');</code>		hello world
<code>echo 'hello', 42, 'world';</code>		hello42world
<code>\$value = 19; echo sqrt(\$value * 64);</code>		34.871191548325

## Concatenation.

- Data String: `<?php echo " Hello " . " World! "; ?>`
- Data Numerik: `<?php echo 2+3; ?>`



# Penggunaan Komentar

<http://php.net/manual/en/language.basic-syntax.comments.php>

```
2
3  echo 'Line 1'; // everything to the end of the line is a comment
4  /* Everything from this start
5     comment characters down
6     to the next end comment marker */
7  echo 'Line 2';
8  echo 'Line 3'; # The hash symbol can also be used for one-line comments
9
```

# Kombinasi HTML dan PHP

```
<html>
  <head>
    <title>HTML and PHP Combination</title>
  </head>
  <body>
    <h1>Some normal HTML headings</h1>
    <?php
      for ($i=0; $i<10; $i++)
        echo 'This code was generated by PHP<br/>';
    ?>
    <p>
      Some more normal HTML code <?php echo date('d-M-Y'); ?>
    </p>
  </body>
</html>
```

# Kombinasi HTML dan PHP [2]

Ekivalen


```
1 <?php
2     if ($expression)
3     {
4     ?>
5         <strong>This is true.</strong>
6     <?php
7     }
8     else
9     {
10    ?>
11        <strong>This is false.</strong>
12    <?php
13    }
14    ?>
```

Memerlukan  
lebih banyak  
tag PHP

```
1 <?php
2     if ($expression)
3     {
4         echo '<strong>This is true.</strong>';
5     }
6     else
7     {
8         echo '<strong>This is false.</strong>';
9     }
10    ?>
```

Memerlukan  
penggunaan  
fungsi *echo*  
dan tanda *quote*  
sebagai  
penanda  
karakter *string*

# Langkah Operasional



Source: <https://www.youtube.com/watch?v=dMxNzS51nAU>

# Variabel

<http://php.net/manual/en/language.types.php>

<http://php.net/manual/en/language.variables.php>

- Tipe data:

- |                         |                 |       |
|-------------------------|-----------------|-------|
| ▶ <i>Boolean</i>        | ▶ <i>String</i> | ▶ ... |
| ▶ <i>Integer</i>        | ▶ <i>Array</i>  |       |
| ▶ <i>Floating point</i> | ▶ <i>Object</i> |       |

- Aturan penamaan:

- ☐ Nama variabel adalah *case-sensitive*
- ☐ Diawali dengan simbol “dollar” (\$)

- Contoh:

```
$dob = mktime(0, 0, 0, 7, 25, 2000);  
$age2 = 17;  
$nama = 'eve';  
$cost = $age2 * 10;
```

