

Phase 1: First-Time Setup (Do This Once)

Step 1 — Install Node.js

Download and install from: <https://nodejs.org>
Verify in terminal:

```
node --version
```

You should see something like `v20.0.0`

Step 2 — Install Claude Code

```
npm install -g @anthropic-ai/claude-code
```

Step 3 — Install Antigravity Proxy

```
npm install -g antigravity-claude-proxy
```

Step 4 — Start the Proxy (first time)

```
antigravity-claude-proxy start
```

Then open your browser and go to:

```
http://localhost:8080
```

Step 5 — Configure Claude CLI in the Dashboard

- 1. Click the  **Configure** yellow button on the Dashboard
- 2. Go to **Claude CLI** tab
- 3. Toggle from **Paid** → **Proxy**
- 4. A preset list appears — select **"Claude Thinking"**
 - ✦ Primary Model: `claude-opus-4-6-thinking`
 - ✦ Sub-agent Model: `claude-sonnet-4-6-thinking`
- 5. Scroll down and click **"Apply to Claude CLI"**
- 6. You should see:  ***Claude configuration saved***

Step 6 — Login to Claude Code

```
claude login
```

Choose **Option 1** → Claude account with subscription
Your browser will open — sign in with your account.

Phase 2: Daily Routine (After Setup)

Every time you restart your PC or open a new terminal session:

Terminal 1 — Start the Proxy (keep it running in background)

```
antigravity-claude-proxy start
```

Leave this terminal open.

Terminal 2 — Navigate to your project and start Claude Code

```
cd C:\Users\YourName\your-project
claude
```

Important Notes

- ✧ Always start the **Proxy first**, then Claude Code
- ✧ Keep the Proxy terminal **open and running** while using Claude Code
- ✧ The Proxy Dashboard at `localhost:8080` must show  **ONLINE**
- ✧ If Claude Code can't connect, check if the Proxy is still running

1. Check Current Model

In your Claude Code terminal, type:

```
/model
```

It will show you the current active model.

2. Change the Model

Two ways:

Way A — From the Terminal (quick)

```
/model claude-opus-4-6-thinking
```

or

```
/model claude-sonnet-4-6-thinking
```

Way B — From Antigravity Dashboard (permanent)

1. Go to `http://localhost:8080`
2. Click **Settings** → **Claude CLI**
3. Change **Primary Model** to whatever you want
4. Click **Apply to Claude CLI**

Restart Claude Code

Step 1 — Exit

```
/exit
```

or press **Ctrl + C**

Step 2 — Start again

```
c\laude
```

That's it! 🙄

Usage

[GitHub - github/spec-kit: 🛠️ Toolkit to help you get started with Spec-Driven Development · GitHub](#)

```
uv tool install specify-cli --from git+https://github.com/github/spec-kit.git
```

```
specify init --here --ai claude
```

```
/speckit.specify [اذكر هنا الحاجه اللي عاوز تعملها]
```

```
/speckit.clarify [اذكر هنا الحاجه اللي عاوز تعملها]
```

[GitHub - tirth8205/code-review-graph: Local knowledge graph for Claude Code. Builds a persistent map of your codebase so Claude reads only what matters — 6.8× fewer tokens on reviews and up to 49× on daily coding tasks. · GitHub](#)