

Firewall Prerequisites

Communication between MF platform

Source	Destination	Protocol	Port	Direction
OBM	OA	TCP	383,ICMP	Bi-Directional
	MSSQL Server DB	TCP	1433	
UD	UCMDB	TCP	8443	
	OBM	TCP	443,8443	

Communication between MF platform and Monitored nodes

Source	Destination	Protocol	Port	Direction
OBM	Systems (Windows and UNIX)	TCP	383,ICMP	Bi-Directional
UD	Systems (Windows)	TCP	135,139,445, DCOM+ ports, ICMP	ICMP Bi-Directional
		UDP	137,138	
	Systems (UNIX)	TCP	22, ICMP	ICMP Bi-Directional

System monitoring prerequisites

1) For Windows OS Agent installation

- ✓ System should be resolvable by DNS from OBM systems
- ✓ To install the Operations Agent on a Windows node, you must use a user with **administrative privileges**
- ✓ Windows Installer 4.5 or later
- ✓ make sure the following services are running:
 - Windows Event Log
 - Remote Procedure Call
 - Plug and Play
 - Security Accounts Manager
 - Netlogon
 - Remote Registry
 - Server
 - Workstation
 - Windows Management Instrumentation
- ✓ Disk Space requirement:
 - For the installation directory: 350 MB
 - For the data directory: 50 MB

2) For Linux OS Agent installation

- ✓ To install the Operations Agent on a Linux node, you must be a user with root privileges.
- ✓ Below Libraries should be installed before installing OA
 - libstdc++32-3.3.3-7.8.1.x86_64.rpm and higher
 - libstdc++-4.8.5-4.el7.ppc64
 - libstdc++.so.5
 - libncurses.so.5
 - m4
- ✓ Disk Space Requirements
 - For the installation directories (/opt/OV and /opt/perf): 350 MB
 - For the data directories (/var/opt/OV and /var/opt/perf): 350 MB

Inventory discovery prerequisites

- ☐ For Windows OS discovery
 - ✓ provide a service admin account or a domain admin user that has WMI connection access to the systems to be able to connect and discover the windows OS
- ☐ For Unix OS Discovery
 - ✓ Provide user with administrative permission