
Software Modeling

<Phase 2>

<April 22, 2018>


<Abdulrhman Ali Alsenedi/436101804>
<Abdulmajeed Saleh Alaskar/436104024>
<Khalid Abdulhadi Alqahtani/434105057>
<Asim Mohammed Alali/435102899>

## **Composite Diagram:**




We need composite diagram for User class because it is the point where to many classes join and communicate depending on event that's trigger by User class

# Sequence Diagram & Communication for critical use cases :




Software Modeling

# **State Diagram:**



## **Java Code Transformation:**

## **UML** Diagram



## Java Code Transformation

```
/**
import java.util.Set;
* <!-- begin-UML-doc -->
* <!-- end-UML-doc -->
* @author 36s467
* @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
public class User {
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Object Id;
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Object name;
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
  * /
 private Set<Plan> plan;
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Set<Check In> check In;
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Set<Flight> flight;
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
```

```
*/
 public void getName() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void setName() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void getID() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void setID() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
 }
}
```

/\*\*

Software Modeling

```
import java.util.Set;
/**
* <!-- begin-UML-doc -->
\star <!-- end-UML-doc -->
* @author 36s467
* @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
public class Plan {
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Object planName;
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Set<Flight> flight;
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void setPlanName() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void getPlanName() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
}
______
* /
/**
```

```
* <!-- begin-UML-doc -->
 * <!-- end-UML-doc -->
 * @author 36s467
 * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
public class Check In {
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Object bookNum;
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Flight flight;
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void getBookNum() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
 }
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void setBookNum() {
  // begin-user-code
   // TODO Auto-generated method stub
  // end-user-code
 }
}
______
/**
*/
* <!-- begin-UML-doc -->
 * <!-- end-UML-doc -->
```

```
* @author 36s467
 * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
public class Flight {
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Object flightNum;
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Object flightTime;
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Object flightDate;
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Object flightStatus;
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private void getFlightInformative() {
  // begin-user-code
   // TODO Auto-generated method stub
  // end-user-code
 }
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void getFlightStatus() {
  // begin-user-code
   // TODO Auto-generated method stub
```

```
// end-user-code
 /**
 * <!-- begin-UML-doc -->
 * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void setFlightStatus() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
 /**
  * <!-- begin-UML-doc -->
 * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
public void getFlightDate() {
 // begin-user-code
  // TODO Auto-generated method stub
 // end-user-code
 }
 /**
 * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
 * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void setFlightDate() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
 /**
 * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void getFlightTime() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
  * <!-- begin-UML-doc -->
```

```
* <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void setFlightTime() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
 /**
 * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void getFlightNum() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
 /**
 * <!-- begin-UML-doc -->
 * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 */
 public void setFlightNum() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
 }
```

```
* @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
public class flightInformativeGetter {
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 private Object APIsAccessAuthorization;
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void setAPIsAccessAuthorization() {
  // begin-user-code
   // TODO Auto-generated method stub
  // end-user-code
 /**
  * <!-- begin-UML-doc -->
  * <!-- end-UML-doc -->
  * @generated "UML to Java
(com.ibm.xtools.transform.uml2.java5.internal.UML2JavaTransform)"
 public void getAPIsAccessAuthorization() {
  // begin-user-code
  // TODO Auto-generated method stub
  // end-user-code
}
```