

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☒ Payment simulator
- ☐ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

Deploy

IntentPay AI Payment Intent Guardian + Personal Financial Guardian

IntentPay asks 'why are you paying?' before risky payments, and answers 'where did my money go?' around them.

Arun Kumar

demo customer

Payment simulator

Demo scenarios (one click)

Normal ₹500 grocery

New payee ₹25,000

Fake bank call

Digital arrest

Food ₹1,200 (budget)

Lottery fee

QR refund scam

Night + low battery

Family emergency

Own account transfer

> ★ Golden demo: same amount, two different stories

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☒ Payment simulator
- ☐ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

- English
- ☐ Elder mode (large text, voice)
- ☒ Voice support

Send money

Fill the payment exactly as you would in a UPI app, then let IntentPay check it before it leaves.

Amount (₹)

1.00

–

+

Date

2026 / 09 / 30

Payment type

UPI

▼

Time

23 : 34

Recipient name

Location

Chennai

▼

Recipient UPI ID

Payment channel

Direct (P2P)

▼

Category

Food

▼

☐ First payment to this recipi...

Device

Battery level (%)

1

2. Why are you paying?

A short reason in your own words. Risky payments are checked for urgency, authority claims, threats and secrecy patterns — in English or Tamil.

e.g. cousin's college admission fees

Check this payment

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☒ Payment simulator
- ☐ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)


Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

3. Safety check result

FRAUD / SCAM RISK



8 / 100

LOW

Transaction behaviour		15
Intent (your reason)		5
Recipient		0
Latency		1922 ms

WHY THIS SCORE

This payment goes above your monthly budget.	+20
This payment goes above your category limit.	+18
First payment to this recipient	+16
At your current pace the month may end above budget.	+12
Amount is unusually large for this customer	+6

BUDGET IMPACT OF THIS PAYMENT

AMOUNT	BUDGET	REMAINING
₹500	₹15,000	-₹23,193

Spent this month	₹38,193
Budget used	255%
Food	₹6,040 / ₹6,000
Projected month-end	₹37,872

EXCEEDED

Budget: HIGH

This payment goes above your monthly budget.

This payment goes above your category limit.

At your current pace the month may end above budget.

RECOMMENDATION

IntentPay — AI Payment Intent Gu X

127.0.0.1:8501/#budget-used

Not syncing

Chat

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

Payment simulator

Money dashboard

Judge panel

Accuracy & cost

Scam help

About & research

Customer

Arun Kumar - Chennai (age 34)

Meenakshi Ammal - Coimbatore (age 68)

Language

English

Elder mode (large text, voice)

Voice support

At your current pace the month may end above budget. +12

Amount is unusually large for this customer +6

Far above normal spending for this category +4

Deploy

Budget.

RECOMMENDATION

Low fraud risk, but this payment hurts your budget. Review and decide.

category: Food · confidence: 100%

Conti...

Cancel ...

I think...

> Why this score (SHAP-style attribution) (5 signals)

Safety features

UPI Black Box

Like an aircraft's black box: the important events around a payment are recorded in a hash chain, so if something goes wrong the story can be reconstructed and the record cannot be quietly edited.

Chain intact — no entry has been edited, deleted or reordered.

EVENT TIMELINE

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☒ Payment simulator
- ☐ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

☒ Arun Kumar - Chennai (age 34)

☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

☐ Elder mode (large text, voice)

☒ Voice support

Safety features

UPI Black Box

Like an aircraft's black box: the important events around a payment are recorded in a hash chain, so if something goes wrong the story can be reconstructed and the record cannot be quietly edited.

Chain intact — no entry has been edited, deleted or reordered.

EVENT TIMELINE

TIME	EVENT		HASH
22:43:26	payment_drafted	500.0 to Annai Grocery Store	b49ca2931055
22:43:26	risk_analysed	risk 14.4 (LOW) for Annai Grocery Store	7fc1127e65db
22:43:26	warning_shown	warning shown (LOW)	4308f0ec840c
22:43:29	payment_drafted	25000.0 to Unknown Person	3259307289cc
22:43:29	risk_analysed	risk 61.5 (HIGH) for Unknown Person	8519bbf6fe21
22:43:29	intent_requested	the app asked why the user is paying	a732049094ff
22:43:30	payment_drafted	15000.0 to Bank Verification	26de8a022ab2
22:43:30	risk_analysed	risk 89.9 (CRITICAL) for Bank Verification	93e1049cc524
22:43:33	payment_drafted	15000.0 to Bank Verification	b83d13e126a9

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☒ Payment simulator
- ☐ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

Send money

Fill the payment exactly as you would in a UPI app, then let IntentPay check it before it leaves.

Amount (₹)

1.00

– +

Date

2026 / 09 / 30

Payment type

UPI

▼

Time

23 : 34

Recipient name

Location

Chennai

▼

Recipient UPI ID

Payment channel

Direct (P2P)

▼

Category

Food

▼

☐ First payment to this reci...

Device

Battery level (%)

1

☐ On a phone/video call while paying

2. Why are you paying?

A short reason in your own words. Risky payments are checked for urgency, authority claims, threats and secrecy patterns — in English or Tamil.

e.g. cousin's college admission fees

Check this payment

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☒ Payment simulator
- ☐ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

Deploy

IntentPay asks 'why are you paying?' before risky payments, and answers 'where did my money go?' around them.

Arun Kumar

demo customer

Payment simulator

Demo scenarios (one click)

Normal ₹500 grocery

New payee ₹25,000

Fake bank call

Digital arrest

Food ₹1,200 (budget)

Lottery fee

QR refund scam

Night + low battery

Family emergency

Own account transfer

★ Golden demo: same amount, two different stories

Same ₹25,000 payment, two stories: an ordinary reason vs. "the bank threatened me". Two different warnings from two different problems.

Run golden demo

ORDINARY REASON

COERCED REASON

IntentPay — AI Payment Intent GUI

127.0.0.1:8501/#budget-used

Not syncing

Chat

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

Payment simulator

Money dashboard

Judge panel

Accuracy & cost

Scam help

About & research

Customer

Arun Kumar - Chennai (age 34)

Meenakshi Ammal - Coimbatore (age 68)

Language

English

Elder mode (large text, voice)

Voice support

Run golden demo

ORDINARY REASON

0305575100

37 / 100

MEDIUM

Behaviour differs from this customer's history (Isolation Forest) (score 98/100, high confidence)

+44

This payment goes above your monthly budget.

+20

First payment to this recipient

+16

Amount is unusually large for this customer

+14

At your current pace the month may end above budget.

+12

Payment at an unusual hour (night)

+6

Suspiciously round amount

+3

Many payments in a short time (velocity)

+2

Recommendation

Low fraud risk, but this payment hurts y

COERCED REASON

0305575100

80 / 100

CRITICAL

Behaviour differs from this customer's history (Isolation Forest) (score 98/100, high confidence)

+44

This payment goes above your monthly budget.

+20

First payment to this recipient

+16

Amount is unusually large for this customer

+14

Paying while on a call

+12

At your current pace the month may end above budget.

+12

Payment at an unusual hour (night)

+6

Suspiciously round amount

+3

Recommendation

High fraud risk AND budget overrun. Strongly recomi

Deploy

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☒ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

☒ Arun Kumar - Chennai (age 34)

☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

☐ Elder mode (large text, voice)

☒ Voice support

Deploy

IntentPay

AI Payment Intent Guardian + Personal Financial Guardian

IntentPay asks 'why are you paying?' before risky payments, and answers 'where did my money go?' around them.

Arun Kumar

demo customer

Money dashboard

Overview Spending Payment safety Limits & commitments

SPENT THIS MONTH

₹37,693

Budget ₹15,000

REMAINING

₹0

Safe to spend per day: ₹0

BUDGET USED

251%

1 days remaining

PROJECTED MONTH-END

₹37,909

Forecast confidence: HIGH

Spent this month: ₹37,693 — Budget used 251%.

At your current pace the month may end above budget. (₹37,909 vs ₹15,000).

Recurring payments expected soon: Milk Co-op ₹32, House Rent ₹3,800

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☒ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

demo customer

Money dashboard

Overview Spending Payment safety Limits & commitments

CATEGORY	AMOUNT	SHARE	BUDGET	BUDGET USED
Food	₹5,540	15%	₹6,000	92%
Essentials	₹4,057	11%	—	
Travel	₹496	1%	—	
Education	₹773	2%	—	
Bills	₹1,398	4%	—	
Entertainment	₹430	1%	—	
Other	₹25,000	66%	—	
Spent this month	₹37,693	100%	—	

Change category — the categoriser learns from your corrections

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☒ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

☒ Arun Kumar - Chennai (age 34)

☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

☐ Elder mode (large text, voice)


☒ Voice support

demo customer

Money dashboard

Overview Spending Payment safety Limits & commitments

FRAUD / SCAM RISK — SCORE 8



8 / 100 LOW

This payment goes above your monthly budget.	+20
This payment goes above your category limit.	+18
First payment to this recipient	+16
At your current pace the month may end above budget.	+12
Amount is unusually large for this customer	+6
Far above normal spending for this category	+4

TIME	AMOUNT	DAY	SCORE	FRAUD	BUDGET
------	--------	-----	-------	-------	--------

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☒ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

Overview Spending Payment safety Limits & commitments

Budget (₹)

15000.00

- +

Food Budget (₹)

6000.00

- +

Apply

DISCRETIONARY MONEY LEFT

BUDGET	AMOUNT
Budget	₹15,000
Essentials + budget	₹11,768
Recurring payments expected soon	₹5,247
Discretionary money left	-₹27,941

MERCHANT	AMOUNT	EVERY	NEXT	INCREASED
Milk Co-op	₹32	5d	2026-10-02	
House Rent	₹3,800	31d	2026-10-04	
Tata Power	₹620	31d	2026-10-19	
Airtel Mobile	₹279	30d	2026-10-25	
Netflix	₹499	30d	2026-10-29	

NPCI UPI AutoPay already supports viewing / revoking mandates in your app. IntentPay adds the budget impact of those commitments; it does not claim to manage mandates.

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☒ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

Deploy

Judge panel

Every engine parameter is live: change a value, press Apply, and the simulator, dashboard and metrics recalculate immediately. Invalid values are rejected and the last working configuration is kept.

Engine parameters

Risk fusion weights (must sum to 1.0)

transaction_weight	intent_weight	beneficiary_weight
0.40	0.45	0.15

sum = 1.00 (1.00 required)

ask_intent_above	medium_threshold	high_threshold
55.00	30.00	55.00

critical_threshold
75.00

Anomaly model (Isolation Forest)

anomaly_blend	anomaly_contamination	anomaly_n_estimators
0.45	0.05	120

Budget & forecast

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☒ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

☐ Elder mode (large text, voice)

☒ Voice support

Deploy

0.40

- +

0.45

- +

0.15

- +

sum = 1.00 (1.00 required)

ask_intent_above



medium_threshold

high_threshold

55.00

- +

30.00

- +

55.00

- +

critical_threshold

75.00

- +

Anomaly model (Isolation Forest)

anomaly_blend



anomaly_contamination



anomaly_n_estimators



0.45

- +

0.05

- +

120

- +

Budget & forecast

monthly_limit

food_limit

alert_at_percent

forecast_window_days

15000.00

- +

6000.00

- +

80.00

- +

14

- +

seasonality_factor

1.00

- +

Apply

Reset defaults

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☒ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

Reset defaults

Deploy

Customer data

name	monthly_limit
Arun Kumar	15000.00
age	food_limit
34	6000.00
usual_city	history seed
Chennai	11
typical_amount	known_devices
520.00	device-android-01 device-windows-02

KNOWN PAYEES (RECIPIENT INTELLIGENCE)

Annai Grocery Store, Saravana Hotel, Apollo Pharmacy, Airtel Mobile, Rent - Landlord, Priya (sister)

Payments to these UPI IDs are treated as known recipients; anything else is a new payee.

Apply — Customer data

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☒ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

☒ Arun Kumar - Chennai (age 34)

☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

sec_budget — Where this month's money went

Classify every category as a need, a want or unnecessary. The dashboard card (and the Tamil elder card) follows this map.

Food	Essentials	Health
Wants	Needs	Needs
Travel	Education	Bills
Wants	Needs	Needs
Shopping	Entertainment	Transfer (not spending)
Wants	Unnecessary	Wants
Other		
Wants		

Apply — Where this month's money went

Emergency PIN (duress protection)

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☒ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

- English
- ☐ Elder mode (large text, voice)
- ☒ Voice support

Emergency PIN (duress protection)

Prototype boundary: the restricted environment is simulated here because no real UPI app is integrated. A production build needs the bank/PSP, must hide every sign that it is active, and the limits below are set to zero by default.

emergency_pin

9111

decoy_transaction_limit

500.00

-

+

☒ show_decoy_banner (prototype ...)

decoy_balance

1240.00

-

+

decoy_monthly_limit

3000.00

-

+

Apply — Emergency PIN (duress protection)

AI engine

The default LOCAL engine is a deterministic bilingual (English/Tamil) lexicon that works offline. EXTERNAL routes the reason text to a hosted LLM and falls back to LOCAL on any failure — the demo proves the fallback works.

- engine
- ☒ LOCAL lexicon (offline, default)
- ☐ OLLAMA (your own model, runs on this computer)
- ☐ EXTERNAL (hosted LLM - data leaves this computer)

Apply AI engine

Simulate AI failure (fallback demo)

Deploy

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☒ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

Deploy

AI engine

The default LOCAL engine is a deterministic bilingual (English/Tamil) lexicon that works offline. EXTERNAL routes the reason text to a hosted LLM and falls back to LOCAL on any failure — the demo proves the fallback works.

engine

- ☒ LOCAL lexicon (offline, default)
- ☐ OLLAMA (your own model, runs on this computer)
- ☐ EXTERNAL (hosted LLM - data leaves this computer)

Apply AI engine

Simulate AI failure (fallback demo)

Local AI model (Ollama)

Optional: run a real language model on this computer to read the user's reason. Nothing leaves the machine. The offline lexicon stays the fallback at every step.

1. Detect this machine

Reads memory, CPU, GPU and free disk, then recommends the largest model that fits comfortably.

Model to use

llama3.1:8b

Ollama address

http://127.0.0.1:11434

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☒ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

☐ Elder mode (large text, voice)

☒ Voice support

Deploy

Model to use

llama3.1:8b

Ollama address

http://127.0.0.1:11434

Timeout (seconds)

30

LINK STATUS

STEP	STATE
Ollama installed	✓ ollama version is 0.35.0
Server running	✓ server answered
Model downloaded	✓ 2 model(s): llama3.1:8b, qwen2.5:14b
Linked	✓ linked — the intent engine will use this model

2. Start server
3. Download model
4. Test the link
5. Use this model

Or do it yourself — these are the exact commands

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☒ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

Deploy

2. Start server

3. Download model

4. Test the link

5. Use this model

Or do it yourself — these are the exact commands

STEP	COMMAND
Install Ollama (winget)	winget install Ollama.Ollama
...or download the installer	https://ollama.com/download/OllamaSetup.exe
Start the server (opens its own window)	ollama serve
Download a model	ollama pull llama3.1:8b

> What the last actions printed

Honest boundary: a local model is only as good as its size, and small models read Tamil far less reliably than the bilingual lexicon. That is why the offline lexicon stays the fallback for every path — if the model is missing, slow or answers badly, the app says so and keeps working. Ollama must be installed separately; this button does not install it silently.

Privacy

retention_days

7

- +

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☒ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

Deploy

Privacy

retention_days

7

- +

☐ store_raw_voice ?

Apply — Privacy

Local audit trail

TIME	EVENT	AMOUNT	PAYEE	SCORE
23:16:23	payment_evaluated	₹500	Annai Grocery Store	8
22:56:28	payment_evaluated	₹500	Annai Grocery Store	8
22:56:21	payment_evaluated	₹15,000	Bank Verification	88
22:55:54	payment_evaluated	₹500	Annai Grocery Store	8
22:55:48	payment_evaluated	₹15,000	Bank Verification	88
22:55:34	payment_evaluated	₹25,000	Unknown Person	63

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☐ Judge panel
- ☒ Accuracy & cost
- ☐ Scam help
- ☐ About & research

Customer

☒ Arun Kumar - Chennai (age 34)

☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

▼

☐ Elder mode (large text, voice)

☒ Voice support

IntentPay

AI Payment Intent Guardian + Personal Financial Guardian

IntentPay asks 'why are you paying?' before risky payments, and answers 'where did my money go?' around them.

Arun Kumar

demo customer

Accuracy & cost

↔

Synthetic labelled set — proves the pipeline works end to end, not production accuracy. The set contains normal payments, deliberately signal-rich *legitimate* payments, and seven social-engineering families.

▶ Run evaluation

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☒ Scam help
- ☐ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

demo customer

Scam help

New to the app? **USER_MANUAL.PDF** in the project folder explains every page in plain language — no technical background needed. **README.MD** and **RESOURCES/FORMULAS.MD** are the technical versions.

IF YOU THINK YOU WERE SCAMMED — ACT FAST

1. 1. Call the national cybercrime helpline 1930 immediately (golden hour matters).
2. 2. File a report at [cybercrime.gov.in](#) (also use 'Report and Check Suspect').
3. 3. Call your bank's helpline and ask them to freeze the recipient account / raise a dispute with the UTR.
4. 4. Keep evidence: screenshots, call logs, UPI transaction IDs (UTR), messages.
5. 5. Never share OTP, UPI PIN or passwords with anyone — banks and police never ask.

Honest limitation: this app cannot reverse a completed UPI payment. Only your bank, NPCI or the recipient can. Speed is everything.

DEMO UTR REFERENCE

A02BAB17FD66

Reference this ID with your bank and in the cybercrime portal.

Complaint draft (copy this)

Cyber-crime complaint (draft)
Date/time: 30-09-2026 11:00
Amount: INR 500.00

Deploy

IntentPay — AI Payment Intent Gu X

127.0.0.1:8501/#budget-used

Not syncing

Chat

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

Payment simulator

Money dashboard

Judge panel

Accuracy & cost

Scam help

About & research

Customer

Arun Kumar - Chennai (age 34)

Meenakshi Ammal - Coimbatore (age 68)

Language

English

Elder mode (large text, voice)

Voice support

Deploy

4. 4. Keep evidence: screenshots, call logs, UPI transaction IDs (UTR), messages.

5. 5. Never share OTP, UPI PIN or passwords with anyone — banks and police never ask.

Honest limitation: this app cannot reverse a completed UPI payment. Only your bank, NPCI or the recipient can.

Speed is everything.

DEMO UTR REFERENCE

A02BAB17FD66

Reference this ID with your bank and in the cybercrime portal.

AMOUNT

₹500

Annai Grocery Store · annaigrocery@ybl

Complaint draft (copy this)

Cyber-crime complaint (draft)

Date/time: 30-09-2026 11:00

Amount: INR 500.00

Recipient: Annai Grocery Store (annaigrocery@

Transaction reference (UTR): A02BAB17FD66

Reason given at payment time: monthly grocery

Request: immediate freeze of the beneficiary

Customer: (name / phone / bank account)

Copy this into cybercrime.gov.in and share it with your bank helpline.

National cybercrime helpline: 1930 · Portal: cybercrime.gov.in · Suspect check: “Report & Check Suspect” on the same portal. Banks and police never ask for OTP, UPI PIN or passwords — and no agency arrests anyone over a video call.

IntentPay · NAS CODERS · synthetic-data prototype · no UPI PIN/OTP/password is ever requested · completed UPI payments cannot be reversed by this app

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☒ About & research

Customer

☒ Arun Kumar - Chennai (age 34)

☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

Elder mode (large text, voice)

☒ Voice support

Deploy

IntentPay

AI Payment Intent Guardian + Personal Financial Guardian

IntentPay asks 'why are you paying?' before risky payments, and answers 'where did my money go?' around them.

Arun Kumar

demo customer

About & research

THE PRODUCT

IntentPay asks 'why are you paying?' before risky payments, and answers 'where did my money go?' around them.

Every fraud system asks “is this payment suspicious?” IntentPay asks “why are you paying?” — and answers “where did my money go?” around it. One engine, two levels of complexity: plain Tamil and voice for an older user, full scores and thresholds for a technical one.

Prototype boundary: synthetic data, localhost, no UPI PIN/OTP/password, no call recording, no claim of reversing completed payments.

ARCHITECTURE

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☒ About & research

Customer

☒ Arun Kumar - Chennai (age 34)

☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

ARCHITECTURE

LAYER	FILE	WHAT IT DOES
features	SRC/FEATURES.PY	20+ behavioural signals (amount, velocity, location, call, battery, channel...)
anomaly	SRC/ANOMALY.PY	Isolation Forest on the customer's own history; percentile score
intent	SRC/INTENT_ENGINE.PY	bilingual social-engineering lexicon + optional LLM with fallback
recipient	SRC/RISK_ENGINE.PY	new payee, reports, handle type, verification
fusion	SRC/RISK_ENGINE.PY	weighted fraud score, bands, conditional intent prompt
budget	SRC/BUDGET.PY + FORECAST.PY	limits, category caps, robust median forecast
recurring	SRC/RECURRING.PY	commitment detection, discretionary allowance
explain	SRC/EXPLAIN.PY	ranked, bilingual, contribution-scored reasons
metrics	SRC/METRICS.PY	precision/recall/F1/FPR/MCC, threshold sweep, cost model
privacy	SRC/VOICE.PY + CONFIG.PY	local-only default, raw voice discarded, no PIN/OTP fields

FRAUD LAYERS: WHAT PRODUCTION RUNS, WHAT THIS PROTOTYPE RUNS

LAYER	IN PRODUCTION	IN THIS PROTOTYPE	QUESTION IT ANSWERS

Deploy

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☒ About & research

Customer

☒ Arun Kumar - Chennai (age 34)

☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

FRAUD LAYERS: WHAT PRODUCTION RUNS, WHAT THIS PROTOTYPE RUNS

LAYER	IN PRODUCTION	IN THIS PROTOTYPE	QUESTION IT ANSWERS
Behaviour / sequence	Transformer or LSTM over the user's transaction sequence	Isolation Forest trained on this customer's own history, scored as a percentile (SRC/ANOMALY.py)	Does this payment fit this user's normal pattern?
Connections	Graph Neural Network over account / device / merchant / payee links	Recipient intelligence: new payee, prior reports, handle type, device match, verified own-account rule (SRC/RISK_ENGINE.py)	Is this device, account or merchant linked to suspicious activity?
Transaction details	Random Forest + XGBoost ensemble over amount, time, device, channel, velocity	Weighted rule set over the same 20+ features (SRC/FEATURES.py)	Do the payment's own details look unusual?
Fusion	Stacked / calibrated combiner	Weighted sum $w_t \cdot \text{transaction} + w_i \cdot \text{intent} + w_r \cdot \text{recipient}$, with the weights visible and editable (SRC/RISK_ENGINE.py)	How likely is this payment to be a scam?
Explanation	SHAP / LIME feature attribution	Ranked contribution table below: every driver with the points it added, in English and Tamil (this module)	Why did the model say that?

IntentPay

NAS CODERS

Before money leaves: is this payment dangerous, and what does it do to my budget?

- ☐ Payment simulator
- ☐ Money dashboard
- ☐ Judge panel
- ☐ Accuracy & cost
- ☐ Scam help
- ☒ About & research

Customer

- ☒ Arun Kumar - Chennai (age 34)
- ☐ Meenakshi Ammal - Coimbatore (age 68)

Language

English

- ☐ Elder mode (large text, voice)
- ☒ Voice support

Deploy

RESEARCH & REFERENCES

1. RBI Annual Report 2024-25 — digital payment frauds were 13,516 cases (56.5% of banking frauds, ₹520 crore); UPI did 185.8 bn transactions (+41.7%).
2. LocalCircles survey (Jun 2025) — 1 in 5 Indian families hit by UPI fraud; 51% filed no complaint anywhere.
3. I4C advisory on "digital arrest" — CBI/Police/Customs/ED/Judges do not arrest over video calls; report on 1930 / cybercrime.gov.in.
4. NPCI UPI AutoPay enhancement (circular OC-223, Oct 2025) — view, revoke, pause, modify mandates.
5. Google Pay "Ask Google Pay" (2026) — Gemini spending insights, ten Indian languages.
6. Hybrid ML + anomaly detection for UPI fraud (IJIRT 178524, 2025) — Random Forest / Isolation Forest flagged 87% of outlier transactions, <300 ms per evaluation.
7. Elkan (2001) & Bahnsen et al. (2015) — cost-sensitive fraud evaluation; accuracy is misleading under class imbalance.
8. Threshold optimisation for F1/F2/MCC in imbalanced fraud detection (IRJMETS, 2025).

LIMITATIONS (HONEST)

- Synthetic data proves the pipeline, not production accuracy.
- The intent lexicon can misread colloquial speech; scores are decision support, never proof of fraud.
- Merchant categorisation can be wrong — hence corrections are one tap.
- Forecasts can be wrong; thin history is labelled low confidence.
- A standalone app has no bank/NPCI private intelligence; recipient intelligence here is a demo feed.
- Budget warnings are guidance, not financial advice; this app cannot reverse a completed UPI payment.

IntentPay NAS CODERS

பணம் போகும் முன்: இது ஆபத்தா? என் பட்ஜெட்டுக்கு என்ன தாக்கம்?

- ☐ பணம் அனுப்பு
- ☐ பண டாஷ்போர்டு
- ☐ மதிப்பீட்டு பேனல்
- ☐ துல்லியம் & செலவு
- ☐ மோசடி உதவி
- ☒ பற்றி & ஆய்வு

வாடிக்கையாளர்

- ☐ Arun Kumar - Chennai (age 34)
- ☒ Meenakshi Ammal - Coimbatore (age 68)

மொழி

தமிழ் (Tamil)

பற்றி & ஆய்வு

THE PRODUCT

IntentPay ஆபத்தான பேமெண்ட்டுக்கு முன் 'ஏன் செலுத்துகிறீர்கள்?' என்று கேட்டு, செலவுகளைப் பற்றி 'என் பணம் எங்கே போயிறது?' என்று பதில் சொல்கிறது.

Every fraud system asks “is this payment suspicious?” IntentPay asks “why are you paying?” — and answers “where did my money go?” around it. One engine, two levels of complexity: plain Tamil and voice for an older user, full scores and thresholds for a technical one.

எல்லை: செயற்கை தரவு, லோக்கல்ஹோஸ்ட், UPI PIN/OTP/கடவுச்சொல் இல்லை, அழைப்பு பதிவேட்டு இல்லை, செலுத்திய பேமெண்ட்டை திரும்ப பெறுவதா எனும் உறுதிமொழி இல்லை.

ARCHITECTURE

LAYER	FILE	WHAT IT DOES
features	SRC/FEATURES.PY	20+ behavioural signals (amount, velocity, location, call, battery, channel...)
anomaly	SRC/ANOMALY.PY	Isolation Forest on the customer's own history; percentile score
		bilingual social engineering voice assistant

IntentPay

NAS CODERS

பணம் போகும் முன்: இது ஆபத்தா?
என் பட்ஜெட்டுக்கு என்ன தாக்கம்?

- ☐ பணம் அனுப்பு
- ☐ பண டாஷ்போர்டு
- ☐ மதிப்பீட்டு பேனல்
- ☐ துல்லியம் & செலவு
- ☐ மோசடி உதவி
- ☒ பற்றி & ஆய்வு

வாடிக்கையாளர்

- ☐ Arun Kumar - Chennai (age 34)
- ☒ Meenakshi Ammal - Coimbatore (age 68)

மொழி

தமிழ் (Tamil) ▼

ARCHITECTURE

LAYER	FILE	WHAT IT DOES
features	SRC/FEATURES.PY	20+ behavioural signals (amount, velocity, location, call, battery, channel...)
anomaly	SRC/ANOMALY.PY	Isolation Forest on the customer's own history; percentile score
intent	SRC/INTENT_ENGINE.PY	bilingual social-engineering lexicon + optional LLM with fallback
recipient	SRC/RISK_ENGINE.PY	new payee, reports, handle type, verification
fusion	SRC/RISK_ENGINE.PY	weighted fraud score, bands, conditional intent prompt
budget	SRC/BUDGET.PY + FORECAST.PY	limits, category caps, robust median forecast
recurring	SRC/RECURRING.PY	commitment detection, discretionary allowance

Deploy

IntentPay

NAS CODERS

பணம் போகும் முன்: இது ஆபத்தா? என் பட்ஜெட்டுக்கு என்ன தாக்கம்?

- ☐ பணம் அனுப்பு
- ☐ பண டாஷ்போர்டு
- ☐ மதிப்பீட்டு பேனல்
- ☐ துல்லியம் & செலவு
- ☐ மோசடி உதவி
- ☒ பற்றி & ஆய்வு

வாடிக்கையாளர்

- ☐ Arun Kumar - Chennai (age 34)
- ☒ Meenakshi Ammal - Coimbatore (age 68)

மொழி

தமிழ் (Tamil)

மோசடி அடுக்குகள்: உண்மையில் எது, இந்த டெமோவில் எது

LAYER	IN PRODUCTION	IN THIS PROTOTYPE	QUESTION IT ANSWERS
Behaviour / sequence	Transformer or LSTM over the user's transaction sequence	Isolation Forest trained on this customer's own history, scored as a percentile (SRC/ANOMALY.py)	Does this payment fit this user's normal pattern?
Connections	Graph Neural Network over account / device / merchant / payee links	Recipient intelligence: new payee, prior reports, handle type, device match, verified own-account rule (SRC/RISK_ENGINE.py)	Is this device, account or merchant linked to suspicious activity?
Transaction	Random Forest + XGBoost ensemble	Weighted rule set over the same	Do the payment's own

Deploy