

age	gender	tinnitus	hyperacusis	misophonia	earpain	discharge	balance	seenENT	noiseexposure
		Tinnitus?	Hyperacusis	Misophonia?	Ear pain?	Ear discharge?	Balance problem?	Seen ENT?	History of loud noise exposure?
Adult age>16	1=Male	1=Tinnitus	1=Hyperacusis	1=Misophonia	1=Yes	1=Yes	1=Yes	1=Yes	1=Yes
Parent version age<=16	2=Female	2=No Tinnitus	2=No Hyperacusis	2=No Misophonia	2=No	2=No	2=No	2=No	2=No

dreams	asdfamily	parentMH	familyhist	duration	lateral
Tinnitus in dreams?	Family history of ASD?	History of Mental Health in Family	Family history of hearing impairment or noise sensitivity?	Tinnitus duration in months?	Where is Tinnitus perceived?
1=Yes	1=Yes	1=Yes	1=Yes		1=Both ears/sides
2=No	2=No	2=No	2=No		2=One side/ear Right

a1	l1	e1	sad1	sad2	sad3	sad4	historyMH	seenMH	suicide
VAS-Loudness	VAS-Annoyance	VAS-Effect on Life	SAD-T Q1	SAD-T Q2	SAD-T Q3	SAD-T Q4	History of mental health	Seen Mental Health?	
			0-1	0-1	0-1	0-1	1=Yes	1=Yes	1-Not indicated
			2-3	2-3	2-3	2-3	2=No	2=No	2-No
									3-Yes, but no plan
									4-Yes, with plan.

ss1	ss2	ss3	ss4	ss5
Sound sensitivity Q1	Sound sensitivity Q2	Sound sensitivity Q3	Sound sensitivity Q4	Sound sensitivity Q5

ih1	ih2	ih3	ih4	ih5	ih6	ih7	ih8
Impact of Hyperacusis Q1	Impact of Hyperacusis Q2	Impact of Hyperacusis Q3	Impact of Hyperacusis Q4	Impact of Hyperacusis Q5	Impact of Hyperacusis Q6	Impact of Hyperacusis Q7	Impact of Hyperacusis Q8

im1	im2	im3	im4	im5	im6	im7	im8
Impact of Misophonia Q1	Impact of Misophonia Q2	Impact of Misophonia Q3	Impact of Misophonia Q4	Impact of Misophonia Q5	Impact of Misophonia Q6	Impact of Misophonia Q7	Impact of Misophonia Q8

itin1n	itin2n	itin3n	itin4n	itin5n	itin6n	itin7n
TIQ item 1	TIQ item 2	...				

pta025r	pta05r	pta1r	pta2r	pta3r	pta4r	pta6r	pta8r
Hearing threshold at 0.25 kHz in right	At 0.5	1 kHz	...				

pta025l	pta05l	pta1l	pta2l	pta3l	pta4l	pta6l	pta8l
Same as above for the left ear							

imTotal (total score of MIQ)

ihTotal (HIQ total score)

tinNTotal (TIQ total score)

SADT (SAD-T total score)

PTAbetter: hearing in better ear (unit is dB HL)

PTAbettergroup: hearing loss category in better ear

PTAworse: hearing in worse ear (unit is dB HL)

PTAworsegroup: hearing loss category in worse ear

Ptaacross: average of hearing across right and left ears

hiqcat (Hyperacusis based on HIQ score)

SADcat (anxiety/depression based on SAD-T)

ST (total score of SSSQ)

STCat (presence of sound sensitivity symptoms based on SSSQ score)