

A

After (PARAGRAPH LOOKS COMMAND) 6-5
 AFTERQUITFN (TEDIT PROPERTY) 8-16
 AFTERQUITFN (TEDIT-PROPS-LIST-OPTION) 8-2
 Alignment: (PAGE LAYOUT MENU COMMAND)
 7-5

ALL command
 and changing character looks 5-3

B

Before (PARAGRAPH LOOKS COMMAND) 6-5
 BOUNDTABLE (TEDIT-PROPS-LIST-OPTION) 8-2
 Bury (WINDOW MENU COMMAND) 2-4

C

CACHE (TEDIT-PROPS-LIST-OPTION) 8-2
 CARETLOOKSFN (TEDIT PROPERTY) 8-17
 CARETLOOKSFN (TEDIT-PROPS-LIST-OPTION) 8-2
 Centered (PARAGRAPH LOOKS COMMAND) 6-3,
 6-8
 Character Looks for Page Numbers: (PAGE LAYOUT
 MENU COMMAND) 7-6
 CHARFN (TEDIT PROPERTY) 8-16
 CHARFN (TEDIT-PROPS-LIST-OPTION) 8-1
 Clear (WINDOW MENU COMMAND) 2-3
 CLEARGET (TEDIT-PROPS-LIST-OPTION) 8-3
 CLEARPUT (TEDIT-PROPS-LIST-OPTION) 8-3
 Close (WINDOW MENU COMMAND) 2-3
 COERCETEXTOBJ (FUNCTION) 8-6
 Col. Width: (PAGE LAYOUT MENU FIELD) 7-3, 7-7
 Columns: (PAGE LAYOUT MENU FIELD) 7-7
 COPYBYBKSYSEBUF (TEDIT-PROPS-LIST-OPTION) 8-2
 Copying character looks
 using the SAME key 5-7
 Copying paragraph looks
 using the SAME key 6-11
 COPYTEXTSTREAM (FUNCTION) 8-14

D

Decimal (PARAGRAPH LOOKS COMMAND) 6-8
 Default column width 7-7
 Default tab stops 6-8, 6-10
 Default typeface 5-3
 Deleting text
 with CONTROL key 3-3
 with the DELETE key 3-3
 Displaymode: (PARAGRAPH LOOKS COMMAND)
 6-6
 Dotted Leader (PARAGRAPH LOOKS COMMAND)
 6-8

E

European letter size 7-3

F

Filename
 escaping colon in, 2-2
 package-qualifying of 2-2
 First(&Default) (PAGE LAYOUT MENU COMMAND)
 2
 Floating" right margin 6-7
 For Page: (PAGE LAYOUT MENU FIELD) 7-2
 Format: (PAGE LAYOUT MENU COMMAND) 7-5

G

GETFN (TEDIT PROPERTY) 8-17
 GETFN (TEDIT-PROPS-LIST-OPTION) 8-3

H

Hardcopy (WINDOW MENU COMMAND) 2-4
 heading labels 7-9
 Heading Type: (PAGE LAYOUT MENU FIELD) 7-6,
 7-10
 highlighting 3-1

I

Interlisp Exec 2-2
 INTERRUPTS (TEDIT-PROPS-LIST-OPTION) 8-3

J

Justified (PARAGRAPH LOOKS COMMAND) 6-3

K

Keep: (PARAGRAPH LOOKS COMMAND) 6-6

L

Landscape printing 7-3
 LEAVETTY (TEDIT-PROPS-LIST-OPTION) 8-2
 Left (PARAGRAPH LOOKS COMMAND) 6-3, 6-8
 line Leading: (PARAGRAPH LOOKS COMMAND)
 6-4
 Looks (BASIC MENU COMMAND) 5-6
 LOOPFN (TEDIT PROPERTY) 8-16
 LOOPFN (TEDIT-PROPS-LIST-OPTION) 8-1

M

Margins: (PAGE LAYOUT MENU FIELD) 7-4
 MENU (TEDIT-PROPS-LIST-OPTION) 8-2
 Meta-return 3-1
 Move (WINDOW MENU COMMAND) 2-4

N

New Page: (PARAGRAPH LOOKS COMMAND) 6-5
 NOEXTENT (TEDIT-PROPS-LIST-OPTION) 8-3
 Non-default paper size 7-3
 Normal (CHARACTER LOOKS COMMAND) 5-5
 NOTITLE (TEDIT-PROPS-LIST-OPTION) 8-3

O

Old Interlisp" Exec 2-2
 OPENTEXTSTREAM (FUNCTION) 8-5
 Other (CHARACTER LOOKS COMMAND) 5-4
 Other Left (PAGE LAYOUT MENU COMMAND) 7-2
 Other Right (PAGE LAYOUT MENU COMMAND) 7-2
 OVERFLOWFN (TEDIT PROPERTY) 8-16
 OVERFLOWFN (TEDIT-PROPS-LIST-OPTION) 8-3
 overriding paragraph margins
 with Page Layout menu 7-7
 override right page margin
 with paragraph margins 6-8

P

Page Heading (PARAGRAPH LOOKS COMMAND) 7-9-7-10
 page heading type 7-9
 Page Heading type: (PARAGRAPH LOOKS COMMAND) 6-3
 Page numbers: (PAGE LAYOUT MENU COMMAND) 7-5
 Paint (WINDOW MENU COMMAND) 2-3
 Para Leading: (PARAGRAPH LOOKS COMMAND) 6-4
 PARALOOKS (TEDIT-PROPS-LIST-OPTION) 8-2
 POSTSCROLLFN (TEDIT PROPERTY) 8-16
 PRESCROLLFN (TEDIT PROPERTY) 8-16
 PROMPTWINDOW (TEDIT-PROPS-LIST-OPTION) 8-2
 PROMPTWINDOWHEIGHT
 (TEDIT-PROPS-LIST-OPTION) 8-3
 PUTFN (TEDIT PROPERTY) 8-16
 PUTFN (TEDIT-PROPS-LIST-OPTION) 8-3

Q

QUITFN (TEDIT PROPERTY) 8-15
 QUITFN (TEDIT-PROPS-LIST) 8-1

R

READONLY (TEDIT-PROPS-LIST-OPTION) 8-2
 READTABLE (TEDIT-PROPS-LIST-OPTION) 8-2

S

SAME key 5-7
 scroll bar 2-4-2-5
 scrolling 2-5
 thumbing 2-5
 TEDIT.NORMALIZECARET (FUNCTION) 8-14
 SEL (TEDIT-PROPS-LIST-OPTION) 8-2
 SELFN (TEDIT PROPERTY) 8-16
 SELFN (TEDIT-PROPS-LIST-OPTION) 8-1
 SEND.FILE.TO.PRINTER (FUNCTION) 7-3
 Shape (WINDOW MENU COMMAND) 2-4
 Shrink (WINDOW MENU COMMAND) 2-4
 Size: (CHARACTER LOOKS COMMAND) 5-4
 SMALLER/LARGER key 5-6

Space between cols: (PAGE LAYOUT MENU FIELD) 7-7

Special Locn: (PARAGRAPH LOOKS COMMAND) 6-4

Starting Page#: (PAGE LAYOUT MENU FIELD) 7-5
 Subscript (CHARACTER LOOKS COMMAND) 5-5
 Superscript (CHARACTER LOOKS COMMAND) 5-5

T

Tab Type: 6-9
 TEDIT (FUNCTION) 8-1
 TEDIT.ABBREVS (VARIABLE) 8-21
 TEDIT.ADD.MENUITEM (FUNCTION) 8-13
 TEDIT.CARETLOOKS (FUNCTION) 8-14
 TEDIT.COMPOUND.PAGEFORMAT (FUNCTION) 8-13
 TEDIT.COPY.LOOKS (FUNCTION) 8-10
 TEDIT.COPY.PARALOOKS (FUNCTION) 8-11
 TEDIT.DEFAULT.FMTSPEC (VARIABLE) 8-18
 TEDIT.DEFAULT.PROPS (VARIABLE) 8-19
 TEDIT.DELETE (FUNCTION) 8-7
 TEDIT.EXTEND.PENDING.DELETE (VARIABLE) 8-18
 TEDIT.FIND (FUNCTION) 8-8
 TEDIT.FORMATTEDFILEP (FUNCTION) 8-14
 TEDIT.GET (FUNCTION) 8-7
 TEDIT.GET.LOOKS (FUNCTION) 8-10
 TEDIT.GET.PARALOOKS (FUNCTION) 8-11
 TEDIT.GETPOINT (FUNCTION) 8-6
 TEDIT.GETSEL (FUNCTION) 8-6
 TEDIT.GETSYNTAX (FUNCTION) 8-20
 TEDIT.HARDCOPY (FUNCTION) 8-8
 TEDIT.INCLUDE (FUNCTION) 8-7
 TEDIT.INPUT.FORMATS (VARIABLE) 8-22
 TEDIT.INSERT (FUNCTION) 8-7
 TEDIT.INSERT.OBJECT (FUNCTION) 8-20
 TEDIT.KILL (FUNCTION) 8-13
 TEDIT.LOOKS (FUNCTION) 8-8
 TEDIT.MENU.COMMANDS (TEDIT PROPERTY) 8-17-18
 TEDIT.MOVESELECTION (VARIABLE) 8-18
 TEDIT.NORMALIZECARET (FUNCTION) 8-14
 TEDIT.OBJECT.CHANGED (FUNCTION) 8-21
 TEDIT.PAGEFORMAT (FUNCTION) 8-11
 TEDIT.PARALOOKS (FUNCTION) 8-10
 TEDIT.PROMPTPRINT (FUNCTION) 8-15
 TEDIT.PUT (FUNCTION) 8-7
 TEDIT.QUIT (FUNCTION) 8-13
 TEDIT.RAW (FUNCTION) 8-7
 TEDIT.READTABLE (VARIABLE) 8-19
 TEDIT.REMOVE.MENUITEM (FUNCTION) 8-13
 TEDIT.SEL.AS.STRING (FUNCTION) 8-6
 TEDIT.SELECTED.PIECES (FUNCTION) 8-14
 TEDIT.SELECTION (VARIABLE) 8-18
 TEDIT.SET.SEL.LOOKS (FUNCTION) 8-6

TEDIT.SETFUNCTION (FUNCTION) 8-20
TEDIT.SETSEL (FUNCTION) 8-5
TEDIT.SETSYNTAX (FUNCTION) 8-20
TEDIT.SHIFTEDSELECTION (VARIABLE) 8-18
TEDIT.SHOWSEL (FUNCTION) 6
TEDIT.SINGLE.PAGEFORMAT (FUNCTION) 8-12
TEDIT.STREAMCHANGEDP (FUNCTION) 8-14
TEDIT.SUBLOOKS (FUNCTION) 8-15
TEDIT.TENTATIVE (TEDIT-PROPS-LIST-OPTION) 8-3
TEDIT.TITLMENUFN (TEDIT PROPERTY) 8-17
TEDIT.WORDBOUND.READTABLE (VARIABLE) 8-19
TEDIT.WORDGET (FUNCTION) 8-20
TEDIT.WORDSET (FUNCTION) 8-20
TERMTABLE (TEDIT-PROPS-LIST-OPTION) 8-2
Text after number: (PAGE LAYOUT MENU FIELD)
7-6
Text before number: (PAGE LAYOUT MENU FIELD)
7-6
TEXTOBJ 8-4
TEXTOBJ (FUNCTION) 8-13
TEXTPROP (FUNCTION) 8-14
TEXTSTREAM (FUNCTION) 8-14
TITLEMENUFN (TEDIT-PROPS-LIST-OPTION) 8-2
TTYWINDOW (TEDIT-PROPS-LIST-Option) 8-3
Type size 5-4
Snap (WINDOW MENU COMMAND) 2-3

V

version number
 escaping 2-2