| 24. | Streams and Files | 5 | | 24.1 |
|-----|-------------------|--|---|-------|
| | 24.1 | . Opening an | d Closing File Streams | 24.2 |
| | 24.2 | . File Names | | 24.5 |
| | 24.3 | . Incomplete | File Names | 24.9 |
| | 24.4 | . Version Rec | ognition | 24.11 |
| | 24.5 | . Using File N | ames Instead of Streams | 24.13 |
| | | | 24.5.1. File Name Efficiency Considerations | 24.14 |
| | | | 24.5.2. Obsolete File Opening Functions | 24.14 |
| | | | 24.5.3. Converting Old Programs | 24.15 |
| | 24.6 | . Using Files v | vith Processes | 24.16 |
| | 24.7 | . File Attribut | es | 24.17 |
| | 24.8 | 24.8. Closing and Reopening Files | | |
| | 24.9 | 24.9. Local Hard Disk Device | | |
| | 24.1 | 24.10. Floppy Disk Device | | |
| | 24.1 | 24.11. I/O Operations to and from Strings | | |
| | 24.1 | 24.12. Temporary Files and the CORE Device 24.13. NULL Device 24.15. Deleting, Copying, and Renaming Files 24.16. Searching File Directories 24.17. Listing File Directories | | |
| | 24.1 | | | |
| | 24.1 | | | |
| | 24.1 | | | |
| | 24.1 | | | |
| | 24.1 | 8. File Server | s | 24.36 |
| | | | 24.18.1. Pup File Server Protocols | 24.36 |
| | | | 24.18.2. Xerox NS File Server Protocols | 24.37 |
| | | | 24.18.3. Operating System Designations | 24.38 |
| | | | 24.18.4. Logging In | 24.39 |
| | | | 24.18.5. Abnormal Conditions | 24.4 |
| 25. | Input/Output Fur | nctions | | 25. |
| _ | 25.1 | . Specifying S | Streams for Input/Output Functions | 25. |
| | 25.2 | . Input Functi | ons | 25.2 |
| | | | | |

TABLE OF CONTENTS

| | 25.3. Output F | unctions | 25.7 |
|--|----------------|--|-------|
| | | 25.3.1. PRINTLEVEL | 25.11 |
| | | 25.3.2. Printing numbers | 25.13 |
| | | 25.3.3. User Defined Printing | 25.16 |
| | | 25.3.4. Printing Unusual Data Structures | 25.17 |
| | 25.4. Random | Access File Operations | 25.18 |
| | 25.5. Input/Ou | tput Operations with Characters and Bytes | 25.22 |
| | 25.6. PRINTOU | т | 25.23 |
| and the second s | | 25.6.1. Horizontal Spacing Commands | 25.25 |
| 5 | | 25.6.2. Vertical Spacing Commands | 25.26 |
| The second state of the second second | | 25.6.3. Special Formatting Controls | 25.27 |
| 100 | | 25.6.4. Printing Specifications | 25.27 |
| | | 25.6.4.1. Paragraph Format | 25.28 |
| | - | 25.6.4.2. Right-Flushing | 25.29 |
| To C. | | 25.6.4.3. Centering | 25.29 |
| s. 4. | | 25.6.4.4. Numbering | 25.29 |
| | | 25.6.5. Escaping to Lisp | 25.30 |
| | | 25.6.6. User-Defined Commands | 25.31 |
| | | 25.6.7. Special Printing Functions | 25.32 |
| | 25.7. READFIL | E and WRITEFILE | 25.33 |
| | 25.8. Read Tab | ples | 25.33 |
| | | 25.8.1. Read Table Functions | 25.34 |
| | | 25.8.2. Syntax Classes | 25.35 |
| | | 25.8.3. Read Macros | 25.39 |
| 26. User Input/0 | Output Packa | ges | 26.1 |
| 1.82 | 26.1. Inspecto | r | 26.1 |
| . 3 | | 26.1.1. Calling the Inspector | 26.2 |
| | | 26.1.2. Multiple Ways of Inspecting | 26.2 |
| | | 26.1.3. Inspect Windows | 26.3 |
| | | 26.1.4. Inspect Window Commands | 26.4 |
| | | 26.1.5. Interaction With Break Windows | 26.5 |
| | | 26.1.6. Controlling the Amount Displayed Durin | |
| | | 26.1.7. Inspect Macros | 26.6 |
| | | | |

TOC.2

| | | 26.1.8. INSPECTWs | 20.0 |
|--------------------------|-------------------|---|-------|
| | 26.2. PROMPTFO | RWORD | 26.9 |
| | 26.3. ASKUSER | P | 26.12 |
| | | 26.3.1. Format of KEYLST | 26.13 |
| | | 26.3.2. Options | 26.15 |
| | | 26.3.3. Operation | 26.17 |
| | | 26.3.4. Completing a Key | 26.18 |
| | | 26.3.5. Special Keys | 26.19 |
| | | 26.3.6. Startup Protocol and Typeahead | 26.20 |
| | 26.4. TTYIN Disp | lay Typein Editor | 26.22 |
| | | 26.4.1. Entering Input With TTYIN | 26.22 |
| | | 26.4.2. Mouse Commands [Interlisp-D Only] | 26.24 |
| | | 26.4.3. Display Editing Commands | 26.25 |
| | | 26.4.4. Using TTYIN for Lisp Input | 26.28 |
| | | 26.4.5. Useful Macros | 26.29 |
| | | 26.4.6. Programming With TTYIN | 26.29 |
| | | 26.4.7. Using TTYIN as a General Editor | 26.32 |
| | | 26.4.8. ? = Handler | 26.33 |
| | | 26.4.9. Read Macros | 26.34 |
| | | 26.4.10. Assorted Flags | 26.36 |
| | | 26.4.11. Special Responses | 26.38 |
| | | 26.4.12. Display Types | 26.38 |
| | 26.5. Prettyprin | t | 26.39 |
| | | 26.5.1. Comment Feature | 26.42 |
| | | 26.5.2. Comment Pointers | 26.44 |
| | | 26.5.3. Converting Comments to Lower Case | 26.46 |
| | | 26.5.4. Special Prettyprint Controls | 26.47 |
| 27. Graphics O | utput Operatio | ns | 27.1 |
| = | 27.1. Primitive (| Graphics Concepts | 27.1 |
| | | 27.1.1. Positions | 27.1 |
| | | 27.1.2. Regions | 27.1 |
| | | 27.1.3. Bitmaps | 27.3 |
| | | 27.1.4. Textures | 27.6 |
| Constitution America 2.5 | 27.2. Opening I | mage Streams | 27.8 |
| | - | | |

TABLE OF CONTENTS TOC.3

| | 27.3. Accessing Ir | nage Stream Fields | 27.10 |
|------------------|---------------------|---|--------|
| | 27.4. Current Pos | ition of an Image Stream | 27.13 |
| | 27.5. Moving Bits | Between Bitmaps With BITBLT | 27.14 |
| | 27.6. Drawing Lir | nes | 27.17 |
| | 27.7. Drawing Cu | rves | 27.18 |
| | 27.8. Miscellaneo | us Drawing and Printing Operations | 27.20 |
| | 27.9. Drawing an | d Shading Grids | 27.22 |
| | 27.10. Display Str | eams | 27.23 |
| kara ara a | 27.12. Fonts | T | 27.25 |
| *** | 27.13. Font Files a | nd Font Directories | 27.31 |
| 7. (18) | 27.15. Font Profile | es | 27.32 |
| | 27.16. Image Obje | ects | 27.35 |
| | | 27.16.1. IMAGEFNS Methods | 27.36 |
| The Park Control | | 27.16.2. Registering Image Objects | 27.39 |
| i e | | 27.16.3. Reading and Writing Image Objects on Files | 27.40 |
| | | 27.16.4. Copying Image Objects Between Windows | 27.41 |
| | 27.17. Implement | ation of Image Streams | 27.42 |
| 28. Windows an | d Menus | | 28.1 |
| 10 offer | 28.1. Using The W | indow System | 28.2 |
| | 28.2. Changing W | indow Command Menus | 28.7 |
| 4 ° % 8 | 28.3. Interactive D | isplay Functions | 28.9 |
| | 28.4. Windows | | 28.12 |
| | | 28.4.1. Window Properties | 28.13 |
| | | 28.4.2. Creating Windows | 28.13 |
| | | 28.4.3. Opening and Closing Windows | 28.15 |
| | | 28.4.4. Redisplaying Windows | 28.16 |
| | | 28.4.5. Reshaping Windows | 28.16 |
| | | 28.4.6. Moving Windows | 28.19 |
| | | 28.4.7. Exposing and Burying Windows | 28.20 |
| | | 28.4.8. Shrinking Windows Into Icons | 28.21 |
| | | 28.4.9. Coordinate Systems, Extents, And Scrolling | 28.23 |
| | | 28.4.10. Mouse Activity in Windows | 28.27 |
| | | 28.4.11. Terminal I/O and Page Holding | 28.29 |
| | | 28.4.12. The TTY Process and the Caret | 28.30 |
| | | the caret | 28 311 |

TOC.4

| | | | 31.1.2. Level Zero Protocols | 31.2 |
|-----|----------------|--------------|--|----------------|
| | | | 31.1.1. Protocol Layering | 31.1 |
| | | 31.1. Ether | net Protocols | 31.1 |
| 31. | Ethernet | | | 31. |
| | | 30.7. Misce | llaneous Terminal I/O | 30.24 |
| | | 30.6. Displa | y Screen | 30.22 |
| | | 30.5. Keybo | pard Interpretation | 30.19 |
| | | | 30.4.5. Low Level Mouse Functions | 30.18 |
| | | | 30.4.4. Mouse Button Testing | 30.17 |
| | | | 30.4.3. Cursor Position | 30.17 |
| | | | 30.4.2. Flashing Bars on the Cursor | 30.16 |
| | | | 30.4.1. Changing the Cursor Image | 30.13 |
| | | 30.4. Curson | | 30.13 |
| | | 30.3. Dribbl | | 30.12 |
| | | | 30.2.3. Line-Buffering | 30.9 |
| | | | 30.2.2. Terminal Control Functions | 30.6 |
| | | | 30.2.1. Terminal Syntax Classes | 30.5 |
| | | 30.2. Termir | | 30.4 |
| | · Crimmai inpe | | upt Characters | 30.1 |
| 30 | Terminal Inpu | | | 30.1 |
| | naracopy rac | | evel Hardcopy Variables | 29.5 |
| 29. | Hardcopy Fac | ilities | | 29.1 |
| | | | 28.6.4. Window Properties Of Attached Windows | 28.53 |
| | | | 28.6.3. Window Operations And Attached Windows | 28.50 |
| | | | 28.6.2. Attached Prompt Windows | 28.50 |
| | | | 28.6.1. Attaching Menus To Windows | 28.48 |
| | | 28.6. Attach | 28.5.3. Examples of Menu Use | 28.45 |
| | | | | 28.43 |
| | | | 28.5.1. Menu Fields 28.5.2. Miscellaneous Menu Functions | 28.42 |
| | | 28.5. Menus | | 28.37 28.38 |
| | | | 28.4.15. Example: A Scrollable Window | 28.34 |
| | | | 28.4.14. Miscellaneous Window Properties | 28.33 |
| | | | 28.4.13. Miscellaneous Window Functions | 28.31 |
| | | | | 20 21 |

TABLE OF CONTENTS TOC.5

| | | 31.1.3. Level One Protocols | 31.3 |
|-------|---------------|--|-------|
| | | 31.1.4. Higher Level Protocols | 31.4 |
| | | 31.1.5. Connecting Networks: Routers and Gateways | 31.4 |
| | | 31.1.6. Addressing Conflicts with Level Zero Mediums | 31.5 |
| | | 31.1.7. References | 31.5 |
| 31.2. | Higher-level | PUP Protocol Functions | 31.6 |
| 31.3. | Higher-level | NS Protocol Functions | 31.7 |
| | | 31.3.1. Name and Address Conventions | 31.7 |
| | | 31.3.2. Clearinghouse Functions | 31.9 |
| | | 31.3.3. NS Printing | 31.12 |
| | | 31.3.4. SPP Stream Interface | 31.12 |
| | | 31.3.5. Courier Remote Procedure Call Protocol | 31.15 |
| | | 31.3.5.1. Defining Courier Programs | 31.15 |
| | | 31.3.5.2. Courier Type Definitions | 31.17 |
| | | 31.3.5.2.1. Pre-defined Types | 31.17 |
| | | 31.3.5.2.2. Constructed Types | 31.18 |
| | | 31.3.5.2.3. User Extensions to the Type Language | 31.19 |
| | | 31.3.5.3. Performing Courier Transactions | 31.20 |
| | | 31.3.5.3.1. Expedited Procedure Call | 31.22 |
| | | 31.3.5.3.2. Expanding Ring Broadcast | 31.23 |
| | | 31.3.5.3.3. Using Bulk Data Transfer | 31.24 |
| | | 31.3.5.3.4. Courier Subfunctions for Data Transfer | 31.25 |
| 31.4. | Level One Eth | ner Packet Format | 31.26 |
| 31.5. | PUP Level On | e Functions | 31.28 |
| | | 31.5.1. Creating and Managing Pups | 31.28 |
| | | 31.5.2. Sockets | 31.28 |
| | | 31.5.3. Sending and Receiving Pups | 31.29 |
| | | 31.5.4. Pup Routing Information | 31.30 |
| | | 31.5.5. Miscellaneous PUP Utilities | 31.31 |
| | | 31.5.6. PUP Debugging Aids | 31.32 |
| 31.6. | NS Level One | Functions | 31.36 |
| | | 31.6.1. Creating and Managing XIPs | 31.36 |
| | | 31.6.2. NS Sockets | 31.37 |
| | | 31.6.3. Sending and Receiving XIPs | 31.37 |

| | 31.6.4. NS Debugging Aids | 31.38 |
|-------|---------------------------------------|-------|
| 31.7. | Support for Other Level One Protocols | 31.38 |
| 31.8. | The SYSQUEUE mechanism | 31.41 |

TABLE OF CONTENTS

[This page intentionally left blank]

TABLE OF CONTENTS