MAY 9 PROBUIDE

TABLE OF CONTENTS

What is May9 Pro	4
Installation	4
Update from May9 Pro 3.1	
Update from May9 Pro 3.0	
Basic usage	5
May9 Pro Layouts	5
May9 Pro drop-down menu	
All MM	
Maya Window MM	6
Contextual single selection MM	6
Contextual multi selection MM	7
Contextual multi selection of the same object type MM	7
Contextual panel MM	7
Contextual node selection in editor panels	8
Contextual Tool MM	
Contextual single selection Hotkey	8
Contextual multi selection of the same object type Hotkey	
Contextual multi selection of different object type Hotkey	
Contextual panel Hotkey	
Custom Hotkeys	9
Changed preferences	10
Custom Scripts and Presets	11
nParticle Style Converter	
da curveToPoly	
da interactiveBooleans	
da BooleanFullIntersect	
da PlaneCutter	
da AutoBevel	12
da_ClothAsDeformer	13
da_perspToggle	13
da_shell	13
da_MetaBalls	14
da_MashVoxelizer	14
da_RivetMash	
da_CurveDistributionMash	15
da_EdgesToLoopToCurve	
da_SurfaceScatterMash	
da_CurveLength	
da_MouseTrack	
da_FacesFollicles	
da_Compass	
da_CombineCurves	
da_SepareCurves	
da_pivotKeyable	
da_MapFacesUVda_mapFacesUV	
Third-party plug-ins	
Context Connector	
Bool	
ProSets	
ngSkinTools	
SOuP	21


$M \wedge Y \circ PRO 3$

Uninstallation	24
Release notes	24
Useful links	24
Credits and license	24

What is May9 Pro

May9 Pro is plug-in aim to offer an alternative user experience for Autodesk Maya designed to improve the daily workflow and maximize learning.

The concept of $May9\ Pro$ is streamline useful commands into a single keyboard button (Z), by predicting them from the context. For example, if you have in selection a mesh and a joint by pressing $Z + Left\ Mouse\ Button\ (MMB\ from\ now)$ it's appear the follow $Marking\ Menu\ (MM\ form\ now)$:



In addition to the contextual workflow describe above, *May9 Pro* offer <u>custom preferences</u>, <u>layouts</u>, <u>contextual</u> hotkeys and standard hotkeys.

Installation (video)

- 1) If is open close Autodesk Maya
- 2) Copy the content of *modules* folder present in this archive in:
 - a. Windows: \Users\<username>\Documents\maya\2018
 - b. Mac OS: /Users/<username>/Library/Preferences/Autodesk/maya/2018
 - c. Linux: ~<username>/maya/2018
- 3) Run source May9.mel as MEL command



Update from May9 Pro 3.1

If a previous version of May9 Pro 3.1 is already installed on your system, close Autodesk Maya and:

- 1. Copy the content of folder modules of this archive in your Autodesk Maya 2018 preferences folder
- 2. Remove any file that start with da_ from your actual 2018/presets folder
- 3. Remove May9_Pro.json from your actual 2018/prefs/workspaces folder
- 4. Run source May9.mel as MEL command

Important note: after the update any customization made to May9 Pro by the user will be removed.

Update from May9 Pro 3.0

If a previous version of May9 Pro 3.0 is already installed on your system, close Autodesk Maya and:


- 1. Copy the content of folder modules of this archive in your Autodesk Maya 2018 preferences folder
- 2. Remove userPrefs.mel from your actual 2018/prefs folder
- 3. Remove any file that end with MM from your actual 2018/prefs/markingMenus folder
- 4. Remove any file that start with da from your actual 2018/presets folder
- 5. Remove any file that start with da_ from your actual 2018/presets folder
- 6. Remove May9 Pro. json from your actual 2018/prefs/workspaces folder
- 7. Run source May9.mel as MEL command

Important note: after the update any customization made to *May9 Pro* and *Autodesk Maya preferences* by the user will be removed.

Basic usage


May9 Pro Layouts

The May9 Pro Layouts are designed to be integrated in the May9 Pro Workspace, for open one of the ten Layout available just use a Hotkey from ALT + 1 to ALT + 0, or in May9 Pro drop-down menu:




May9 Pro drop-down menu

A conventional drop-down is provided to provide a quick access to layouts and May9 Pro configuration commands:




All MM

All MM (menu_All_MM.mel) is the foundation of May9 Pro, is available by pressing Z + Middle Mouse Button (from now MMB) and use **bold** font style:




Maya Window MM

Maya Window MM (menu_MayaWindow_MM.mel) is available over the Viewport and there isn't selection, is available by pressing Z + LMB:




Contextual single selection MM

When a single object or component type is selected is possible enable the relative contextual MM by pressing Z + LMB:




Contextual multi selection MM

When a multiple object type or component type is selected is possible enable the relative contextual MM by pressing Z + LMB:




Contextual multi selection of the same object type MM

When a multiple object of the same type is selected is possible enable the relative contextual MM by pressing Z + LMB:




Contextual panel MM

When the mouse is over a panel is possible enable the relative contextual MM by pressing Z + LMB:




Contextual node selection in editor panels

When a single node, a combination of the same type nodes or a combination of different type nodes are selected in some editor panel is possible enable the relative contextual MM by pressing Z + LMB:



Contextual Tool MM

When a supported Tool is selected, is possible enable the relative contextual MM by pressing Z + MMB, this kind of MMs use *italic* font style:



These are the tool supported by Contextual Tool MM: 3D Paint tool, Paint Attribute, Paint Skin Tool, Legacy Artisan Sculpt tool, Create Particle tool, Paint FX tool, Grease Pencil tool, Multi Cut tool, Quad Draw tool, Poly Crease tool, Sculpt tools, XGen Groom Paint tools, Create Particle tool and UV Brushes.

Contextual single selection Hotkey

If a single object or component type is selected is possible enable the relative contextual Hotkey by pressing and release \mathbb{Z} . For example: almost every object types toggle to component mode by using *contextual hotkey*.

Contextual multi selection of the same object type Hotkey

If a multiple object of the same type is selected is possible enable the relative contextual Hotkey by pressing and release \mathbb{Z} .

Contextual multi selection of different object type Hotkey

If a multiple object type or component type is selected is enable the relative contextual Hotkey by pressing and release Z.

Contextual panel Hotkey

If the mouse is over a panel is possible enable the relative contextual Hotkey by pressing and release Z.

Custom Hotkeys

Z = Enable May9 Pro contextual MMs and Hotkeys

```
SHIFT + ALT + Z = Zero Transformations (move objects to world center)
SHIFT + ALT + Space = Playback toggle
CTRL + ALT + R = Start IPR or Arnold Render View
CTRL + ALT + 0 = Edit and Graph Shader Based on Selection
CTRL + ALT + 8 = Paint Effects Panel
CTRL + ALT + X = Reverse to save
CTRL + ALT + M = Toggle Shelf Tabs
CTRL + ALT + T = Toggle Title Bar
CTRL + ALT + . = move a keframe to the next frame
CTRL + ALT +, = move a keframe to the previous frame
CTRL + ALT + Space = Interactive playback
CTRL + SHIFT + ALT + Return = Match Pivot
CTRL + SHIFT + ALT + C = Copy selection to clipboard
CTRL + SHIFT + ALT + V = Paste selection to clipboard
CTRL + SHIFT + ALT + S = Save selection in to a Set
CTRL + SHIFT + ALT + M = Toggle Shelf
CTRL + SHIFT + ALT + R = Toggle Resolution Gate
CTRL + SHIFT + ALT + Z = MMtoKey Manager
CTRL + SHIFT + ALT + Q = Reset Context MM
CTRL + SHIFT + Return = Reset Pivot
CTRL + Return = Delete Non-Deformer History and Freeze Transform
CTRL + ` = Show the last operation in AE
CTRL + F = Ignore the child and frame only the selected object
CTRL + P = Parent and position
CTRL + J = Context Connector or Connection Editor
CTRL + K = Massive Attribute Editor
CTRL + L = List of Input Operation
ALT + 1 = Set Layout Single Perspective/Four View
ALT + 2 = Set Layout Node Editor
ALT + 3 = Set Layout UV Texture Editor
ALT + 4 = Set Layout Graph Editor
ALT + 5 = Set Layout Shape/Pose Editor
ALT + 6 = Set Layout Reference Editor
ALT + 7 = Set Layout Component Editor
ALT + 8 = Set Layout Relationship Editor
ALT + 9 = Set Layout Dynamic Relationship Editor
ALT + 0 = Set Layout Hypershade
ALT + C = Open Channel Box or toggle it if docked
ALT + A = Open Attribute Editor or toggle it if docked
ALT + M = Open Modelling Toolkit or toggle it if docked
ALT + U = Open UV Toolkit or toggle it if docked (CMD + U on OS X)
ALT + O = Open Outliner or toggle it if docked
ALT + T = Open Tools Preference Settings or toggle it if docked
ALT + I = Reset Current Workspace
ALT + L = Open color Picker
ALT + Enter = Toggle perspective to orthographic camera
SHIFT + UP = Side View
SHIFT + RIGHT = Front View
SHIFT + DOWN = Top View
SHIFT + LEFT = Persp View
SHIFT + T = Assign shader if an object is selected or open create node window if not
A + LMB = SOuP Smart Connect (need SOuP installed)
~= Orient Manipulators Toggle
Home = Reset Transformations
End = Select Hierarchy
K + Drag = Smooth playback mode
CMD + Space = Toggle Full Screen (Mac OS only)
```

Changed hotkeys

```
CTRL + ALT + D = Toggle Displacement
CTRL + ALT + ~ = SmoothingDisplayShowBoth
CTRL + ALT + ` = SmoothingDisplayToggle

ALT + - = ToggleColorFeedback
ALT + I = Toggle Wireframe in Artisan
ALT + P = Color Picker

SHIFT + N = Full Hotbox Display
```

Changed preferences

The flowing is the Autodesk Maya preferences changed in May9 Pro:

- Membrane Deformer exposed
- Legacy Mirror Cut tool exposed
- Double variable warning is disable
- Custom Hypershade layout
- In Status Line are exposed Input Field and History icons
- Hidden attribute connections exposed
- Hotbox have no transparency
- · Exposed legacy curves based text


Custom Scripts and Presets

Under the hood of *May9 Pro* there are hundreds of MEL scripts that's support the contextual workflow, but there's also some ones that add new features to *Autodesk Maya*.

nParticle Style Converter

These Presets adds the ability to convert particle to a specific style after their creation:


- 1) Select some particle
- 2) If is not, open the Attribute Editor (ALT + A) and select one of the particle style Presets



da_curveToPoly (video)

This script makes possible the conversion of curves in polygons:


- 1) Select a curve or multiple curves
- 2) Z + LMB > Convert to Polygons



da interactiveBooleans (video)

This script makes the Polygonal Boolean process more interactive:


- 1) Select two or more polygons objects
- 2) Z + LMB > Booleans



da_BooleanFullIntersect (video)

This script makes a full intersect, so this execute a mesh subtraction but maintain subtracted part as separate object:


- 1) Select first the main object and after the cutters ones
- 2) Z + LMB > Booleans > Original and Intersect



da_PlaneCutter (video)

This script cut a mesh by using a flat mesh, this can be useful for simulate surface cracks:


- 1) Select first the main object and after the cutter ones
- 2) Z + LMB > Cut by Plane
- 3) Select the single or double operator
- 4) Move the cutter or the cutters plane



da AutoBevel (video)

This script analyses the angle between faces and try to add a Bevel node only on needed edges:


- 1) Select a Polygon
- 2) Z + LMB > Auto Bevel



da_ClothAsDeformer (video)

This script set up the current mesh to be deformed by nCloth solver, this can be useful for simulate character self-collision skin or muscle dynamics:


- 1) Select the polygons to deform, it can be the character skin
- 2) Z+LMB > Deformers >nCloth as Deformer > Create nCloth as Deformer



da perspToggle (video)

This script converts the current persp view to the closest ortho, and vice versa:


- 1) Move camera
- 2) Press ALT + Enter



da_shell (video)

This script emulates Shell deformer of Autodesk 3D Studio Max, by adding a thickness to flat polygons:


- 1) Select a flat polygon
- 2) Z + LMB > Shell Proxy
- 3) Continue to model or open tool option by using Z + LMB



da_MetaBalls (video)

This script converts particles to polygonal Metaballs:


- 1) Select some particles
- 2) Z + LMB > Convert to Metaballs
- 3) Move single metaballs by selecting relative cluster



da_MashVoxelizer (video)

This script use MASH to voxelize an arbitrary mesh in the volume of another mesh:


- 1) Select first the filler mesh then the volume mesh
- 2) Z + LMB > Voxelize in a Volume



da_RivetMash (video)

This script constraint the pivot of a polygon to a component of another polygon:


- 1) Select single or multiple components then a polygon
- 2) Z + LMB > Rivet



da_CurveDistributionMash (video)

This script scatter and constrain a polygonal object along a curve:

- 1) Select a polygon and then a curve
- 2) Z + LMB > Instance Along Curve



da_EdgesToLoopToCurve (video)

This script converts edge selection to loop and then make a batch conversion to curves, this is useful for converting polygonal hair to curve hair:


- 1) Select an edge for loop, sometimes this is easier to do in UV texture editor
- 2) Z + LMB > To Loops to Curves



da SurfaceScatterMash

This script scatter and constrain a polygonal object on a mesh:


- 1) Select a mesh object then a mesh surface
- 2) Z + LMB > Scatter on a Surface



da_CurveLength

This script returns the length of a curve in Maya unit:


- 1) Select the curve you want to measure
- 2) Z + LMB > Curve Length



da MouseTrack

This script tracks the mouse movement and create an animation:


- 1) Select an object
- 2) Z + MMB > Animation > Mouse Tracker
- 3) Manipulate the object by using manipulators
- 4) Press Esc for stop the tracking



da FacesFollicles

This script creates a follicle in the centre of selected faces:


- 1) Select one or more faces
- 2) Z + LMB > Dynamics > Create Follicle



da_Compass

This script converts Euler angle into a XYZ vector, for drive Nucleus, Air Filed and nCloth:

- 1) Select Nucleus icon, Air Filed icon or nCloth icon
- 2) Z + LMB > Compass to Wind or Local Wind or Local Force




Alternatively, is possible generate a standalone compass by using Z + MMB > Compass

da CombineCurves

This script combines two or more curves in one transform node:

- 1) Select two or more curves
- 2) Z + LMB > Combine




Note: do not combine already combine curves, always first separate the combined curves then combining the curves again.

da SepareCurves

This script separate combined curves:


- 1) Select combined curves
- 2) Z + LMB > Separate



da_pivotKeyable

This script expose pivot position value to make possible animate it by using S hotkey:


- 1) Select an object
- 2) Z + MMB > Rigging > Make Pivot Keyable
- 3) Animate the object as usual



da_MapFacesUV

This script maps any single faces of a mesh as separate planar UV shell:

- 1) Select one or multiple meshes, or one or multiple faces
- 2) Z + LMB > UV Mapping > Per Face




Third-party plug-ins

May9 Pro support some of the best third-party plug-ins available, some are included other need separate install due to license.

Context Connector (Video)

Context Connection is an advance tool for automate and manage single and multiple node connection, enable it under May9 Pro > Context Connector

For open Context Connection UI use CTRL + J shortcut or Z + MMB > Rigging > Context Connector



Massive Attribute Modifier

Massive Attribute Modifier is an advance tool simply wrap all the common attributes between the selected objects and display them in a list, enable it under May9 Pro > Massive Attribute Modifier

For open Massive Attribute Modifier UI use CTRL + K shortcut or Z + MMB > Rigging > Massive Attribute Modifier



Bool (Video)

Bool is in a live boolean plug-in that's interactively adjust multiple boolean operations, is available to buy here.


For use Bool, select two or more meshes and Z + LMB > Booleans > Bool Tool



ProSets (Video)

ProSets power up modelling workflow by using procedural components sets, is available to buy here.


For use *ProSets*, select a mesh and *Z* + *LMB* > *Create ProSets*



ngSkinTools (Video)

ngSkinTools allows flexible and artistic workflow, while providing all the necessary tools for precision, is available to download or buy here.

For use ngSkinTools, select a skinned mesh and Z + LMB > ngSkinTools > Initialize Skinning Layers



SOuP

SOuP is a vast framework that brings a tonne of new functionality to Maya, is available to download or buy here.

da ViewportUV

This script makes a UV projection mesh in the Viewport:

- 1) Select a mesh
- 2) Z + LMB > UV Mapping > Viewport UV



da ShatterMesh

This script shatters a mesh:

- 1) Select a mesh
- 2) Z + LMB > Shatter Mesh



da TensionBlendShape

This script creates a blend shape deformer based on stretch and compression:

- 1) Select: a base mesh, a stretch one and a compress one
- 2) Z + LMB > Deformers > Tension Blend Shape



da CollideOutward and da CollideInward

These scripts create a collision deformer between meshes:


- 1) Select: a collide mesh and collision mesh
- 2) Z + LMB > Deformers > Collide > Outward or Inward



Edit Component List (Video)

This tool makes modeling tools procedural:


- 1) Select a mesh
- 2) Z + LMB > Edit Component List
- 3) Select one of the existing modeling operator and add or remove desired components



Mesh Fitting (Video)

This tool fit a different topology mesh to another one:


- 1) Select two meshes, a source one and target one
- 2) Z + LMB > Mesh Fitting



Smart Connect

This tool gives the ability to contextually connect objects attributes:

- 1) Select two objects or more objects, a source and target ones
- 2) Press A + LMB



Uninstallation

May9 Pro do not override any of native Autodesk Maya files so for uninstall just disable the included plug-ins and set one of the standard workspace, or run this: source May9 uninstall.mel

Important note: after the uninstallation process the previous *Hotkey Set* are restored.

Release notes

May9 Pro 3.2 work in any Workspace, anyway the use of Maya Classic is high suggested.

May9 Pro 3.2 hotkeys add or substitute the actual Hotkey Set when installed.

May9 Pro 3.2 is tested and develop on Autodesk Maya 2018.3.

Useful links

Facebook page: fb.com/May9Prefs

YouTube channel: youtube.com/c/May9

Credits and license

May9 Pro design, scripts and preferences are made by Davide Alidosi and licensed under MIT license.

MMtoKey is made by Andrey Menshikov and licensed under a custom non-commercial license.

Context Connector is made by Pavel Korolyov and licensed under MIT license.

Massive Attribute Modifier is made by Mehdi Louala and licensed under Creative Commons Attribution 4.0.

Bool is made by Mainframe North and licensed under custom EULA.

ProSets is made by Mainframe North and licensed under custom EULA.

ngSkinTools is made by Viktoras Makauskas and licensed under custom license.

SOuP is made by Peter Shipkov and licensed under custom license.