

The Digital Library prompt

A worked example for Session 1 — one description in plain words, three layers of code in return.

PURPOSE	One ready-to-paste prompt that produces a working digital-library page
LAYERS TAUGHT	HTML — the shelves and the book · CSS — the wood and the velvet · JavaScript — the welcome message
OUTPUT	One file, index.html, that opens offline with no internet connection
WORKS WITH	ChatGPT · Gemini · Claude
TEACHER TASK LEVEL	DOK 4 — Create: the teacher specifies a product, then judges what comes back
RUNS IN	The Edulixa HTML Viewer, then published on GitHub Pages as a link

WHY THIS EXAMPLE

A digital library is the shortest route to seeing the three layers do three different jobs. The shelves and the book have to exist before anything else can happen — that is HTML. The wood grain and the velvet are appearance alone, and the page still works without them — that is CSS. The welcome message only appears because somebody pressed something — that is JavaScript. Nothing in the prompt asks the AI to teach; the teaching happens when the page arrives and you take one layer away.

The rule that makes it publishable: the prompt forbids pictures, fonts and code loaded from any web address. That single sentence is what lets the finished page run in the Edulixa HTML Viewer, open on a classroom machine with no internet, and go onto GitHub Pages without breaking.

THE PROMPT — ENGLISH

Copy everything inside the tinted block and paste it into ChatGPT, Gemini or Claude as one message.

You are a front-end developer. Build me ONE single file called index.html that contains the HTML, the CSS and the JavaScript together – no separate files, no links to any website, no images from the internet. It must work when I double-click it with no internet connection.

Build a digital library page.

THE PAGE (HTML)

- A heading at the top: "My Digital Library".
- A wall of three wooden shelves, one under the other.
- On the middle shelf, standing upright, one book.

- Nothing else on the page.

THE LOOK (CSS)

- The wall behind the shelves is dark wood: build the wood grain with CSS repeating-linear-gradient in browns, not with a picture file.
- Each shelf is a thick wooden plank with a lighter top edge, a darker front edge and a soft shadow underneath, so it looks like real wood catching light.
- The book is velvet and three-dimensional. Build it from three faces – the front cover, the spine and the top edge – placed with CSS transform and transform-style: preserve-3d, so I can see the spine and the thickness.
- Make the velvet look like velvet: a deep red radial-gradient that is lighter in the middle and darker at the edges, gold border lines on the cover, and a gold title reading "Volume One" down the spine.
- Give the whole book a gentle tilt (rotateY) and a shadow on the shelf under it.
- When I hover the book, it lifts slightly and tilts a little more, smoothly.
- Use a serif font for the titles.

WHAT IT DOES (JavaScript)

- When I click the book, show the message: "Welcome to my digital library".
- Show it in the page itself – not in an alert box – as a card that fades in over the shelves, with the message in gold on dark velvet and a "Close" button.
- Clicking Close hides the card again, and the book can be clicked again.
- The book must also work with the keyboard: it can be focused with Tab and opened with Enter or the space bar.

RULES

- Everything in one file: the CSS inside <style>, the JavaScript inside <script>.
- No pictures, no icons, no fonts, no code loaded from any web address.
- Put a short comment above each block saying which layer it is – HTML, CSS or JavaScript – and what it does.
- Give me the complete file, from <!doctype html> to </html>, with nothing left out.

THE PROMPT — ARABIC البرومبت بالعربية

انسخ كل ما في الإطار الملون والصقه رسالة واحدة في ChatGPT أو Gemini أو Claude. الاتجاه من اليمين إلى اليسار • الترميز UTF-8 • أسماء الكود تبقى بالإنجليزية كما هي • الأرقام بالصيغة العربية: ٠١٢٣٤٥٦٧٨٩

أنت مطور واجهات أمامية.
ابن لي ملفًا واحدًا فقط اسمه index.html
يجمع HTML و CSS و JavaScript معًا في ملف واحد.
بلا ملفات منفصلة، وبلا أي رابط لأي موقع، وبلا أي صورة من الإنترنت.
ويجب أن يعمل بالنقر المزدوج ومن دون اتصال بالإنترنت.

ابن صفحة مكتبة رقمية.

الصفحة (HTML)

- عنوان في الأعلى: «مكتبتي الرقمية».
- جدار من ٣ أرفف خشبية، الواحد تحت الآخر.
- على الرف الأوسط كتاب واحد واقف.
- ليس في الصفحة شيء آخر.

الشكل (CSS)

- الجدار خلف الأرفف خشب داكن: اصنع عروق الخشب بتدرج repeating-linear-gradient بالبني، لا بصورة.
- كل رف لوح خشبي سميك، حافته العليا أفتح وواجهته أعمق، وتحتة ظل ناعم، ليبدو خشبًا حقيقيًا يلتقط الضوء.
- الكتاب مخملي وثلاثي الأبعاد: ابنه من ٣ أوجه — الغلاف والكعب والحافة العليا — باستخدام transform و transform-style: preserve-3d. حتى أرى الكعب والسماكة.
- اجعل المخمل يشبه المخمل: تدرج شعاعي أحمر عميق، أفتح في الوسط وأعمق عند الحواف، وخطوط ذهبية على الغلاف، وعنوان ذهبي «المجلد الأول» على الكعب.
- امح الكتاب مائلًا خفيًا (rotateY) وظلًا على الرف تحته.
- عند مرور المؤشر يرتفع الكتاب قليلًا ويميل أكثر بحركة ناعمة.
- استخدم خطًا من نوع serif للعناوين.

ما تفعله الصفحة (JavaScript)

- عند النقر على الكتاب اعرض الرسالة: «مرحبًا بك في مكتبتني الرقمية».
- اعرضها داخل الصفحة نفسها — لا في نافذة تنبيه — كبطاقة تظهر تدريجيًا فوق الأرفف، بنص ذهبي على مخمل داكن وزر «إغلاق».
- الضغط على «إغلاق» يخفي البطاقة، ويمكن النقر على الكتاب من جديد.
- ويجب أن يعمل الكتاب بلوحة المفاتيح أيضًا: يُحدّد بمفتاح Tab ويُفتح بمفتاح Enter أو المسافة.

القواعد

- كل شيء في ملف واحد: CSS داخل <style> و JavaScript داخل <script>.
- بلا صور ولا أيقونات ولا خطوط ولا كود من أي عنوان على الويب.
- اكتب فوق كل كتلة تعليقًا قصيرًا يقول إلى أي طبقة تنتمي — HTML أم CSS أم JavaScript — وماذا تفعل.
- أعطني الملف كاملاً من <doctype html!> إلى <html/> بلا حذف.

HOW TO RUN IT IN THE SESSION

- 1. Read the prompt aloud, layer by layer.** Ask the room which layer each requirement belongs to before you send it. The shelves? The velvet? The message? Three answers, three layers.
- 2. Send it once, unchanged.** Let the teachers see that a precise description — not a conversation — is what produces a finished file.
- 3. Paste the result into the Edulixa HTML Viewer and run it.** Click the book. The message is the moment JavaScript stops being an abstraction.
- 4. Break one layer on purpose.** Delete the CSS block and reload: the shelves and the book are still there, plain and ugly, and the click still works. Then delete the script instead: it looks perfect and does nothing. That contrast is the whole lesson.
- 5. Ask for one change in one sentence.** “Make the velvet deep green instead of red.” Watch that only CSS changes. Naming the layer is what makes the request that short.

WHAT TO POINT OUT WHILE IT BUILDS

- **The AI never sees your classroom.** Everything it produced came from the words in the prompt — which is why the prompt names the number of shelves, the colour of the velvet and the exact wording of the message.
- **Specific beats polite.** “Make it look nice” returns something generic. “A deep red radial-gradient, lighter in the middle, gold border lines” returns velvet.
- **The keyboard line is not decoration.** Asking for Tab and Enter is how a page a student can reach without a mouse gets built by default — WCAG 2.1 in one sentence.
- **Ask for comments.** The line requiring a comment above each block is what turns the returned file into something a teacher can read and reuse, instead of a black box.
- **Expect to fix something.** If the book looks flat, the missing piece is almost always transform-style: preserve-3d on the parent. Naming the layer and the property is the whole skill this session builds.

TAKE IT FURTHER

- Add a second and third book with different velvet colours and titles, and ask for a different message from each.
- Ask for the shelf to hold your real reading list, with each book opening the summary you wrote.
- Turn it into a class library: each student sends you one book, and you paste them onto the same shelf.
- Publish it on GitHub Pages and give the class the link — the last section of Session 1 walks through it.