CeliacosFriends

Tablas SQL BASE DE DATOS

Modelo de Entidad - Relación CF

actividad_usuario
amigos
bloqueos
comunidad_experiencias
comunidad_experiencias_likes
comunidad_quedadas
comunidad_quedadas_likes
comunidad_recetas
comunidad_recetas_likes
comunidad_restaurantes_likes
comunidad_restaurantes
comunidad_viajes_likes
comunidad_viajes
marcadores_recetas
mensajes
mis_conversaciones
mis_experiencias_likes
mis_experiencias
mis_quedadas
mis_notificaciones
mis_quedadas_likes
mis_recetas
mis_recetas_guardadas
mis_recetas_likes
mis_restaurantes_likes
mis_restaurantes
mis_viajes_likes
mis_viajes
perfiles
presencia_historial
solicitudes_amistad

TABLA perfiles

Update table `perfiles`

Columns

About data types

Name	Type	Default Value	Primary
user_id	uuid	NULL	✓
bio	text	NULL	
ciudad	text	NULL	
diagnostico	text	NULL	
fecha_nacimient	text	NULL	
intereses	text	NULL	
preferencias	text	NULL	
avatar_url	text	NULL	
created_at	timestamptz	now()	
updated_at	timestamptz	now()	
nick	text	''::text	
insignia_emoji	text	'💪'::text	
insignia_nombre	text	'Miembro Celiaco'::tex	
nombre	text	NULL	
edad	int2	NULL	
geo_lat	float8	NULL	
geo_lng	float8	NULL	
online_at	timestamptz	NULL	
dieta	text	NULL	
is_online	bool	true	
mostrar_online	bool	true	
mostrar_ubicacic	bool	true	
es_fundador	bool	false	
nick_cambiado_	timestamptz	NULL	
cover_url	text	NULL	
nombre_comple	text	NULL	

TABLA amigos

Update table amigos

Name: amigos

Description: Optional

Enable Row Level Security (RLS) RECOMMENDED
Restrict access to your table by enabling RLS and writing Postgres policies.

Policies are required to query data
You need to create an access policy before you can query data from this table. Without a policy, querying this table will return an empty array of results.

Documentation

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns — About data types

Name	Type	Default Value	Primary
id	# int8	NULL	✓
user_id	uuid	NULL	
amigo_user_id	uuid	NULL	
amigo_nick	T text	NULL	
amigo_grad	T text	NULL	
created_at	timestamptz	now()	

Add column

TABLA bloqueados

Update table `bloqueos`

Name: bloqueos

Description: Optional

Enable Row Level Security (RLS) RECOMMENDED
Restrict access to your table by enabling RLS and writing Postgres policies.

Policies are required to query data
You need to create an access policy before you can query data from this table. Without a policy, querying this table will return an empty array of results.

Documentation

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns — About data types

Name	Type	Default Value	Primary
id	# int8	NULL	✓
user_id	uuid	NULL	
bloqueado_id	uuid	NULL	
created_at	timestamptz	now()	
bloqueado_nick	T text	NULL	
bloqueado_grad	T text	NULL	

TABLAS MENSAJERIA

Tabla mensajes

Update table `mensajes`

Name: mensajes

Description: Optional

Enable Row Level Security (RLS) RECOMMENDED
Restrict access to your table by enabling RLS and writing Postgres policies.

Policies are required to query data
You need to create an access policy before you can query data from this table. Without a policy, querying this table will return an empty array of results.

Documentation

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	# int8	NULL	☑
conv_id	int8	NULL	☐
sender_id	uuid	NULL	☐
texto	T text	NULL	☐
leido	bool	false	☐
created_at	timestamptz	now()	☐

Add column

Cancel | Save Ctrl+↵

Esta si es la que debe tener activada la opcion de ENABLE REALTIME

TABLA mis_conversaciones

Update table `mis_conversaciones`

You need to create an access policy before you can query data from this table. Without a policy, querying this table will return an empty array of results.

Documentation

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	# int8	NULL	✓
user_id_a	uuid	NULL	
user_id_b	uuid	NULL	
nick_a	T text	NULL	
nick_b	T text	NULL	
ultimo_mensaje	T text	NULL	
updated_at	timestamptz	now()	
deleted_by_a	bool	false	
deleted_by_b	bool	false	

Add column

Tabla actividad_usuario

Update table `actividad_usuario`

Columns

About data types

Name	Type	Default Value	Primary
id	T uuid	gen_random_uuid()	✓
user_id	uuid	NULL	
tipo	T text	NULL	
emoji	T text	'📌'::text	
texto	T text	''::text	
extra	T text	''::text	
created_at	timestamptz	now()	

Add column

TABLA presencia_historial (celiacos online)

Update table `presencia_historial`

Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
user_id	uuid	NULL	✓
nombre	text	NULL	
ini	text	NULL	
foto_url	text	''::text	
ciudad	text	'España'::text	
ultima_vez	timestamptz	now()	
updated_at	timestamptz	now()	

TABLA solicitudes_amistad

Update table `solicitudes_amistad`

You need to create an access policy before you can query data from this table. Without a policy, querying this table will return an empty array of results.

Documentation

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	int8	NULL	✓
de_user_id	uuid	NULL	
para_user_id	uuid	NULL	
de_nick	text	NULL	
de_grad	text	'linear-gradient(135deg	
estado	text	'pendiente'::text	
created_at	timestamptz	now()	

Add column

TABLAS MI PERFIL

TABLA perfiles

Update table `perfiles`

Columns

About data types

Name	Type	Default Value	Primary
user_id	uuid	NULL	☑
bio	text	NULL	☐
ciudad	text	NULL	☐
diagnostico	text	NULL	☐
fecha_nacimient	text	NULL	☐
intereses	text	NULL	☐
preferencias	text	NULL	☐
avatar_url	text	NULL	☐
created_at	timestamptz	now()	☐
updated_at	timestamptz	now()	☐
nick	text	''::text	☐
insignia_emoji	text	'💪'::text	☐
insignia_nombre	text	'Miembro Celiaco'::tex	☐
nombre	text	NULL	☐
edad	int2	NULL	☐
geo_lat	float8	NULL	☐
geo_lng	float8	NULL	☐
online_at	timestamptz	NULL	☐
dieta	text	NULL	☐
is_online	bool	true	☐
mostrar_online	bool	true	☐
mostrar_ubicacic	bool	true	☐
es_fundador	bool	false	☐
nick_cambiado_	timestamptz	NULL	☐
cover_url	text	NULL	☐
nombre_comple	text	NULL	☐

TABLA mis_recetas

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
receta_id	uuid	NULL	
user_id	uuid	NULL	
likes_count	int4	0	
activa	bool	true	
publicado_en	timestamptz	now()	
autor_user_id	uuid	NULL	

Add column

TABLA mis_recetas_likes

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
com_receta_id	uuid	NULL	
user_id	uuid	NULL	
voto	int2	1	
created_at	timestamptz	now()	

Add column

TABLA mis_quedadas

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
quedada_id	uuid	NULL	
user_id	uuid	NULL	
likes_count	int4	0	
activa	bool	true	
publicado_en	timestamptz	now()	
autor_user_id	uuid	NULL	

Add column

TABLA mis_quedadas_likes

Update table `comunidad_quedadas_likes`

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
com_quedada_id	uuid	NULL	
user_id	uuid	NULL	
voto	int2	1	
created_at	timestamptz	now()	

Add column

TABLA mis_restaurantes

Update table `comunidad_restaurantes`

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
restaurante_id	uuid	NULL	
user_id	uuid	NULL	
autor_nick	text	''::text	
nombre	text	''::text	
direccion	text	''::text	
fecha	text	''::text	
puntuacion	numeric	5	
comentario	text	''::text	
created_at	timestamptz	now()	
likes_count	int4	0	
autor_user_id	uuid	NULL	

Add column

TABLA mis_restaurantes_likes

Update table `comunidad_restaurantes_likes`

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Composite primary key selected

Name	Type	Default Value	Primary
com_restaurante_	uuid	NULL	✓
user_id	uuid	NULL	✓
voto	int2	1	
created_at	timestamptz	now()	

Add column

TABLA mis_viajes

Update table `comunidad_viajes`

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
viaje_id	uuid	NULL	
user_id	uuid	NULL	
autor_nick	text	''::text	
destino	text	''::text	
emoji	text	'🌍'::text	
fecha	text	''::text	
fecha_iso	text	''::text	
duracion	text	''::text	
puntuacion	numeric	5	
companeros	text	''::text	
restaurantes	text	''::text	
created_at	timestamptz	now()	
likes_count	int4	0	
autor_user_id	uuid	NULL	

TABLA mis_viajes_likes

Update table `comunidad_viajes_likes`

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
com_viaje_id	uuid	NULL	
user_id	uuid	NULL	
voto	int2	1	
created_at	timestamptz	now()	

Add column

TABLA mis_experiencias

Update table `comunidad_experiencias`

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
experiencia_id	uuid	NULL	
user_id	uuid	NULL	
autor_nick	text	''::text	
destino	text	''::text	
emoji	text	'✍️'::text	
fecha	text	''::text	
fecha_iso	text	''::text	
texto	text	''::text	
estrellas	int4	0	
created_at	timestamptz	now()	
likes_count	int4	0	
autor_user_id	uuid	NULL	

TABLA mis_experiencias_likes

Update table `comunidad_experiencias_likes`

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Composite primary key selected

Name	Type	Default Value	Primary
com_experiencia_	uuid	NULL	✓
user_id	uuid	NULL	✓
voto	int2	1	
created_at	timestamptz	now()	

Add column

TABLA comunidad_recetas

```
SELECT column_name FROM information_schema.columns WHERE table_name =
'comunidad_recetas';
```



TABLA comunidad_recetas_likes

```
SELECT column_name FROM information_schema.columns WHERE table_name =
'comunidad_recetas_likes';
```



TABLA comunidad_quedadas

```
SELECT column_name FROM information_schema.columns WHERE table_name =
'comunidad_quedadas';
```



TABLA comunidad_quedadas_likes

```
SELECT column_name FROM information_schema.columns WHERE table_name =
'comunidad_quedadas_likes';
```

Update table `comunidad_quedadas_likes`

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
com_quedada_id	uuid	NULL	
user_id	uuid	NULL	
voto	int2	1	
created_at	timestamptz	now()	

Add column

TABLAS comunidad_restaurantes

```
SELECT column_name FROM information_schema.columns WHERE table_name =
'comunidad_restaurantes';
```

Update table `comunidad_restaurantes`

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
restaurante_id	uuid	NULL	
user_id	uuid	NULL	
autor_nick	text	"::text	
nombre	text	"::text	
direccion	text	"::text	
fecha	text	"::text	
puntuacion	numeric	5	
comentario	text	"::text	
created_at	timestamptz	now()	
likes_count	int4	0	
autor_user_id	uuid	NULL	

Add column

TABLAS comunidad_restaurantes_likes

```sql
SELECT column_name FROM information_schema.columns WHERE table_name =
'comunidad_restaurantes_likes';
```



TABLAS comunidad_viajes

```sql
SELECT column_name FROM information_schema.columns WHERE table_name =
'comunidad_viajes';
```

Update table `comunidad_viajes`

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
viaje_id	uuid	NULL	
user_id	uuid	NULL	
autor_nick	text	''::text	
destino	text	''::text	
emoji	text	'🌍'::text	
fecha	text	''::text	
fecha_iso	text	''::text	
duracion	text	''::text	
puntuacion	numeric	5	
companeros	text	''::text	
restaurantes	text	''::text	
created_at	timestamptz	now()	
likes_count	int4	0	
autor_user_id	uuid	NULL	

TABLA comunidad_viajes_likes

```
SELECT column_name FROM information_schema.columns WHERE table_name =
'comunidad_viajes_likes';
```

Update table `comunidad_viajes_likes`

Enable Realtime
Broadcast changes on this table to authorized subscribers

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
com_viaje_id	uuid	NULL	
user_id	uuid	NULL	
voto	int2	1	
created_at	timestamptz	now()	

Add column

TABLA comunidad_experiencias

```
SELECT column_name FROM information_schema.columns WHERE table_name =
'comunidad_experiencias';
```

Update table `comunidad_experiencias`

Columns

About data types

Name	Type	Default Value	Primary
id	uuid	gen_random_uuid()	✓
experiencia_id	uuid	NULL	
user_id	uuid	NULL	
autor_nick	text	''::text	
destino	text	''::text	
emoji	text	'✍️'::text	
fecha	text	''::text	
fecha_iso	text	''::text	
texto	text	''::text	
estrellas	int4	0	
created_at	timestamptz	now()	
likes_count	int4	0	
autor_user_id	uuid	NULL	

Add column

comunidad_experiencias_likes

```
SELECT cTABLA column_name FROM information_schema.columns WHERE table_name =
'comunidad_experiencias_likes';
```



Y tú podrías generarme los modelos de Entidad - Relacion de las diferentes tablas q encuentra en esta web perfil. Tabla Mis Recetas, Mis quedadas, Mis Restaurantes, Mis viajes y mis experiencias. Y lo mismo hacer con tablas de Comunidad Celíacos Online, Comunidad Recetas, Comunidad quedadas, Comunidad Viajes, Comunidad experiencias, te paso los nombre exactos y archivo html