

TECHNICAL AND PROCEDURAL GUIDELINES FOR HEALTH CARE WORKERSON ADOLESCENT GIRLS' SEXUAL AND REPRODUCTIVE HEALTH CARE SERVICES



FOREWORD

An estimated 60% of Ethiopian women were under 30, with adolescent girls aged 15-19 accounting for 26% of this group. Ethiopia has made significant strides in the provision of adolescent health care services. However, adolescent girls' sexual and reproductive health services are unsatisfactory in terms of continuity of care and the competency of providers. Adolescent healthcare pregnancy increased from 12% in 2012 to 13% in 2016, with 25% of those with unmet contraceptive needs. Even though the intrauterine devices are the most effective long-acting family planning method, their use has remained unchanged at 2% since 2000. Adolescent girls who were sexually active were the

least likely to use IUDs and implants.

continuum of care interventions High-impact includes health education and counseling, contraception counseling services. and comprehensive abortion care, and the prevention and treatment of STIs and HIV. Maternal and nutritional neonatal care. counseling for adolescents, and gender-based violence treatment and counseling will significantly reduce adolescent pregnancy and its consequences by improving primary health care services in general, while also improving universal health care for adolescent girls' health outcomes.

Despite an increase in the number of health care

providers, adolescent girls' lifecycle efforts have not been realized. Recognizing this, developed technical and procedural guidelines for health care providers on sexual and reproductive services for adolescent girls. The complete set of these guidelines will greatly assist healthcare providers in improving the quality and equity of health care services for adolescent girls. As a result, I want to emphasize that the Ministry of Health will make every effort to ensure that these guidelines are implemented in all health facilities across the country in order to improve adolescent girls' health care services, and I sincerely request that all concerned bodies work collaboratively to ensure that these guidelines are implemented.

Dereje Duguma, MD, MIH

State Minister, Ministry of Health

ACKNOWLEDGEMENTS

The technical and procedural guidelines for the health care workers on adolescent girls were developed using related guidelines and research evidence from various recognized sources. The guidelines have undergone numerous review meetings and consultative workshops. A group of health professionals comprised of the Ministry of Health Maternal, Child Health and Nutrition directorate, Women and Youth directorate, and communicable case team; the Ethiopian Midwives Association; adolescent sexual and reproductive health experts; obstetricians and gynaecologists; paediatricians; and researchers were involved in the review of this guideline. The Minister of Health is grateful to all those who have contributed to the development of this technical and procedural guide, despite their highly demanding schedules.

Sincere thanks go to the MCH Directorate case team leaders who provided leadership in developing this guideline. The Ministry of Health would like to thank all of the partners, health professional associations,

private organizations, and individuals who contributed to the development of these guidelines. Special thanks go to the University of South Africa for their technical and financial contributions during the guidelines' development process.

The Ministry of Health wants to express its gratitude to Professor Bethabile Lovely Dolamo of the University of South Africa for her technical contribution in the course of developing this guideline. Dr. Aster Teshome deserves special recognition for devoting so much time and energy to the development process this guideline. A word of thanks also goes to the editorial team for formatting and designing the guidelines.

The guidelines will serve as a guide for healthcare providers to implement an integrated approach to adolescent girls' sexual and reproductive health care services.

Meseret Zelalem Tadesse, MD, Pediatrician Maternal, Child Health and Nutrition Directorate Director Ministry of Health

TABLE OF CONTENTS

| FOREWORD | i |
|---|------------|
| ACKNOWLEDGEMENTS | ii |
| LIST OF TABLES | . vii |
| LIST OF FIGURES | . vii |
| LIST OF ABBREVIATIONS | viii |
| 1 INTRODUCTION | 1 |
| 1.1 BACKGROUND INFORMATION | 1 |
| 1.2 THESE GUIDELINES ARE MEANT TO ENABLE HEALTH CARE PROVIDER | !S2 |
| 1.3 PROCESS OF GUIDELINE DEVELOPMENT | 2 |
| 1.4 SCOPE OF THE GUIDELINE | |
| 1.5 PURPOSE OF THE GUIDELINE | |
| 1.6 OBJECTIVES OF THE GUIDELINES | |
| 7. ADOLESCENT SEXUAL AND REPRODUCTIVE HEALTH SERVICE | |
| 7.1 EDUCATION AND COUNSELLING | |
| 7.1.1 Effective communication with adolescent clients | 4 |
| 7.1.2 Physical and pubertal development | 5 |
| 7.1.3 Menarche and menstrual management | 5 |
| 7.1.4planning and life skills education | |
| 7.1.5 Consultation with adolescent clients | 6 |
| 7.1.5.1Psychosocial consultation | 6 |
| 7.1.5.2Sexual health consultation | 6 |
| 7.1.5.3Sexual and reproductive health assessment | 6 |
| 7.1.5.4Sexual development and first sexual experience | 7 |
| 7.1.5.5First intercourse | 7 |
| 7.1.5.6Sexual behaviour | 7 |
| 7.1.5.7Protective practice | 7 |

| 7.1.5.8Sexual risk taking8 | |
|---|------------|
| 7.1.5.9Advise adolescent clients8 | |
| 7.2 CONTRACEPTIVE COUNSELLING AND SERVICES8 | |
| 7.2.1 Contraceptives services for adolescent girls9 | |
| 7.2.2Quality of contraceptive service for adolescent girls9 | |
| 7.2.3 Integration of contraception counselling and provision of contraceptive service | 9 |
| 7.2.4 Competencies of service providers on contraception to adolescent girls10 | |
| 7.2.5 Infection prevention in the health facilities | |
| 7.2.6 Contraceptive method mix counseling | |
| 7.2.7 Contraceptive implants provision | |
| 7.2.7.1 Advising on the side effects | |
| 7.2.7.2Contraceptive implant insertion | |
| 7.2.7.3Removing implants | |
| 7.2.8 Intrauterine device (IUD)13 | |
| 7.2.8.1 Intrauterine device insertion | |
| 7.2.8.2Removal of intrauterine device | |
| 7.2.8.3Levonorgestrel intrauterine device | |
| 7.2.8.3.1 | de effects |
| 7.2.9 Contraceptive service delivery modalities | |
| 7.2.10 | creased |
| 7.2.10.1 | ounselling |
| 7.2.11 | ual |
| protection provided by available contraceptive methods | |
| 7.3 COMPREHENSIVE ABORTION CARE | |
| 7.3.1 Classification of abortion | |
| 7.3.1.1 Based on gestational age17 | |

| 7.3.1.2 Based on care related to the termination of pregnancy18 |
|---|
| 7.3.2 Legal provisions for safe abortion care |
| 7.3.2.1 Article 55 |
| of the penal code18 |
| 7.3.2.2 Timing and place for terminating a pregnancy18 |
| 7.3.3 Clinical interview and examination |
| 7.3.4 Abortion care services |
| 7.3.4.1 Counselling |
| 7.3.4.2 Procedures to be performed during abortion care20 |
| 7.3.4.3 Informed decision making20 |
| 7.3.4.4 Pain control in a safe abortion setting |
| 7.3.4.5 Abortion services by level of care |
| 7.3.5 Medical abortion21 |
| 7.3.5.1 Dosages and routes of administration |
| 7.3.5.2 Induced abortion at <12 weeks |
| 7.3.5.3 Induced abortion at ≥ 12 weeks |
| 7.3.5.4 Post-abortion contraception |
| 7.3.5.5 Incomplete abortion |
| 7.3.5.6 intrauterine fetal demise |
| 7.3.5.7 Contraindications of medication abortion |
| 7.3.6 Surgical abortion |
| 7.3.6.1 Essential basic supplies for surgical abortion |
| 7.3.6.2 Procedure |
| 7.3.6.3 Subsequent management |
| 7.3.7 Elements of post-abortion care |
| 7.3.8 Recognising and referring complications25 |
| 7.4 Sexually-Transmitted Infections Preventions, Control and Treatment25 |
| 7.4.1 Sexually transmitted infections in adolescent clients25 |
| 7.4.2 Approaches to STIs management and comprehensive care package25 |
| 7.4.3 Practical considerations when managing STIs among adolescent clients 26 |

| 7.4.4 Prevention and management of STIs | 26 |
|---|------|
| 7.4.5 Risk of cervical cancer and prevention | 27 |
| 7.4.6 Infertility | 29 |
| 7.5 HIV PREVENTION, CONTROL AND TREATMENT | 29 |
| 7.5.1 Modes of transmission of HIV | 30 |
| 7.5.2 Adolescent clients' vulnerability to HIV | 30 |
| 7.5.2.1 Challenges related to HIV in adolescent clients | 31 |
| 7.5.3 Combination prevention intervention for HIV | 31 |
| 7.5.4 Approach to care and treatment of adolescents living with HIV (ALHIV) . | 32 |
| 7.5.5 Adherence of adolescents living with HIV | 32 |
| 7.5.6 Improving PMTCT services for adolescent clients living with HIV | 32 |
| 7.6 Antenatal, Intrapartum and Postnatal Care Services | 33 |
| 7.6.1 Antenatal, intrapartum and postnatal care services for adolescent | 33 |
| 7.6.2 Adolescent pregnancy risks | 34 |
| 7.6.3 Increased use of skilled care during ANC, SBA, and PNC for adolescent | ts35 |
| 7.6.3.1 Antenatal care for adolescent clients | 35 |
| 7.6.3.2 Skilled care during pregnancy | 36 |
| 7.6.3.3 Management of labour and delivery | 36 |
| 7.6.3.4 Postpartum care | 37 |
| 7.6.3.5 Care of the newborn | 39 |
| 7.7 GENDER-BASED VIOLENCE SERVICES | 40 |
| 7.7.1 Response and support for prevention of violence against adolescents | 40 |
| 7.7.2 Gender-based violence (GBV) prevention, support and care | 41 |
| 7.7.3 Health system response to GBV | 41 |
| 7.8 ADOLESCENT NUTRITION SERVICES | 44 |
| 7.8.1 Adolescent nutrition food pyramid | 45 |
| 7.8.2 Micronutrient deficiencies | 45 |
| 7.8.3 Nutrition intervention for adolescent girls | 45 |
| 7.8.3.1 Promotion of healthy eating and physical activity | 47 |
| 7.9 MONITORING AND EVALUATION | 47 |
| 7.9.1 Mentoring and supportive supervision | 47 |

| 7.9.1.1 | Mentoring | .47 |
|---------|----------------------------------|-----|
| 7.9.1.2 | 2 Supportive supervision | .48 |
| 7.9.2 | Record keeping and reporting | .48 |
| 7.9.3 | Health care provider assessments | .48 |
| SUMI | MARY | |
| LIST | OF REFERENCES | .52 |

LIST OF TABLES

Table 7.5.1 Behavioural, biomedical and structural interventions 35

Table 6.2 Adolescent pregnancy complications and risks 39

LIST OF FIGURES

Figure 6.1 The continuum of care model, a framework for midwives practices 27

Figure 7.8.1 Food pyramid50

LIST OF ABBREVIATIONS

AA- Accelerated action for the health

HA of adolescents

AGS Adolescent girls sexual and

RH reproductive health

AIDS Acquired Immune-deficiency

Syndrome

AMD Averting maternal death and

D disability

AMI Adolescent, maternal, infant, and

YCN young child nutrition

ANC Antenatal Care

ASR Adolescent sexual and

H reproductive health

BMR Body mass index

BEm Basic emergency obstetric and

ONC newborn care

CAC Comprehensive abortion care

CEm Comprehensive emergency
ONC obstetric and newborn care

CHT Consideration in HIV testing and

C counselling

CPR Contraceptive prevalence rate

CSA Central Statistical Agency

DHS Demographic and health surveys

EDH Ethiopian demographic and health

S survey

EFD Ethiopian Food drug

A administration

EmO Emergency obstetric and newborn

NC care

EPHI Ethiopian Public Health Institute

FP Family planning

FMo Federal Ministry of Health

Н

GBV Gender based violence

HIV Human Immunodeficiency Virus

HEE Home & Environment; Education& ADS Employment; Eating & Exercise;

SS

| | Activities; Drugs/Substances; Sexuality; Suicide/Depression; Safety |
|---------------|---|
| ICM | International Confederation Midwives' Association |
| ICF | ICF International Calverton |
| Mo H | Ministry of Health |
| NN P | National nutrition programme |
| PE P | Post-exposure prophylaxis |
| PH C | Primary health care |
| PM TC T | Prevention of mother-to-child transmission |
| PN C | Post-natal care |
| RH | Reproductive health |
| RH B | Regional Health Bureau |
| SR H | Sexual and reproductive health |

| SR HR | Sexual reproductive health and right |
|----------|--------------------------------------|
| STI s | Sexually transmitted infections |
| UH C | Universal health coverage |
| VC T | Voluntary counselling and testing |
| WH O | World Health Organization |

TECHNICAL AND PROCEDURAL
GUIDELINES FOR HEALTH CARE
WORKERS ON ADOLESCENT GIRLS'
SEXUAL AND REPRODUCTIVE HEALTH
CARE SERVICES

1 INTRODUCTION

2 BACKGROUND INFORMATION

Sexual and Reproductive Health/SRH is a dynamic continuum of care with changing needs throughout the lifespan. Available sexual health interventions are difficult to obtain, and adolescent girls' sexual and reproductive health needs are not always recognized (WHO 2017a: 6). In Ethiopia, according to the National Adolescent and Youth Strategy (2016-2020): risky sexual practices, child marriage,

early childbearing, unintended pregnancy, unsafe abortion, and STIs/HIV are identified as major SRH problems of adolescent girls (FMoH 2016b: 7). In addition, less than half of health care facilities offered adolescent sexual and reproductive health services (EPHI, FMOH & AMDD 2017c: 122).

Ethiopia's MoH hopes to reduce adolescent pregnancy rates from 12% to 3% by increasing contraceptive prevalence (CPR) rate promoting full-time, 24-hour/7-day provision. However, there is still a high unmet need among these groups, and Intrauterine devices and the least implants were commonly used methods by sexually contraception active adolescent girls (CSA & ICF 2016:16). The use of intrauterine devices/IUD has also remained stagnant since 2000, falling from 2% in 2016 to 1.5% in 2019; even though IUDs were the most effective long-acting family planning methods ever used (EPHI, FMOH & ICF 2019:38; CSA & ICF 2016:16; CSA & ICF 2000:55).

On the other hand, there is a significant increase in deployment of health care providers across the country whereas their potential contribution in improving the SRH needs of adolescent girls has yet to be realized. To address this issue, the MoH developed national training manuals, standards and minimum service delivery packages for SRH service delivery. However, for the continuum of care to be effective, technical and procedural guidelines on the provision of SRH services for adolescent girls across the lifecycle are required (FMoH 2017a: 1). This highlighted the significance of developing guidelines aimed specifically at improving health care providers performance in AGSRH service delivery (FMoH 2014a: 10, FMoH

2016a: 100; FMoH 2017a: 1; FMoH 2017b)

2.1 THESE GUIDELINES ARE MEANT TO ENABLE HEALTH CARE WORKERS

The availability of guidelines on sexual and reproductive health and standards for midwives' care practices is a significant enabling factor. Health care providers should have up-to-date knowledge and in-service refresher training to improve providers-client communication. In this regard, Adolescent girls' sexual and reproductive health care guidelines are important tools for health care providers. Besides availing the technical guide, management of the facility and senior Health care providers should provide junior Health care providers with regular coaching, mentoring, and supportive supervision.

2.2 PROCESS OF GUIDELINE DEVELOPMENT

The process of developing guidelines adheres to the key steps recommended by WHO (2014:8). Before drafting the guidelines, relevant literature and related guidelines were reviewed. A group of senior midwives, experts' on adolescent sexual reproductive health, and other health and professionals first reviewed the draft document to reach an agreement on the content and determine feasibility in the Ethiopian context. The its researchers' in the area were involved and they incorporated the experts' feedback and finalized the development of the guidelines. The finalized guidelines will serve as a guide to implement an integrated approach to Adolescent Girls' Sexual and Reproductive Health/AGSRH care services provided by healthcare providers.

The guideline is divided in to seven sections and the major topics include:

- 3 Health promotion and SRH counselling services
- 4 Contraceptive counselling and services,
- 5 Comprehensive abortion care
- 6 Prevention and treatment of STIs/HIV;
- 7 Maternal and newborn health care services
- 8 Adolescent nutrition and
- 9 Gender-based violence

SCOPE OF THE GUIDELINE

In 2019, FMoH made SRH services for adolescents a priority intervention in Ethiopian Essential Health the Services package as part of the achievement of UHC (MoH 2019b: 27). Therefore, this technical and procedural guideline is primarily aimed at health care workers who work in health care facilities, with the goal of improving health care workers' practices in providing sexual and reproductive health care services to adolescent girls. Furthermore, it assists policymakers and health managers in proper planning and decision-making. It will also be used as

a guide for students by the department of education institutions,

PURPOSE OF THE GUIDELINE

The purpose of the technical and procedural guidelines is to provide guidance for health care workers to improve their technical competency and confidence in discussing and providing adolescent girls' sexual and reproductive health care services. The guidelines focus on adolescent girls' and reproductive health sexual promotion, disease prevention, and management clinical in health facilities.

OBJECTIVES OF THE GUIDELINES

The objectives of this guideline are to:

- 10 Enhance technical competency of health workers on the scope of providers' practices.
- 11 Support HWs on AGSRH services across the entire continuum of care.
- 12 Cultivating Health care providers' practice in adolescent girls' nutrition and GBV
- 13 Generate evidence on adolescent girls' health