Step 1: Translate Strong Entities + Unnest Composite Attributes

```sql
CREATE TABLE Manager (
    ssn INT PRIMARY KEY,
    name INT,
    email INT
);

CREATE TABLE Driver (
    name INT PRIMARY KEY
);

CREATE TABLE Client (
    name INT PRIMARY KEY,
    email INT
);

CREATE TABLE Car (
    brand INT,
    carid INT,
    PRIMARY KEY (brand, carid)
);

CREATE TABLE Rent (
    rentid INT PRIMARY KEY,
    date INT
);

CREATE TABLE Address (
    road_name INT,
    number INT,
    city INT,
    PRIMARY KEY (road_name, number, city)
);

CREATE TABLE CreditCard (
    card_number INT PRIMARY KEY
);
```

Step 2: Translate Weak Entities

Review (weak on Driver, ReviewID is the discriminator)

```
CREATE TABLE Review (
    drivername INT,
    reviewid INT,
    rating INT,
    message INT,
    PRIMARY KEY (drivername, reviewid),
    FOREIGN KEY (drivername) REFERENCES Driver(name)
);
```

Model (weak on Car)

```
CREATE TABLE Model (
    brand INT,
    carid INT,
    modelid INT,
    color INT,
    construction_year INT,
    transmission_type INT,
    PRIMARY KEY (brand, carid, modelid),
    FOREIGN KEY (brand, carid) REFERENCES Car(brand, carid)
);
```

Step 3: Translate Multi-valued Attributes

No multi-valued attributes are shown in the ER diagram, so **this step is skipped**.

Step 4: Translate Relationships

We will follow cardinalities and translation rules.

Client–CreditCard (1:1)

```
ALTER TABLE CreditCard
```

```
ADD client_name INT UNIQUE,
ADD FOREIGN KEY (client_name) REFERENCES Client(name);
```

Client–Address (0:1)

```
CREATE TABLE ClientAddress (
    client_name INT,
    road_name INT,
    number INT,
    city INT,
    PRIMARY KEY (client_name),
    FOREIGN KEY (client_name) REFERENCES Client(name),
    FOREIGN KEY (road_name, number, city) REFERENCES
Address(road_name, number, city)
);
```

Driver–Address (0:1)

```
CREATE TABLE DriverAddress (
    driver_name INT,
    road_name INT,
    number INT,
    city INT,
    PRIMARY KEY (driver_name),
    FOREIGN KEY (driver_name) REFERENCES Driver(name),
    FOREIGN KEY (road_name, number, city) REFERENCES
Address(road_name, number, city)
);
```

Rent–Client (1:1)

```
ALTER TABLE Rent
ADD client_name INT UNIQUE,
ADD FOREIGN KEY (client_name) REFERENCES Client(name);
```

Rent–Driver (1:1)

```
ALTER TABLE Rent
ADD driver_name INT UNIQUE,
```

```
ADD FOREIGN KEY (driver_name) REFERENCES Driver(name);
```

Rent–CreditCard (HasPayment) (1:1)

```
ALTER TABLE Rent
ADD card_number INT UNIQUE,
ADD FOREIGN KEY (card_number) REFERENCES CreditCard(card_number);
```

Rent–Address (UsedIn) (0:1)

```
ALTER TABLE Rent
ADD road_name INT,
ADD number INT,
ADD city INT,
ADD FOREIGN KEY (road_name, number, city) REFERENCES
Address(road_name, number, city);
```

Rent–Model (Has) (1:1)

```
ALTER TABLE Rent
ADD brand INT,
ADD carid INT,
ADD modelid INT,
ADD FOREIGN KEY (brand, carid, modelid) REFERENCES Model(brand, carid,
modelid);
```

Car–Model (Has) (1:1) — Already handled via Model's FK.

Driver–Model (CanDrive) (0:N)

```
CREATE TABLE CanDrive (
    driver_name INT,
    brand INT,
    carid INT,
    modelid INT,
    PRIMARY KEY (driver_name, brand, carid, modelid),
    FOREIGN KEY (driver_name) REFERENCES Driver(name),
    FOREIGN KEY (brand, carid, modelid) REFERENCES Model(brand, carid,
modelid)
);
```

Client–Review (Writes) (0:N)

```
ALTER TABLE Review
ADD client_name INT,
ADD FOREIGN KEY (client_name) REFERENCES Client(name);
```

Driver–Review (Receives) (1:1) — Already handled as part of Review's PK.