

Nu Html Checker

This tool is an ongoing experiment in better HTML checking, and its behavior remains subject to change

Showing results for uploaded file nav_and_footer.html

Checker Input

Show ☐ source ☐ outline ☐ image report [Options...](#)

Check by [file upload](#) [Browse...](#) No file selected.

Uploaded files with .xhtml or .xht extensions are parsed using the XML parser.

[Check](#)

Use the Message Filtering button below to hide/show particular messages, and to see total counts of errors and warnings.

[Message Filtering](#)

1. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 7, column 5; to line 7, column 56

```
-8">↵↵    <link rel="stylesheet" href="../styles/fonts.css" />↵    <
```

2. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 8, column 5; to line 8, column 57

```
s" />↵    <link rel="stylesheet" href="../styles/navbar.css" />↵    <
```

3. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 9, column 5; to line 9, column 57

```
s" />↵    <link rel="stylesheet" href="../styles/footer.css" />↵↵
```

4. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 13, column 5; to line 13, column 73

```
.0">↵↵    <meta name="description" content="description of site - TO  
CHANGE" />↵    <
```

5. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 14, column 5; to line 14, column 58

```
E" />      <meta name="keywords" content="add, some, keywords" />
```

6. **Error** Any `button` descendant of a `label` element with a `for` attribute must have an ID value that matches that `for` attribute.

From line 65, column 21; to line 65, column 47

```
<button class="nav_mobile"><img s
```

7. **Warning** Section lacks heading. Consider using `h2` - `h6` elements to [add identifying headings to all sections](#), or else use a `div` element instead for any cases where no heading is needed.

From line 68, column 17; to line 68, column 82

```
<section class="mobile_view_navigation_slidein toggle-visibility">
```

8. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 104, column 37; to line 104, column 41

```
ali Margh,<br/>
```

9. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 105, column 44; to line 105, column 48

```
Lalitpur,<br/>
```

10. **Info** Trailing slash on void elements [has no effect](#) and [interacts badly with unquoted attribute values](#).

From line 106, column 26; to line 106, column 30

```
Nepal<br/>
```

Document checking completed.

Used the HTML parser.

Total execution time 21 milliseconds.

