



DRUGS OF CHOICE

GASTROINTESTINAL SYSTEM

- Drug of choice for GERD - **Proton Pump Inhibitors** (Eg:omeprazole)
- Drug of choice for duodenal ulcer - **Proton pump inhibitors**
- Drug of choice for stress ulcer - **Cimetidine** (Histamine H₂ receptor Antagonist)
- Drug of choice for dyspepsia - **Proton pump inhibitors**
- Drug of choice for erosive esophagitis - **Proton pump inhibitors**
- Drug of choice for duodenal ulcer - **Proton pump inhibitors**
- Drug of choice for Zollinger -Ellison syndrome - **Proton pump inhibitors**
- Drug of choice for morning sickness - **Prochlorperazine** (D₂ receptor antagonist)
- Drug of choice for NSAIDS induced ulcer - **Proton Pump Inhibitors**
- Drug of choice Zollinger- Ellison Syndrome - **Proton Pump Inhibitors**
- Drug of choice for post-operative vomiting - **Ondansetron** (5HT₃ -receptor antagonist)
- Drug of choice for vomiting induced by cancer chemotherapy - **Ondansetron**
- Drug of choice for radiation-induced vomiting - **Ondansetron**
- Drug of choice for NSAID induced gastric ulcer - **Proton pump inhibitors**
- Drug of choice for peptic ulcer - **Omeprazole**
- Drug of choice for vomiting in patients of Parkinson disease - **Domperidone** (Selective dopamine D₂ receptor antagonist)
- Antiemetic drug of choice - **Prochlorpromazine** or **Metoclopramide**
- Drug of choice for children in constipation - **Castor oil**
- Drug of choice for cleaning bowel before delivery - **Sodium phosphate enema**
- Drug of choice for cleaning bowel for endoscopy - **Polyethylene glycol**
- Drug of choice for constipation in chronic renal failure - **Aluminium hydroxide**
- Treatment of choice for functional constipation - **Dietary fibres**
- Drug of choice for bedridden patient with constipation - **Phenolphthalein** (Contact laxatives)

- Drug of choice for stool softening - **Dioctyl sodium sulfosuccinate**
- Drug of choice for irritable bowel syndrome - **Tegaserod** (5-HT₄ agonist)
- Drug of choice for increasing motility - **Mosapride** (Gastroprokinetic)
- Drug of choice for diabetic gastroparesis - **Mosapride**
- Drug of choice for spasmodic abdominal pain - **Drotaverine** (Phospho- diesterase inhibitor)
- Drug of choice for pain relief in ulcer - **Antacids**
- Drug of choice for diabetic diarrhea - **Clonidine** (Alpha - 2 adrenergic agonist)
- Drug of choice for non infectious diarrhea - **Loperamide**
- Drug of choice for secretory diarrhea - **Cholestyramine**
- Drug of choice for carcinoid syndrome - **Cyprohepatadine**
- Drug of choice for inducing vomiting - **Apomorphine** (via parenteral route)
- Drug of choice shortening gastric emptying time before surgery - **Metoclopramide**
- Drug of choice for Mendelson's syndrome - **Metoclopramide**
- Drug of choice for vomiting in children - **Metoclopramide**
- Drug of choice for inducing vomiting - **Ipecacuhana**
- Drug of choice for laxative effect in patients with hepatic encephalopathy - **Lactulose**

RESPIRATORY SYSTEM

- Drug of choice for COPD - **Anticholinergics** (Eg: Tiotropium)
- First line drugs for tuberculosis - **Rifampicin, Isoniazid, Pyrazinamide, Ethambutol, Streptomycin**
- Drug of choice for testing bronchial hyperactivity - **Methacholine** (Non-selective muscarinic receptor agonist)
- Drug of choice for pulmonary edema with Congestive heart failure (CHF) - **Furosemide** (Diuretic)
- Drug of choice for a vasodilatory shock - **Norepinephrine**
- Drug of choice for persistent hiccups - **Carbon Dioxide**
- Drug of choice for apnea in premature infants - **Theophylline**
- Drug of choice for exercise induced asthma - **Mast cell stabilizers** (Eg: Sodium Cromoglycate)
- Drug of choice for aspirin induced asthma - **Leukotriene antagonist** (Eg: Montelukast)
- Drug of choice for starting treatment of asthma - **Inhaled beta 2 agonist** (Eg: salmeterol)
- Drug of choice for bronchospasm with COPD - **Ipratropium Bromide**
- Drug of choice for smoking cessation - **Nicotine**
- Drug of choice for liquefying plaques of sputum in patients with cystic fibrosis - **Acetylcysteine**
- Drug of choice for temporal arteritis - **Corticosteroid**
- Drug of choice for prophylaxis of exercise induced asthma - **Sodium chromoglycate**
- Drug of choice for pulmonary edema - **Furosemide**
- Drug of choice for dry itchy cough - **Codeine**
- Drug of choice for acute asthma attack - **Salbutamol** (Short acting selective beta2-adrenergic receptor agonist)
- Drug of choice for persistent asthma - **Inhaled corticosteroid**



- Drug of choice for an asthmatic patient with hypertension - Amlodipine
- Drug of choice for Pneumocystis carinii - Cotrimoxazole
- Drug of choice for suppression of cough - Dextromethorphan
- Drug of choice for ACE inhibitor induced cough - Asprin
- Drug of choice for asthma in diabetes - Ipratropium
- Drug of choice for beta blocker induced bronchospasm - Ipratropium bromide
- Drug of choice for mild intermittent - Inhaled beta 2 agonist
- Drug of choice for mild persistent - Inhaled low dose corticosteroid or Mast cell stabilizers or leukotrienes antagonist
- Drug of choice for moderate persistent asthma - Inhaled corticosteroid with long acting beta 2 agonist
- Drug of choice for severe persistent asthma - High dose Inhaled corticosteroid with long acting beta 2 agonists and oral corticosteroid
- Drug of choice for poorly controlled asthma - Theophylline
- Drug of choice for prophylaxis of asthma - Sodium cromoglycate (Mast cell stabilizer)

CARDIOVASCULAR SYSTEM

- Drug of choice for torsades de pointes - Magnesium Sulfate
- Drug of choice for dyslipidemia - HMG -COA Reductase inhibitors
- Drug of choice for hypertriglyceridemia - Fibrates
- Drug of choice for myocardial infarction pain - Morphine
- Drug of choice for mild hypertension - Diuretics
- Drug of choice for the hypertensive crisis - Nitroprusside
- Drug of choice for hypertension with BPH - Prazosin
- Drug of choice for hypertension with ischemic heart disease - Beta-blockers
- Drug of choice for hypertension with diabetes mellitus - ACE Inhibitors
- Drug of choice for hypertension with diabetic nephropathy - ACE inhibitors
- Drug of choice for hypertension in young patients - ACE inhibitors (Eg: Captopril)
- Drug of choice for unilateral artery stenosis - ACE inhibitors
- Drug of choice for hypertension with renal disease - ACE inhibitors
- Drug of choice for hypertension in CHF - ACE inhibitors
- Drug of choice for hypertension in non-diabetic proteinuria - ACE inhibitors
- Drug of choice for hypertension in asthma - ACE inhibitors
- Drug of choice for hypertension in patients with Ischemic heart disease - Beta blockers
- Drug of choice for isolated systolic hypertension - Calcium channel blockers
- Drug of choice for low renin hypertension - Calcium channel blockers
- Drug of choice for hypertension with bronchial asthma - ACE inhibitors or CCB's
- Drug of choice for hypertension with chronic kidney disease (CKD) - ACE Inhibitors
- Drug of choice for hypertension preferred in older patients - Thiazides
- Drug of choice for digoxin overdose - Digifab or Digibind
- Drug of choice for group B streptococcal infection - Ampicillin
- Drug of choice for endocarditis - Amoxicillin

- Drug of choice for digoxin toxicity - Potassium
- 1st line drug of choice for CHF - ACE inhibitors (Eg : Captopril ,Enalapril)
- Drug of choice for rapid fast diuresis - Loop diuretics (Eg: Furosemide)
- Drug of choice for multi-focal atrial tachycardia - Verapamil (Calcium channel blocker)
- Drug of choice for paroxysmal supra-ventricular tachycardia (PSVT) - Adenosine (Anti-arrhythmic agent)
- Drug of choice for supra-ventricular tachycardia (SVT) - Verapamil
- Drug of choice for digitalis-induced ventricular arrhythmia - Lignocaine (Anti-arrhythmic agent)
- Drug of choice for ventricular arrhythmias - Lidocaine
- Drug of choice for ventricular tachycardia and fibrillation - Lidocaine
- Drug of choice for ventricular extra-systole - Beta blocker (Eg: Atenolol)
- Drug of choice for atrial fibrillation - Digitalis
- Drug of choice for maintaining sinus rhythm - Amiodarone (Anti- arrhythmic agent)
- Drug of choice for Wolff- Parkinson-white syndrome - Procainamide or Amiodarone
- Drug of choice for digitalis-induced arrhythmia - Lignocaine
- Drug of choice for acute left ventricular failure - I.V Furosemide
- Drug of choice for the scleroderma induced hypertensive crisis - ACE inhibitors
- Drug of choice for acute long QT syndrome - MgSo₄
- Drug of choice for congenital long QT syndrome - Beta blocker
- Drug of choice for hypertension with peripheral vascular disease - Calcium channel blockers
- Drug of choice for the hypertensive emergency - Sodium nitroprusside (Vasodilator)
- Drug of choice for malignant hypertension - Nitroprusside (Vasodilator)
- Drug of choice for producing controlled hypotension - Sodium nitroprusside
- Drug of choice for pulmonary hypertension - Bosentan
- Drug of choice for atrial flutter and fibrillation - Ibutilide
- Drug of choice for paradoxical tachycardia - Digoxin (Digitalis glycosides)
- Drug of choice for angina - Nitrates (Vasodilator)
- Drug of choice for prophylaxis of stable angina - Beta blockers
- Drug of choice for variant angina - Calcium channel blockers (Eg: Verapamil)
- Drug of choice for diabetic dyslipidemia - Statins (Eg: Atorvastatin, Rosuvastatin)

- Drug of choice for dysbetalipoproteinemia - **Fibrates** (Fenofibrates)
- Drug of choice for severe hypercholesterolemia - **Nicotinic acid**
- Drug of choice for severe hypercholesterolemia - **Rosuvastatin** (Statin)
- Drug of choice for lowering TAG levels - **Fibrates**
- Drug of choice for lowering LDL cholesterol level - **HMG CoA reductase inhibitors**
- Drug of choice for the cardiogenic shock with renal failure - **Dopamine**
- Drug of choice for rheumatic fever - **Benzathine Penicillin**
- Drug of choice for increasing HDL cholesterol - **Niacin**
- Drug of choice for pulmonary edema with Congestive heart failure (CHF) - **Furosemide** (Loop diuretic)
- Drug of choice for rheumatic fever - **Benzathine Penicillin**
- Drug of choice for TOF - **Morphine**
- Drug of choice for reducing mortality in CHF - **Spirolactone**
- Drug of choice for inotropic effect - **Dobutamine**
- Drug of choice for a hypertensive patient with benign prostatic hyperplasia(BPH) - **Alpha 1 Blocker** (Eg: Prazosin, Terazosin, Doxazosin, Alfuzosin)
- Drug of choice for perioperative arrhythmias - **Esmolol** (Cardio selective beta blocker)

CENTRAL NERVOUS SYSTEM

- Drug of choice for generalized absent seizure - Ethosuximide and Sodium valproate
- Drug of choice for absence (Petit mal) seizures - Valproate
- Drug of choice for absence seizures in children - Ethosuximide
- Drug of choice for myoclonic seizures in men - Sodium Valproate
- Drug of choice for myoclonic seizures in women - Lamotrigine
- Drug of choice for focal seizure - Lamotrigine
- Drug of choice for generalized tonic-clonic seizures (GTCS) - Lamotrigine
- Drug of choice for tonic-clonic seizures - Sodium Valproate
- Drug of choice for infantile seizures - ACTH
- Drug of choice for rhinorrhoea - Citizine
- Drug of choice for phobias - SSRI's
- Drug of choice for reducing preanesthetic anxiety - Lorazepam
- Drug of choice for status epilepticus - I.V Lorazepam
- Drug of choice for febrile seizures - Diazepam
- Drug of choice for partial seizures - Carbamazepine
- Drug of choice for attention deficit hyperactivity disorder - Methylphenidate
- Drug of choice for Alzheimer's disease - Rivastigmine
- Drug of choice for obsessive-compulsive disorder (OCD) - Fluoxetine
- Drug of choice for drug-induced parkinsonism - Benhexol
- Drug of choice for parkinsonism - Ropinirole, Pramipexole
- Drug of choice for glioma - Nitrosourea
- Drug which has pain relief properties without opioid disadvantages - Tramadol
- Drug of choice for sedation in patients with severe liver failure - Lorazepam
- Drug of choice for maintenance treatment of generalized anxiety disorder - Buspirone

- Drug of choice for cerebral edema - Mannitol
- Drug of choice for increased intracranial pressure - Mannitol
- Drug of choice for psychomotor seizures - Carbamazepine
- Drug of choice for mania - Lithium Carbonate
- Drug of choice for Huntington chorea - Tetrabenazine
- Drug of choice for Parkinsonism - Ropinirole and Pramipexole
- Drug of choice for morning sickness - Hyoscine
- Drug of choice for multiple sclerosis - Amitriptyline
- Drug of choice for acute attack of migraine - Sumatriptan /Ergotamine
- Drug of choice for night terrors - Benzodiazepines
- Drug of choice for atypical depression - MAO inhibitors
- Drug of choice for hydrocephalus - Glycerol or Acetazolamide
- Drug of choice for cluster headache - Sumatriptan
- Treatment of choice for cluster headache - High flow O₂
- Drug of choice for infantile spasm - ACTH
- Drug of choice for Huntington chorea - Tetra benzene
- Drug of choice for multiple sclerosis - Interferon B
- Drug of choice for pulmonary edema - Morphine
- Drug of choice generalized anxiety disorders - Diazepam (Benzodiazepines)
- Drug of choice for pain in terminal illness - Morphine
- Drug of choice for pain of acute myocardial infarction - Morphine
- Drug of choice for chronic cancer pain - Morphine
- Drug of choice for borderline personality disorder - Buspirone (5 HT partial agonist)
- Drug of choice for neonate with respiratory depression due to use of morphine to control severe labour pain - Naloxone
- Drug of choice for sedation in liver failure patients - Lorazepam
- Drug of choice for decreasing anxiety in children preoperatively - Antihistaminics
- Drug of choice for sedation in patients with porphyrias - Benzodiazepines
- Drug of choice for trigeminal neuralgia - Carbamazepine
- Drug of choice for status absence - Benzodiazepines
- Drug of choice for convulsion in lidocaine treated patients - Diazepam
- Drug of choice for tardive dyskinesia - Diazepam
- Drug of choice for convulsion in tetanus patients - Diazepam
- Drug of choice for delirium caused by ketamine - Diazepam

- Drug of choice for febrile seizures - **Diazepam**
- Drug of choice for endoscopic and colonoscopy - **Midazolam**
- Drug of choice for hypnosis in elderly - **Zolpidem**
- Drug of choice for diabetic neuropathy - **Topiramate**
- Drug of choice for neuropathic pain - **Lamotrigine** or **Topiramate** or **Gabapentin**
- Drug of choice for reducing alcohol craving - **Naltrexone**
- Drug for decreasing relapse of alcoholism - **Acamprosate** (NMDA receptor antagonist) or **Naltrexone**
- Drug of choice for alcohol detoxification - **Disulfiram**
- Drug of choice for smoking cessation - **Bupropion**
- Drug of choice for depression in parkinson disease - **SSRI's**
- Drug of choice for parkinson disease - **Levodopa**
- Drug of choice for psychosis in parkinson disease - **Clozapine**
- Drug of choice for depression - **SSRI's**
- Drug of choice for restless leg syndrome - **Ropinirole**
- Drug of choice for violent behaviour - **Haloperidol**
- Drug of choice for psychotic depression - **Loxapine**
- Drug of choice for neutropenia in felty's syndrome - **Lithium**
- Drug of choice for patients with extra pyramidal symptoms (EPS) - **Clozapine**
- Drug of choice for negative symptoms - **Clozapine**
- Drug of choice for treatment resistant schizophrenia - **Clozapine**
- Drug of choice for elderly with schizophrenia - **Clozapine**
- Drug of choice for peripheral neuropathy - **Lamotrigine**
- Drug of choice for bulimia - **SSRI's** (Eg: Fluoxetine)
- Drug of choice for acute mania - **Lithium**
- Drug of choice for serotonin syndrome - **Cyproheptadine**
- Drug of choice for nocturnal enuresis - **Desmopressin**
- Drug of choice for major depression - **SSRI's**
- Drug of choice for heat stroke - **Chlorpromazine**
- Drug of choice for OCD - **SSRI's** or **Clomipramine**
- Drug of choice for sleep walking - **Carbamazepine**
- Drug of choice for cluster headache - **Lithium**
- Drug of choice for cyclical vomiting - **Lithium**
- Drug of choice for bipolar mood disorder - **Lithium**

- Drug of choice for reducing hyper excitement in acute mania - Haloperidol
- Drug of choice for reducing excitement in chorea - Haloperidol
- Drug of choice for reducing hyper excitement in acute schizophrenia - Haloperidol
- Drug of choice for reducing excitement in delirium - Haloperidol
- Drug of choice for post traumatic stress disorder - SSRI's
- Drug of choice for somatic pain - NSAID's
- Drug of choice for bipolar depression - Lithium
- Drug of choice for depression with hypotension - SSRI's
- Drug of choice for depression with heart disease - SSRI's
- Drug of choice for depression with insomnia - Amitriptyline
- Drug of choice for pain in aspirin allergic patients - Paracetamol

DRUG OF CHOICE IN PREGNANCY

- Drug of choice for ectopic pregnancy - Methotrexate
- Drug of choice for induction of labor - Oxytocin
- Drug of choice for postpartum hemorrhage - Oxytocin
- Drug of choice for hypertension in pregnancy - Alpha-Methyldopa
- Drug of choice for endometriosis - Danazol
- Drug of choice for asthma - Beta 2 agonists
- Drug of choice for postpartum breast engorgement - Oxytocin
- Drug of choice for seizures in eclampsia - Magnesium sulphate
- Drug of choice in seizures during pregnancy - Phenobarbitone
- Drug of choice for the hypertensive emergency in pregnancy - Labetalol
- Drug of choice for postpartum hemorrhage - Oxytocin
- Drug of choice for falciparum malaria in pregnancy - Quinine
- Drug of choice for cerebral malaria - Quinine
- Drug of choice for gonorrhea - Penicillin or Ceftriaxone
- Drug of choice for toxoplasmosis in pregnancy - Spiramycin
- Drug of choice for malaria in pregnancy - Chloroquine
- Drug of choice for acne - Erythromycin (oral) / Benzylbenzoate (Topical)
- Drug of choice for epilepsy in pregnancy - Phenobarbitone
- Drug of choice for mania in pregnancy - Olanzapine
- Drug of choice for hyperthyroidism - Propylthiouracil
- Drug of choice for hypothyroidism - Levothyroxine
- Drug of choice for bacterial vaginosis in 1st trimester - Clindamycin
- Drug of choice cholera in pregnancy - Furazolidone
- Drug of choice for typhoid fever in pregnancy - Ceftriaxone or Ampicillin
- Drug of choice for amoebiasis - Metronidazole (Contraindicated in 1st trimester)
- Drug of choice for amoebiasis in 1st trimester - Furazolidone
- Drug of choice deep vein thrombosis - Heparin

- Drug of choice for preventing neural tube defect - Folic acid
- Drug of choice for anticoagulation in pregnancy - Heparin
- Drug of choice for mania - Lithium
- Drug of choice for myasthenia gravis - Neostigmine
- Drug of choice for thrombophlebitis - Aspirin
- Drug of choice for urinary tract infection during pregnancy - Ampicillin
- Drug of choice for HIV in pregnancy - Zidovudine and Nevirapine
- Drug of choice for resistant typhoid - Ceftriaxone
- Drug of choice for tuberculosis - INH with rifampicin
- Drug of choice for vitamin B12 deficiency - Cyanocobalamin
- Drug of choice for iron deficiency - Ferrous sulphate
- Drug of choice for antiplatelet action - Aspirin
- Drug of choice for anxiety - Benzodiazepines
- Drug of choice for pain - Aspirin / Paracetamol
- Drug of choice for depression in pregnancy - Tricyclic antidepressant
- Drug of choice for superficial thrombophlebitis - Aspirin
- Drug choice for bacterial vaginosis in 1st trimester in pregnancy - Clindamycin
- Drug choice for rosacea - NSAIDS
- Drug choice for seizures - Benzodiazepines
- Drug choice for seizure maintenance - Phenobarbitone
- Drug choice for rheumatoid arthritis - Aspirin
- Drug choice for schizophrenia - Phenothiazines (Eg: Haloperidol)
- Drug choice for seborrhic dermatitis - Salicylic acid
- Drug choice for psoriasis - Topical corticosteroids / salicylic acid
- Drug choice for shigella dysentery - Ampicillin

RENAL SYSTEM

- Drug of choice for RPGN – **Cyclophosphamide**
- Drug of choice for lupus nephritis – **Cyclophosphamide**
- Drug of choice for nephrotic syndrome – **Steroids**
- Drug of choice for steroid-resistant nephrotic syndrome – **Cyclosporine**
- Drug of choice for steroid-dependent nephrotic syndrome – **Cyclophosphamide**
- Drug of choice for urinary retention - **Bethanechol**
- Drug of choice for enuresis – **Imipramine**
- Drug of choice for hemorrhagic cystitis – **Mesna**
- Drug of choice for patient allergic to thiazides and loop diuretics - **Ethacrynic acid**
- Drug of choice for forced alkaline diuresis - **Furosemide**
- Drug of choice for cerebral edema - **Mannitol** (Osmotic diuretic)
- Drug of choice for malignant hypertension - **Furosemide**
- Drug of choice for edema in liver cirrhosis - **Furosemide**
- Drug of choice for hypercalcemia - **Furosemide** (Loop diuretic)
- Drug of choice for edema in congestive heart failure - **Furosemide**
- Drug of choice for edema in renal failure - **Furosemide**
- Drug of choice for idiopathic hypercalciuria - **Thiazide** (Eg: hydrochlorothiazide)
- Drug of choice for calciuria due to hyperparathyroidism - **Thiazides**
- Drug of choice for nephrogenic diabetes insipidus - **Thiazides**
- Drug of choice for lithium induced nephropathy - **Thiazides**
- Drug of choice for hyperuricemia in renal failure - **Allopurinol**
- Drug of choice for gout in renal failure - **Allopurinol**
- Drug of choice for lesch nyhan syndrome - **Allopurinol**
- Drug of choice for urate nephropathy - **Allopurinol** (Xanthine oxidase inhibitor)
- Drug of choice for alkalization of urine - **Acetazolamide**
- Drug of choice for conn syndrome(primary hyperaldosteronism - **Spirolactone**
- Drug of choice for secondary hyperaldosteronism - **Spirolactone**
- Drug of choice for thiazide induced hypokalemia - **Spirolactone**

ENDOCRINE SYSTEM

- Drug of choice for acute & chronic adrenal insufficiency - **Hydrocortisone** (Shortest acting glucocorticoid)
- Drug of choice for congenital adrenal hyperplasia - **Hydrocortisone**
- Drug of choice for tumor induced brain edema - **Dexamethasone** (Long acting glucocorticoid)
- Drug used for mineralocorticoid replacement - **Fludrocortisone**
- Drug of choice for Premenstrual syndrome - **SSRI's** (Eg: Fluoxetine)
- Drug of choice for dysfunctional uterine bleeding - **NSAIDS**
- Drug of choice for androgenic alopecia - **Finasteride** (5 Alpha reductase inhibitor)
- Drug of choice for hypothyroidism - **Levothyroxine**
- Drug of choice for hypothyroidism in children (cretinism) - **Thyroxine**
- Drug of choice for myxedema coma - **Levothyroxine**
- Drug of choice for reducing thyroid gland vascularity - **Potassium iodide**
- Drug of choice for hyperprolactinemia - **Bromocriptine**
- Drug of choice for acute gout - **NSAID** (Indomethacin)
- Drug of choice for chronic gout - **Allopurinol** (Xanthine oxidase inhibitor)
- Drug of choice for thyroid storm - **Propylthiouracil**
- Drug of choice for making patient euthyroid before surgery - **Potassium iodide**
- Drug of choice for thyroid cancer - **Levothyroxine**
- Drug of choice for grave's disease - **Methimazole** (Antithyroid drug)
- Drug of choice for thyroid ablation - **I 131**
- Drug of choice for thyroid storm in India - **Potassium iodide**
- Drug of choice for reducing somatic manifestations of hyperthyroidism - **Propranolol**
- Drug of choice for diabetic ketoacidosis (DKA) - **Regular Insulin**
- Drug of choice for pheochromocytoma - **Phenoxybenzamine** (Alpha blocker)
- Drug of choice for acute hypercalcemia - **Furosemide** (Loop diuretic)
- Drug of choice for hypercalcemia due to malignancy - **Bisphosphonate**
- Drug of choice for vaginal atrophy - **Topical estrogen** or **HRT**

- Drug of choice lithium-induced diabetes mellitus - **Amiloride**
- Drug of choice for steroid-induced osteoporosis - **Zolindrate** (Bisphosphonates)
- Drug of choice for osteoporosis - **Reloxifen** (SERM- selective estrogen receptor modulator)
- Drug of choice for prostate cancer - **GnRH Analogues** (Eg: **buserelin**)
- Drug of choice for neurogenic diabetes insipidus - **Desmopressin**
- Drug of choice for nephrogenic diabetes insipidus - **Thiazides**
- Drug of choice for acute adrenal insufficiency - **Hydrocortisone** (I.V)
- Drug of choice for postprandial hyperglycemia - **Nateglinide** (Meglitinide derivative)
- Drug of choice for type 2 diabetes mellitus (DM) - **Metformin** (Biguanides)
- Drug of choice for type 1 diabetes mellitus (DM) - **Regular Insulin**
- Drug of choice for diabetes mellitus in pregnancy - **Regular Insulin**
- Drug of choice for uncontrolled diabetes mellitus - **Regular Insulin**
- Drug of choice for diabetic ketoacidosis - **Regular Insulin**
- Drug of choice for diabetes in renal and hepatic failure - **Regular Insulin**
- Drug of choice for controlling glucose level during infections in diabetes - **Regular Insulin**
- Drug of choice for diabetes in renal failure - **Repaglinide** (Meglitinide derivative)
- Drug of choice for prevention of breast cancer - **Tamoxifen**
- Drug of choice for prevention of diabetes - **Metformin**
- Drug of choice for severe hypoglycemia in case of insulinoma - **Diazoxide** (Potassium channel opener)
- Drug of choice for emergency contraception - **Mifepristone**
- Drug of choice for polycystic ovarian disease - **Clomiphene citrate**
- Drug of choice for oligospermia - **Clomiphene citrate**
- Drug of choice for corpus luteum insufficiency - **Clomiphene citrate**
- Drug of choice for anovulatory infertility - **Clomiphene citrate**
- Drug of choice for post coital contraception - **Mifepristone**
- Drug of choice for hirsutism - **Cyproterone acetate** (Androgen receptor antagonist)
- Drug of choice for large prostate - **Finasteride** (5 alpha reductase inhibitor)
- Drug of choice for inducing labour - **Oxytocin**
- Drug of choice for BPH - **Tamsulosin**
- Drug of choice for postmenopausal osteoporosis - **Raloxifene** or **Bisphosphonates**
- Drug of choice for prevention of postmenopausal osteoporosis - **Vitamin D & Calcium**

HEMATOLOGY

- Drug of choice for microcytic anemia - Ferrous Sulfate
- Drug of choice for iron deficiency anemia in pregnancy - Ferrous sulphate
- Drug of choice for warfarin overdose - Vitamin K
- Drug of choice for heparin overdose - Protamine sulphate
- Drug of choice for hairy cell leukemia - Cladribine
- Drug of choice for chronic lymphocytic leukemia - Fludarabine
- Drug of choice for chronic myeloid leukemia (CML) - Imatinib
- Drug of choice for chemotherapy-induced anemia - Erythropoietin
- Drug of choice for anemia due to chronic kidney disease (CKD) - Erythropoietin
- drug of choive for autoimmune hemolytic anemia - Prednisolone
- drug of choice for transient ischemic attack (TIA) - Aspirin
- Drug of choice for multiple myeloma - Melphalan
- Drug of choice for heparin-induced thrombocytopenia - Argatroban
- Drug of choice for chemotherapy-induced leukopenia - Sargramostim
- Drug of choice for chemotherapy-induced thrombocytopenia - Oprelvekin
- 1ST line drugs for multiple myeloma - Prednisolone, Prednisolone, Cyclophosphamide
- Drug of choice for heparin-induced thrombocytopenia - Argatroban
- Drug of choice for bleeding due to heparin - Hirudin
- Drug of choice for warfarin overdose - Vitamin K
- Drug of choice for heparin overdose - Protamine
- Thrombolytic agent of choice in acute myocardial infarction - Streptokinase
- drug of choice for arterial fibrillation induced clotting - Warfarin
- drug of choice for prevention of stroke - Aspirin
- drug of choice for prevention of deep vein thrombosis - Low molecular weight heparin

- Drug of choice for preventing bleeding due to thrombolytic therapy - Epsilon aminocaproic acid
- Drug of choice for treatment of deep vein thrombosis - Low molecular weight heparin
- Drug of choice for pulmonary embolism - Low molecular weight heparin
- Drug of choice for anemia in chronic renal failure - Erythropoietin

OPHTHALMOLOGY

- Drug of choice for open-angle glaucoma - Prostaglandins analogs
- Drug of choice for closed-angle glaucoma - Acetazolamide
- Drug of choice for secondary glaucoma - Beta blocker
- Drug of choice for inclusion conjunctivitis - Ceftriaxone
- Drug of choice for trachoma - Azithromycin
- Drug of choice for primary open angle glaucoma (POAG) - Timolol
- Drug of choice for Xerostomia - Cevimeline
- Drug of choice for corneal ulcer - Cyclopentolate
- Drug of choice for hypertension with glaucoma - Timolol
- Drug of choice for iridocyclitis - Atropine
- Which beta blocker is the drug of choice in open-angle glaucoma - Timolol
- Drug of choice for hepatic keratitis - Idoxuridine
- Drug of choice for fungal corneal ulcer - Natamycin
- Drug of choice for uveal herpetic keratitis - Acyclovir
- Drug of choice for preventing meiosis during cataract surgery - Flurbiprofen
- Drug of choice for mild allergic conjunctivitis - Topical antihistaminics
- Drug of choice for decreasing intra ocular pressure before surgery - Osmotic diuretics (Eg: Mannitol)
- Drug of choice for decreasing high intra ocular pressure - Osmotic diuretics
- Drug of choice for recurrent anterior uveitis - NSAID's
- Drug of choice for reducing intra ocular pressure in diabetes - Osmotic diuretics

DERMATOLOGY

- Drug of choice for taenia - **Topical azoles** (Eg: clotriamazole)
- Drug of choice for erythrodermic psoriasis - **Methotrexate**
- Drug of choice for psoriatic arthropathy - **Methotrexate**
- Drug of choice for severe psoriasis - **Methotrexate**
- Drug of choice for severe erythrodermic psoriasis - **Cyclosporine**
- Drug of choice for pustular psoriasis - **Retinoid**
- Drug of choice for impetigo herpetiformis - **Systemic Steroids**
- Drug of choice for dermatitis herpetiformis - **Dapsone**
- Treatment of choice for acute eczema - **Moist compresses**
- Treatment of choice for subacute eczema - **Creams & Moisturizers**
- Treatment of choice for chronic eczema - **Ointment**
- Drug of choice for impetigo - **Mupirocin**
- Drug of choice for solar lentigenes - **Tretinoin**
- Drug of choice for chancroid - **Ceftriaxone**
- Drug of choice for pemphigus vulgaris - **Prednisolone**
- Drug of choice for vitiligo - **Corticosteroids**
- Drug of choice for atopic dermatitis - **Topical corticosteroids**
- Drug of choice for severe exacerbation of atopic dermatitis - **Systemic corticosteroids**
- Drug of choice for reducing recurrence of melanoma - **Alpha interferon with vaccine**
- Drug of choice for lichen simplex chronicus - **Corticosteroids**
- Drug of choice for seborrheic dermatitis in scalp - **Selenium shampoo**
- Drug of choice for acne rosacea - **Oral tetracycline**
- Drug of choice for tinea capitis - **Griseofulvin**
- Drug of choice for the scleroderma induced hypertensive crisis - **Ace inhibitors** (Eg:Captopril, Enapril etc)
- Treatment of choice for lichen planus - **Topical glucocorticoids**
- Drug of choice for systemic dermatophytosis - **Griseofulvin**
- Drug of choice for steven johnson syndrome - **IV Immunoglobulins**

ANTIMICROBIAL DRUGS

- Drug of choice for cholera - Doxycycline
- Drug of choice for chlamydiae - Tetracycline (Eg:Doxycycline)
- Drug of choice for tropical sprue - Tetracycline
- Drug of choice for relapsing fever - Tetracycline
- Drug of choice for rocky spotted mountain fever - Tetracycline
- Drug of choice for tick typhus - Tetracycline
- Drug of choice for scrubs typhus - Tetracycline
- Drug of choice for syphilis - Penicillin G
- Drug of choice for toxoplasmosis - Cotrimoxazole
- Drug of choice for legionella - Azithromycin or Levofloxacin
- Drug of choice for lymphogranuloma venereum (LGV) - Azithromycin
- Drug of choice for kala-azar - Sodium Stibogluconate
- Oral drug of choice for kala-azar - Miltefosine
- Drug of choice for plague - Streptomycin
- Drug of choice for brucella - Streptomycin
- Drug of choice for tularemia - Streptomycin
- Drug of choice for rhinoscleroma - Streptomycin
- Drug of choice for actinomycosis - Penicillin-G
- Drug of choice for leprosy - Dapsone
- The most effective drug against Mycobacterium leprae - Rifampicin
- Drug of choice for herpes zoster - Valaciclovir
- Drug of choice for herpes simplex - Acyclovir
- Drug of choice for influenza - Oseltamivir
- Drug of choice for blood fluke - Praziquantel
- Drug of choice for lung fluke - Praziquantel
- Drug of choice for typhoid (Enteric fever) - I.V Ceftriaxone
- Drug of choice for leptospirosis - Penicillins

- Drug of choice for scabies - **Permethrin**
- Oral drug of choice for scabies - **Ivermectin**
- Drug of choice for filariasis - **Diethyl Carbamazine (DEC)**
- Drug of choice for listeria monocytogenes - **Ampicillin**
- Drug of choice for enterococcus faecalis - **Ampicillin**
- Drug of choice for toxoplasmosis - **Cotrimoxazole**
- Drug of choice for toxoplasmosis in pregnancy - **Spiramycin**
- Drug of choice for schistosomiasis - **Praziquantel**
- Drug of choice for leishmaniasis - **Amphotericin B**
- Drug of choice for Aspergillosis - **Amphotericin B**
- Drug of choice for roundworm (Ascaris) - **Albendazole** (Anti helminthic agent)
- Drug of choice for pinworm (Enterobius vermicularis) - **Albendazole** (Anti helminthic agent)
- Drug of choice for hookworm - **Albendazole** (Anti helminthic agent)
- Drug of choice for whip worm - **Albendazole** (Anti helminthic agent)
- Drug of choice for trichinae worm (Trichinella spiralis) - **Albendazole** (Anti helminthic agent)
- Drug of choice for guinea worm (Dracunculus medinensis) - **Albendazole** (Anti helminthic agent)
- Drug of choice for hydatid disease - **Albendazole**
- Drug of choice for filarial worm - **Ivermectin** (Anti helminthic agent)
- Drug of choice for threadworm (Strongyloides stercoralis) - **Ivermectin** (Anti helminthic agent)
- Drug of choice for pork tapeworm (Taenia solium) - **Praziquantel**
- Drug of choice for beef tapeworm (Taenia saginata) - **Praziquantel**
- Drug of choice for fish tapeworm (Diphyllobothrium latum) - **Praziquantel**
- Drug of choice for dog tapeworm (Echinococcus granulosus) - **Praziquantel**
- Drug of choice for dwarf tapeworm (Hymenolepis nana) - **Praziquantel**
- Drug of choice for liver fluke (Fasciola hepatica) - **Triclabendazole**
- Drug of choice for blood fluke - **Praziquantel**
- Drug of choice for lung fluke - **Praziquantel**
- Drug of choice for community acquired pneumonia - **Clarithromycin**
- Drug of choice for surgical prophylaxis - **Cefazolin**
- Drug of choice for pneumocystis carinii - **Cotrimoxazole**
- Drug of choice for cholera in children - **Cotrimoxazole**

- Second line drug of choice for filariasis - Ivermectin
- Drug of choice for tapeworm infestation - Praziquantel
- Drug of choice for strongyloidiasis (Threadworm) - Ivermectin
- Drug of choice for onchocerciasis (River Blindness) - Ivermectin
- Drug of choice for tetanus - Metronidazole
- Drug of choice for listeria - Ampicillin
- Second line drug of choice for listeria - SMZ-TMP (Sulphamethoxazole, Trimethoprim)
- Drug of choice for MRSA - Vancomycin
- Drug of choice for vancomycin-resistant staph aureus (VRSA) - Linezolid
- Drug of choice for neonatal meningitis - Ampicillin + 3rd generation Cephalosporin
- Drug of choice for bacteroides fragilis - Clindamycin
- Drug of choice for pseudomembranous colitis - Metronidazole
- Drug of choice for amebiasis - Metronidazole
- Drug of choice for trench mouth - Metronidazole
- Drug of choice for bacterial vaginosis - Metronidazole
- Drug of choice for amoebic liver disease - Metronidazole
- Drug of choice for trichomoniasis - Metronidazole
- Drug of choice for giardiasis - Metronidazole
- Drug of choice for extraluminal amebiasis - Metronidazole
- Drug of choice for antibiotic-induced colitis - Metronidazole
- Drug of choice for anaerobic infections - Metronidazole
- Drug of choice for gonorrhea - Ceftriaxone
- Drug of choice for H.pylori eradication - Metronidazole
- Drug of choice for whooping cough - Erythromycin
- Drug of choice for cat scratch disease - Erythromycin
- Drug of choice for campylobacter infections - Erythromycin
- Drug of choice for gonococcal urethritis - Azithromycin
- Drug of choice for chancroid - Azithromycin
- Drug of choice for legionellosis - Azithromycin
- Drug of choice for trachoma - Azithromycin
- Drug of choice for inflamed acne - Minocycline
- Drug of choice for cystic acne - Isotretinoin
- Drug of choice for urinary tract infection - Norfloxacin

- Drug of choice for Plasmodium vivax - Chloroquine
- Drug of choice for Plasmodium falciparum - Artemisinin combination therapy (Artesunate + Pyrimethamine + Sulfadoxine)
- Drug of choice for cerebral malaria - Artesunate
- Drug of choice for malaria - Chloroquine
- Drug of choice for chloroquine-resistant malaria - Artemisinin combination therapy (Artesunate + Pyrimethamine + Sulfadoxine)
- Drug of choice for brucella - Streptomycin with doxycycline
- Drug of choice for candida - Fluconazole
- Drug of choice for aspergillosis - Voriconazole
- Drug of choice for dermatophytosis - Topically (Azole), Systemic (Griseofulvin)
- Drug of choice for Chagas disease - Nifurtimox, Benznidazole
- Drug of choice for dysuria - Phenazopyridine
- Drug of choice for gonorrhea - Procaine Penicillin
- Drug of choice for syphilis - Procaine penicillin
- Drug of choice for rickettsial infection - Tetracycline
- Drug of choice for plague - Tetracycline
- Drug of choice for anthrax - Doxycycline
- Drug of choice for toxoplasmosis - Trimethoprim Sulphamethoxazole
- Drug of choice for Haemophilus influenza type B - Rifampicin
- Drug of choice for prophylaxis of tuberculosis - Isoniazid
- Drug of choice for diarrhea in HIV patient - Octreotide
- Drug of choice for acyclovir-resistant herpes - Foscarnet
- Drug of choice for hepatitis B - Limuvidine
- Drug of choice for hepatitis C - Ribavarine & Interferon 2 alpha
- Drug of choice for lava migrans - Albendazole
- Drug of choice for inflammatory - Sulphasalazine
- Drug of choice for prophylaxis of newborn to TB mother - INH
- Drug of choice for accidental exposure of HIV to health care workers - Zidovudine with Lamivudine
- Drug of choice for salmonella - Ceftriaxone
- Drug of choice for meningitis - Ceftriaxone
- Drug of choice for gonorrhea - Ceftriaxone
- Drug of choice for resistant pneumococcal infections - Ceftriaxone

- Drug of choice for filarial worm - Di Ethyl Carbamazepine
- Drug of choice for Platyhelminthes - Praziquantel
- Drug of choice for trichomoniasis - Metronidazole
- Drug of choice for extended spectrum bacterial lactamase - Carbapenem
- Drug of choice for otitis media - Amoxicillin
- Drug of choice for Nocardia - Sulfonamides
- Drug of choice for neurosyphilis - Aqueous penicillin
- Drug of choice for donovanosis - Azithromycin or Doxycycline
- Drug of choice for Neisseria - Ceftriaxone
- Drug of choice for Cryptococcus - For induction(Amphotericin) , for maintenance (Fluconazole)
- Drug of choice for Neurocysticercosis - Albendazole
- Drug of choice for typhoid (Enteric fever) - I.V Ceftriaxone
- First line drugs for tuberculosis - Rifampicin, Isoniazid, Pyrazinamide, Ethambutol, Streptomycin
- Drug of choice for tuberculosis in renal failure - Rifampicin
- Drug of choice for prevention of tuberculosis in susceptible individuals - INH
- Drug of choice for treatment of tuberculosis in HIV positive patients taking protease inhibitor - Rifabutin
- Drug of choice for MDR strains of tuberculosis - Amikacin
- Drug of choice for latent tuberculosis - INH
- Drug of choice for INH resistant patients of latent tuberculosis - Rifampin
- Drug of choice for leprosy - Rifampin
- Drug of choice for lepra 1 reaction - Glucocorticoids
- Drug of choice for lepra 2 reaction - Glucocorticoids
- Treatment of choice for multibacillary leprosy - Rifampin with Dapsone & Clofazamine
- Drug of choice for hot water born tuberculosis in hospital (M.xenopi) - Clarithromycin
- Drug of choice for cutaneous TB caused by atypical mycobacteria - Clarithromycin
- Drug of choice for meningococcal prophylaxis - Ciprofloxacin
- Drug of choice for meningococemia - Ceftriaxone
- Drug of choice for post splenectomy sepsis - Ceftriaxone

- Drug of choice for gram negative sepsis - Piperacillin with Toberamycin
- Drug of choice for gram positive sepsis - Vancomycin with Gentamicin
- Drug of choice for toxic shock syndrome (Group A strep.) - Penicillin with Clindamycin
- Drug of choice for necrotizing fasciitis (Group A streptococcus) - Penicillin
- Drug of choice for prophylaxis of cardiac lesions in infective endocarditis - Amoxicillin
- Drug of choice for impetigo - Penicillin G
- Drug of choice for meningococcal meningitis - Penicillin G
- Drug of choice for severe falciparum and chlorquine resistant malaria - Quinine
- Drug of choice for enterococcus faecium - Linezolid
- Drug of choice for animal bite - Amoxicillin
- Drug of choice for otitis media - Amoxicillin
- Drug of choice for dirty wound prophylaxis - Cefazolin
- Drug of choice for pneumococcal pneumonia in adults - Amoxicillin
- Drug of choice for typhus fever - Chloramphenicol
- Drug of choice for lice infection - 1% permethrin
- Drug of choice for dental prophylaxis in infective endocarditis - Clarithromycin
- Drug of choice for cellulitis - Oxacillin
- Drug of choice for severe infection in penicillin allergic patient - Vancomycin
- Drug of choice for microspora - Albendazole
- Drug of choice for serious upper urinary tract infections - Aminoglycosides
- Drug of choice for serious upper respiratory infections by atypical pathogens - Doxycycline
- Drug of choice for endocardial prophylaxis in patients allergic to penicillin - Vancomycin
- Drug of choice for histoplasmosis - Amphotericin B
- Drug of choice for invasive streptococcal infection - Clindamycin
- Drug of choice for dermatitis herpetiformis - Aspirin
- Drug of choice for cryptococcus - Fluconazole
- Drug of choice for vulvovaginal candidiasis - Fluconazole
- Drug of choice for pyrazinamide induced hyperuricemia - Aspirin
- Drug of choice for systemic fungal infection - Amphotericin B
- Drug of choice for CMV retinitis - Gancyclovir
- Drug of choice for condyloma accuminata - Podophyline

DRUG OF CHOICE FOR POISONING

- Drug of choice for paracetamol poisoning - N-Acetyl cysteine
- Drug of choice for organophosphate poisoning - Atropine
- Drug of choice for methotrexate toxicity - Folinic Acid
- Drug of choice for ethylene glycol poisoning - Fomepizole
- Drug of choice for warfarin poisoning - Vitamin k
- Drug of choice for heparin poisoning - Potassium sulphate
- Drug of choice for acute mercury - Dimercaprol
- Drug of choice for theophylline poisoning - Beta blockers
- Drug of choice for iron poisoning - Deferoxamine
- Drug of choice for copper poisoning - D- Penicillamine or Zinc acetate
- Drug of choice for acute arsenic poisoning - Dimercaprol
- Drug of choice for carbamate poisoning - Atropine
- Drug of choice for calcium channel blocker poisoning - Calcium with Glucagon
- Drug of choice for lead poisoning - DMSA
- Drug of choice for anticholinergic drug poisoning - Physostigmine
- Drug of choice for methylxanthines poisoning - Beta blocker
- Drug of choice for ergot alkaloid poisoning - Sodium nitroprusside
- Drug of choice for alpha 1 agonist poisoning - Phentolamine
- Drug of choice for beta 2 agonist poisoning - Propranolol
- Drug of choice for carbon dioxide poisoning - Hyperbaric oxygen
- Drug of choice for chronic mercury poisoning - N-acetyl- penicillamine
- Drug of choice for beta blocker poisoning - Glucagon
- Drug of choice for antipsychotic poisoning - Sodium bicarbonate with lidocaine
- Drug of choice for INH poisoning - Vitamine B6
- Drug of choice for cyanide poisoning - Amyl Nitrate
- Drug of choice for opiod overdose - Naloxone

- Drug of choice for aspirin poisoning - Vitamin k fresh frozen plasma
- Drug of choice for benzodiazepines poisoning - Flumazenil
- Drug of choice for iodine poisoning - Starch

ANTICANCER DRUGS

- Drug of choice for breast cancer - Tamoxifen
- Drug of choice for glioma - Nitrosourea
- Drug of choice for colorectal cancer - 5 Fluorouracil
- Drug of choice for choriocarcinoma - Methotrexate
- Drug of choice for pancreatic carcinoma - Gemcitabine
- First line chemotherapy for cervix carcinoma - Cisplatin
- Drug of choice for the brain tumor - Lomustine
- Drug of choice for prostate carcinoma - Flutamide
- Drug of choice for insulinoma - Streptozotocin
- Drug of choice for polycythemia vera - Busulphan or Chlorambucil
- Drug of choice for carcinoma of endometrium - Progestins
- Drug of choice for kaposi sarcome - IF2 alpha
- Drug of choice for CLL - Chlorambucil or Fludarabine
- Drug of choice for acute myelocytic leukemia - Cytarabine with Mitoxantrone
- Drug of choice for wilm's tumor - Vincristine with Danctinomycin
- Drug of choice for acute promyeloblastic leukemia - Retinoic acid
- Drug of choice for hairy cell leukemia - Cladarabine
- Drug of choice for thyroid carcinoma - I 131 with Doxarubicin and cisplatin
- Drug of choice for stomach cancer - Fluorouracil with Cisplatin
- Drug of choice for CML - Imatinib or Busulfan
- Drug of choice for acute lymphocytic leukemia(ALL) - Vincristine + Prednisolone + Mercaptopurine + Cyclophosphamide +Methotrexate
- Drug of choice for ovarian cancer - Cisplatin with Paclitaxel
- Drug of choice for lung cancer - Cisplatin with Taxane
- Drug of choice for malignant melanoma - Dacarbazine
- Drug of choice for testicular cancer - Bleomycin+ Etoposide + Cisplatin