## **Practical 4(ADBMS)**

## **Operators in MongoDB:**

Importing dataset to the server and reading it in shell:

```
test> show dbs
adidb
            40.00 KiB
            40.00 KiB
admin
config 108.00 KiB
heart_data 84.00 KiB
local
            40.00 KiB
test> use heart_data
switched to db heart_data
heart data> db.heart data.find()
    _id: ObjectId('65dcb4a5e094d757dcb36f8d'),
   age: 52,
   sex: 1,
   cp: 0,
   trestbps: 125,
   chol: 212,
   fbs: 0,
   restecg: 1,
   thalach: 168,
   exang: 0,
   oldpeak: 1,
   slope: 2,
   ca: 2,
   thal: 3,
   target: 0
    _id: ObjectId('65dcb4a5e094d757dcb36f8e'),
   age: 58,
sex: 0,
   cp: 0,
```

1. Retrieving all those records of people with age above 50:

```
heart_data> db.heart_data.find(
.. {age:{$gte:50}}
   );
   _id: ObjectId('65dcb4a5e094d757dcb36f8d'),
   age: 52,
   sex: 1,
   cp: 0,
   trestbps: 125,
   chol: 212,
   fbs: 0,
   restecg: 1,
   thalach: 168,
   exang: 0,
   oldpeak: 1,
   slope: 2,
   ca: 2,
   thal: 3,
   target: 0
   _id: ObjectId('65dcb4a5e094d757dcb36f8e'),
   age: 58,
   sex: 0,
   cp: 0,
   trestbps: 100,
```

2. Retrieving all records of people with cholesterol within the range of 190 to 210:

```
heart_data> db.heart_data.find(
.. {chol:{$gte:190,$lte:210}}
...);
 {
    _id: ObjectId('65dcb4a5e094d757dcb36f91'),
   age: 61,
   sex: 1,
   cp: 0,
   trestbps: 148,
   chol: 203,
   fbs: 0,
   restecg: 1,
   thalach: 161,
   exang: 0,
   oldpeak: 0,
   slope: 2,
   thal: 3,
    target: 0
    _id: ObjectId('65dcb4a5e094d757dcb36f92'),
   age: 34,
   sex: 0,
   cp: 1,
   trestbps: 118,
   chol: 210,
    fbs: 0,
    restecg: 1,
```

3. Retrieving all records of people having non zero oldpeak values:

```
heart_data> db.heart_data.find(
\dots \{ \overline{oldpeak: \{\$ne:0\}} \}
    _id: ObjectId('65dcb4a5e094d757dcb36f8d'),
    age: 52,
    sex: 1,
    cp: 0,
    trestbps: 125,
    chol: 212,
    fbs: 0,
    restecg: 1,
    thalach: 168,
    exang: 0,
    oldpeak: 1,
    slope: 2,
    thal: 3,
    target: 0
    _id: ObjectId('65dcb4a5e094d757dcb36f8e'),
    age: 58,
    sex: 0,
    cp: 0,
    trestbps: 100,
    chol: 248,
    fbs: 0,
    restecg: 0,
    thalach: 122,
    exang: 0,
    oldpeak: 1,
```

4. Retrieving records of all those who are at risk of getting heart disease (high chol or high trestbps):

```
heart_data> db.heart_data.find({$or:[
... {chol:{$gte:200}},
... {trestbps:{$gte:140}}
... ]});
    _id: ObjectId('65dcb4a5e094d757dcb36f8d'),
    age: 52,
sex: 1,
    cp: 0,
    trestbps: 125,
    chol: 212,
    fbs: 0,
   restecg: 1, thalach: 168,
    exang: 0,
    oldpeak: 1,
    slope: 2,
    thal: 3,
    target: 0
     id: ObjectId('65dcb4a5e094d757dcb36f8e'),
    age: 58,
    sex: 0,
    cp: 0,
    trestbps: 100,
    chol: 248,
```

5. Finding all those people who are male, aged over 50 having a heart disease:

```
heart_data> db.heart_data.find({$and:[
... {age:{$gte:50}},
... {sex:1},
... {target:1}
... ]});
    id: ObjectId('65dcb4a5e094d757dcb36f95'),
   age: 58,
   sex: 1,
   cp: 2,
   trestbps: 140,
   chol: 211,
    fbs: 1,
    restecg: 0,
    thalach: 165,
    exang: 0,
   oldpeak: 0,
   slope: 2,
   ca: 0,
   thal: 2,
    target: 1
    _id: ObjectId('65dcb4a5e094d757dcb36faf'),
   age: 50,
   sex: 1,
    cp: 2,
   trestbps: 129,
    chol: 196,
   fbs: 0,
    restecg: 1,
   thalach: 163,
    exang: 0,
    oldpeak: 0,
    slope: 2,
   ca: 0,
   thal: 2,
    target: 1
```

6. Finding all those people who are neither male nor their cholesterol is less than 200:

```
heart_data> db.heart_data.find({$nor:[
... {sex:1},
... {chol:{$lte:200}}
... ]});
    _id: ObjectId('65dcb4a5e094d757dcb36f8e'),
    age: 58,
    sex: 0,
    cp: 0,
    trestbps: 100,
    chol: 248,
    fbs: 0,
    restecg: 0,
    thalach: 122,
    exang: 0,
    oldpeak: 1,
    slope: 1,
   ca: 0,
    thal: 2,
    target: 1
  },
    _id: ObjectId('65dcb4a5e094d757dcb36f92'),
    age: 34,
    sex: 0,
    cp: 1,
    trestbps: 118,
    chol: 210,
    fbs: 0,
    restecg: 1,
    thalach: 192,
    exang: 0,
    oldpeak: 0.7,
    slope: 2,
    ca: 0,
    thal: 2,
    target: 1
```

7. To check the existence of a field and return its count in the dataset. Also check for null values in the existing field.

```
heart_data> db.heart_data.countDocuments(
... {"age":{$exists:true}});
1025
heart_data> db.heart_data.countDocuments(
... {"age":null});
0
heart_data> db.heart_data.countDocuments(
... {"spo2":{$exists:false}});
1025
```

8. Calculating the min and max age of patients in the given dataset:

```
heart_data> db.heart_data.aggregate([
... {$group:{_id:null,minAge:{$min:"$age"}}}
... ]);
[ { _id: null, minAge: 29 } ]
heart_data> db.heart_data.aggregate([
... {$group:{_id:null,maxAge:{$max:"$age"}}}
... ]);
[ { _id: null, maxAge: 77 } ]
heart_data>
```

9. Finding all records of the youngest and the oldest patient:

10. Retrieving all records of patients not having heart disease:

```
heart_data> db.heart_data.find(
.. {target:{$ne:0}});
     id: ObjectId('65dcb4a5e094d757dcb36f8e'),
    age: 58,
    sex: 0,
    cp: 0,
    trestbps: 100,
    chol: 248,
    fbs: 0,
    restecg: 0,
    thalach: 122,
    exang: 0,
    oldpeak: 1,
    slope: 1,
   ca: 0,
thal: 2,
    target: 1
    _id: ObjectId('65dcb4a5e094d757dcb36f92'),
    age: 34,
    sex: 0,
    cp: 1,
    trestbps: 118,
    chol: 210,
    fbs: 0,
    restecg: 1,
thalach: 192,
    exang: 0, oldpeak: 0.7,
    slope: 2,
    ca: 0,
thal: 2,
    target: 1
```