



eCourts API Specifications

Version 1.3




TABLE OF CONTENTS

1	INTRODUCTION	4
2	PURPOSE AND INTENDED AUDIENCE.....	4
3	ON-BOARDING PROCESS.....	4
4	LIST OF ECOURT APIS	5
5	CASE SEARCH APIS	12
5.1	OVERVIEW API	12
5.2	SEARCH BY CNR API.....	14
5.3	SHOW BUSINESS API	24
5.4	SHOW ORDERS API	26
5.5	SEARCH BY CNR (CURRENT CASE STATUS) API.....	28
5.6	SEARCH BY CASE NUMBER API.....	31
5.7	SEARCH BY FILING NUMBER API.....	33
5.8	SEARCH BY PARTY NAME API.....	35
5.9	SEARCH BY FIR NUMBER API.....	36
5.10	SEARCH BY ADVOCATE NAME API.....	38
5.11	SEARCH BY ADVOCATE BAR REGISTRATION NUMBER API	40
5.12	SEARCH BY ACT API	42
5.13	FILING DATE API	43
5.14	REGISTRATION DATE API.....	47
6	LAND AND PROPERTY CARD API.....	52
6.1	LAND SURVEY API	52
6.2	PROPERTY CARD API	54
7	CAUSELIST API	59
7.1	CAUSELIST API	59
7.2	ADVOCATE WISE CAUSE LIST API	63
8	CAVEAT SEARCH APIS.....	67
8.1	SEARCH BY CAVEATOR/CAVEATEE NAME	67
8.2	SEARCH BY CAVEAT NUMBER API	69
8.3	CAVEAT HISTORY API	72
9	ESTABLISHMENT APIS	77
9.1	STATE MASTER API.....	77
9.2	DISTRICT MASTER API.....	78
9.3	COURT COMPLEX API	81
10	MASTER APIS.....	84
10.1	ACTS MASTER API.....	84
10.2	CASE TYPE MASTER API	85
10.3	POLICE STATION MASTER API	88
10.4	COURT LIST API	90
11	API FOR ICJS	93
11.1.	CRIMINAL CASE UPDATE STATUS API FOR ICJS	93
11.2.	PRETRIAL CASE UPDATE STATUS API FOR ICJS	96
11.3.	REMAND DETAILS OF ACCUSED API.....	99

11.4.	CONVICTION DETAILS API	103
12	API FOR E-DAR.....	107
12.1	EDAR DETAILS API	107
12.2	PROCESS SERVICE API.....	110
12.3	VIEW PROCESS API	113
12.4	VIEW CLAIM API.....	115
13	ANNEXURE-A: ENCRYPTION-DECRYPTION-HASH VALUE	133
13.1	HASH VALUE CREATION AND IMPLEMENTATION	133
13.2	ENCRYPTION METHOD FOR REQUEST STRING.....	133
13.3	FOR SENDING REQUEST TO OPEN API.....	134
13.4	DECRYPTION METHOD FOR RESPONSE STRING	134
13.5	RESPONSE TOKEN VERIFICATION	135
14	ANNEXURE-B: RESPONSE.....	136
15	SAMPLE CODE FOR ENCRYPTION, DECRYPTION AND HASH VALUE (JAVA AND .NET)	139
15.1	CODE FOR JAVA	139
15.2	CODE FOR .NET	142
16	ANNEXURE-C:API CONSUMPTION USING POSTMAN	145
16.1	GETTING ACCESS TOKEN	146
16.2	API CONSUMPTION	147
17	ANNEXURE-D: API CONSUMPTION USING SAMPLE APPLICATION.....	149
18	ANNEXURE-E: HTTP STATUS CODE	152

1 Introduction

- 1. Introduction:** eCourts project is implemented in more than 3000 Sub-ordinate court complexes and 21 High Courts of the country. The project is aimed at providing services to Advocates, Individual Litigants, Institutional Litigants (Government, Semi Government Organizations, Banks, Prosecution etc) through various service delivery channels like web sites, mobile app, SMS and automated eMail. Such facilities are provided on occurrence of every event in the respective case.
 - 2. Need of Institutional Litigants:** Currently mobile app is available for Advocates or Institutional Litigants who are interested to save and track multiple cases of their interest. The facility in the form of “My Cases” helps the user to create portfolio of the cases of interest and further get automatic alerts on change of Next Date or Status of case. However this facility is available to the individual user on personal mobile. Tracking such cases at central level is demanded by various institutional litigants. Such mechanism may be provided through Open APIs.
 - 3. Open API for Institutional litigants:** Open API provided by eCourts shall help institutional litigants to consume eCourts data and use it efficiently into the software developed by respective Institutions to manage their own litigation.
-

2 Purpose and Intended Audience

This document aims to explain the operational procedure on how to use API based interface for accessing the Case data. Also it explains the features and sample method of using this system.

3 On-Boarding Process

Access to open API is restricted and will be through process prescribed by e-Committee.

Please refer document **Subscriber creation for eCourts domain on National API Exchange Platform**. In this document steps are provided to create new **Subscriber** login on **NAPIX** platform. On approval by e-Committee or CPC of the respective High Court following information will be securely shared with the department.

- Authentication Key (For Encryption/Decryption of Data)

Using the subscriber user name and Authentication Key, subscriber can access the data using **NAPIX** platform.

4 List of eCourt APIs

Sr. No	API Name	API Web Service Name	Description
Case Search API			
1	Overview	https://delhigw.napix.gov.in/nic/e_courts/overview	API provides details about current eCourts API specification including version, contact information, license information, URI scheme, etc.
2	Search by CNR Number	https://delhigw.napix.gov.in/nic/e_courts/dc-cnr-api/	API provides complete history of the case including, case details, party names, current status, daily proceedings, orders, judgments, IA details and process issued information based on CNR number of the case.
3	Show Business	https://delhigw.napix.gov.in/nic/e_courts/dc-show-business-api/	API provides details of business transacted on a particular date based on CNR number and date for which business is needed.
4	Show Order	https://delhigw.napix.gov.in/nic/e_courts/dc-oreder-api/	API provides facility to view Order or Judgment delivered on a particular date based on CNR number and order date .
5	Current Status	https://delhigw.napix.gov.in/nic/e_courts/dc-current-status-api/	API provides only the current status like next date, stage or decision date of the case based on CNR number . Instead of getting the complete history of case which is more elaborate, this API provides the current status of the case in short. This API provides facility to request single CNR or comma separated multiple CNRs in single request.
6	Search by Case Number	https://delhigw.napix.gov.in/nic/e_courts/dc-case-number-api/	API provides list of cases from a court establishment matching the Case Registration Number. Input for this API is the Establishment Code, Case Registration Number, Case Registration Year , and other details.
7	Search by Filling Number	https://delhigw.napix.gov.in/nic/e_courts/dc-filing-number-api/	API provides list of cases from a court establishment matching the Case Filing Number. Input for this API is the Establishment Code, Case Filing Number, Case Filing Year and other details.
8	Search by Party Name	https://delhigw.napix.gov.in/nic/e_courts/dc-party-name-api/	API provides list of cases from a court establishment matching name of the party. Input for this API is Establishment Code, Litigants Name, Case Registration Year, Status

			of the Case (Pending or Disposed) and other details. The litigants name may be petitioner's name or respondent's name or an extra party name. The search string for litigant name may consist of full name of the party or even few characters (minimum 3) for searching.
9	Search by Fir Number	https://delhigw.napix.gov.in/nic/e/courts/dc-fir-number/	API provides list of cases from a court establishment matching the Police Station and FIR Number. Input for this API is the Establishment Code, Police Station Code, FIR Number, FIR Year and other details.
10	Search by Advocate Name	https://delhigw.napix.gov.in/nic/e/courts/dc-advocate-name-api/	API provides list of cases from a court establishment matching name of the Advocate. Input for this API is Establishment Code, Advocate's Name, Case Registration Year, Status of the Case (Pending or Disposed) and other details. The Advocate's name may be petitioner's advocate name or respondent's advocate name or an extra party advocate name. The search string for advocate name may consists of full name of the Advocate or even few characters (minimum 3) for searching.
11	Search by Advocate Bar Regn. Number	https://delhigw.napix.gov.in/nic/e/courts/dc-advocate-bar-reg-api/	API provides list of cases from a court establishment for a given Advocate Registration number. Input for this API is Establishment Code, Advocate's Bar Registration Year, Case Registration Year, Status of the Case (Pending or Disposed) and other details . The Advocate may be petitioner's advocate or respondent's advocate or an extra party advocate.
12	Search by Act	https://delhigw.napix.gov.in/nic/e/courts/dc-act-api/	API provides list of cases from a court establishment matching the Act. Input for this API is Establishment Code, National Act Code, Case Registration Year, Status of the Case (Pending or Disposed) and other details.
13	Filing Date API	https://delhigw.napix.gov.in/nic/e/courts/dc-filing-date-api/	API provides list of cases filed in an establishment of a district and the subordinate courts from the given Filing date till the Current Date . Input for this API is Establishment Code and Date of Filing .
14	Registration Date API	https://delhigw.napix.gov.in/nic/e/courts/dc-register-date-api/	API provides list of cases filed in an establishment of a district and the subordinate courts from the given Registration date till Current Date . Input for this API is Establishment Code and Date of Registration .

Land and Property API			
1	Land Survey API	https://delhigw.napix.gov.in/nic/ecourts/dc-land-survey-details-api/	API provides list of land survey cases. Input for this API is State Code, District Code, Lg Or Census Flag, Consume Date .
2	Property Card API	https://delhigw.napix.gov.in/nic/ecourts/dc-property-card-details-api/	This API is used to search if any case is filed against a urban property and returns case CNR number. Further, the CNR number API can be used to get the details of the case. The API operates in two modes – it can either be called by sending state code and property card number OR by sending state code, district code, taluka code, village code, office code and cts number. It will return property card details like state, district, taluka, village, office and cts number along with CNR number.
Cause List API			
1	Cause List	https://delhigw.napix.gov.in/nic/ecourts/dc-causelist-api/	API provides cases listed (CauseList) on a particular date from a court establishment for a given Court Number. Input for this API is Establishment Code, Court Number, Cause List Date and other details. The format of Cause List may vary from State to State. Sequence of cases is provided in the API, however it is advisable to cross check the cause list vis-à-vis as available on the services.ecourts.gov.in portal or mobile app for better understanding and accuracy and refer the cause list available on the portal.
2	Advocate wise Cause List	https://delhigw.napix.gov.in/nic/ecourts/dc-advocate-causelist-api/	API provides cases listed on a particular date from a court establishment for a given Advocate Bar Registration Number. Input for this API is Establishment Code, Advocate's Bar Registration Number, Cause List Date and other details. The Advocate may be petitioner's advocate or respondent's advocate or an extra party advocate.
Caveat Search API			
1	Search by Caveat Anywhere	https://delhigw.napix.gov.in/nic/ecourts/dc-caveat-name-api/	API provides list of caveats from a court establishment matching name of the party. Input for this API is Establishment Code, Party

			Name, Search Type and other details. Search type provides facility to search the name string anywhere or starting with the input characters.
2	Search by Caveat Number	https://delhigw.napix.gov.in/nic/e_courts/dc-caveat-number-api/	API provides list of Caveats from a court establishment matching the Caveat registration number. Input for this API is Establishment Code, Caveat Registration Number, Caveat Registration Year and other details.
3	Caveat History	https://delhigw.napix.gov.in/nic/e_courts/dc-caveat-details-api/	API provides complete history of the caveat from a court establishment matching the Caveat Code. Input for this API is Establishment Code, Caveat Code and other details. Every Caveat has a unique 15 digit Caveat Code within the establishment.
Establishment API			
1	State	https://delhigw.napix.gov.in/nic/e_courts/dc-state-api/	API provides list of the states and relevant state codes used in the eCourts project for further accessing relevant APIs. This API doesn't require any input string and can just be connected using dept_id,request_str,request_token,version to get the list of the states.
2	District	https://delhigw.napix.gov.in/nic/e_courts/dc-district-api/	API provides list of the Districts and relevant District codes pertaining to the given state used in the eCourts project for further accessing relevant APIs. Input for this API is State Code and other details. District Codes can be used to access the court complexes and court establishments.
3	Court Complex	https://delhigw.napix.gov.in/nic/e_courts/dc-court-complex-api/	API provides list of the Court Establishments and relevant Establishment Codes pertaining to the given District used in the eCourts project for further accessing relevant APIs. Input for this API is State Code, District Code and other details. Establishment Code retrieved using this API can be used to access the case data using various Case Search APIs.
Master API			
1	Act	https://delhigw.napix.gov.in/nic/e_courts/dc-act-master-api/	Every Act has unique National Act Code. API provides list of the Acts and relevant National Act Codes used in the eCourts project for further accessing relevant APIs. This API

			doesn't require any input string and can just be connected using dept_id,request_str,token,version to get the list of all the Acts with the respective National Act codes.
2	Case Type	https://delhigw.napix.gov.in/nic/ecourts/dc-casetype-master-api/	API provides list of the Case Types (referred as type_name) and relevant Case Type Codes (referred as case_type) used in the establishment for further accessing relevant APIs. Input for this API is Establishment Code and other details. Type Name and Case Type retrieved using this API can be used to access the case data using various Case Search APIs like Search by Case Registration Number, Filing Number etc.
3	Police Station	https://delhigw.napix.gov.in/nic/ecourts/dc-police-station-master-api/	API provides list of the Police Stations (police_station) and relevant Police Station Codes (police_station_code) used in the establishment for further accessing relevant APIs. Input for this API is Establishment Code and other details. Police Station Name and Police Station Code retrieved using this API can be used to access the case data using Case Search API like Search by FIR Number etc.
4	Court List	https://delhigw.napix.gov.in/nic/ecourts/dc-court-list-api/	API provides list of courts used in the establishment. Court Number (court_no), Designation of the Judge (desgname), Judge Name (judge_name), currently presiding in the establishment are retrieved for further accessing relevant APIs. Input for this API is Establishment Code and other details. Court List retrieved using this API can be used to access the Cause List API by giving relevant Court Number as input parameter.
APIs for ICJS			
1	Criminal Case Update Status API for ICJS	https://delhigw.napix.gov.in/nic/ecourts/dc-icjs-chargesheet-status-api/	The API provides details of the new (flag= N) criminal cases registered in CIS after consuming the chargesheets and updated (flag = U) criminal cases for which chargesheets are already consumed based on State Code, Flag and Transaction Date .
2	Pretrial Case Update	https://delhigw.napix.gov.in/nic/ecourts/dc-icjs-pretrial-case-	The API provides details of the new (flag= N) pretrial cases registered in CIS after consuming

	Status API for ICJS	status/	the FIRs and updated (flag = U) pretrial cases for which FIRs are already consumed based on State Code, Flag and Transaction Date .
3	Remand Details of Accused API	https://delhigw.napix.gov.in/nic/ecourts/dc-remand-bail-api/	API provides remand details and bail information of accused in a FIR from a court establishment. The API operates in two modes – it can either be called by sending Establishment Code, Police Station National Code, FIR Number, FIR Year and other details OR by sending ptn_number.
4	Conviction Details API	https://delhigw.napix.gov.in/nic/ecourts/dc-convicted-api/	This API provide conviction details of accused in a case such as accused name, punishment in years/months/days, amount of fine imposed , act and section under which punishment given etc. The API operates in two modes – it can either be called by sending State Code, District Code and other details OR by sending State Code, District Code, Consume date .
APIs for eDAR			
1	eDar Details API	https://delhigw.napix.gov.in/nic/ecourts/dc-edar-details-api/	API provides list of road accident cases. Input for this API is State Code, District Code, Consume Date .
2	Process Service API	https://delhigw.napix.gov.in/nic/ecourts/processmetadataapi/	API provides list of process details. Input for this API is State Code, IRDAI number, For date .
3	View Process API	https://delhigw.napix.gov.in/nic/ecourts/viewprocess/	API provides process pdf. Input for this API is State Code, Process ID .
4	View Claim API	https://delhigw.napix.gov.in/nic/ecourts/viewclaim/	API provides claim details and pdf. Input for this API is State Code, CNR number .

URL Structure

APIs can be accessed using following URL structure

```
https://delhigw.napix.gov.in/nic/ecourts/api_filename?dept_id=dept_id
&request_str=request_str&request_token=request_token&version=version
```

Note:

NICNET User may use following URL:


```
https://delhigw.napix.gov.in/nic/ecourts/api_filename?dept_id=dept_id
&request_str=request_str&request_token=request_token&version=version
```

Following Four parameters to be passed for every API

Sr.No.	Element	Description
1	request_str	Request String variable shall contain key – value pair of variables used as input to respective API. Single string request_str variable is to be created by joining all input key-value pair of variables separated by pipe (). String value is encrypted using the Authentication Key and algorithm provided in Annexure A. Authentication Key is provided by e-Committee or respective High Court. Example: request_str= encrypted(cino=value business_date=value)
2	dept_id	Department ID same as Subscriber User Name string to be passed through the variable dept_id .
3	request_to ken	Hash value of the Request String (request_str) is to be created using mechanism provided in Annexure 'A'.
4	version	It contains value of the API version.

Service Request API

To access the service requests like search by CNR, Search by party name etc. The user application should have the valid authentication token. With the authentication token he has to send the request for the services with the relevant parameters to get the response or result.



5 Case Search APIs

5.1 Overview API

API provides details about current eCourts API specification including version, contact information, license information, URI scheme, etc.

5.1.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/overview/overview?dept_id=dept_id&request_str=request_str request_token=request_token&version=version
```

5.1.2 HTTP Method *GET*

5.1.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	dept_id	M	N	Department ID same as Subscriber User Name
2	request_str	M	Y	Doesn't require any input string (eg. request_str="")
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0" .

5.1.4 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

5.1.5 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
overview	This document describe a RESTFul API for eCourt Projects	Overview
version	v1.0	API Version
contact	eCommittee Supreme Court of India, E-mail-ecommittee@aij.gov.in	Contact Information
license	Apache 2.0	License Information
uri_scheme	HTTPS	URI scheme
consumes	application/json	
produces	application/json	

5.1.6 Sample Response

```
{
  "overview": "This document describe a RESTFul API for eCourt Projects",
  "version": "v1.0",
  "contact": "eCommittee Supreme Court of India, E-mail-ecommittee@aij.gov.in",
  "license": "Apache 2.0",
  "uri_scheme": "HTTPS",
  "consumes": "application/json",
  "produces": "application/json"
}
```

5.1.7 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
626	INVALID_TOKEN	The Token is invalid.
627	INVALID_DEPT_ID	The Department id is invalid.
629	UNEXPECTED_ERROR	Service unresponsive.

5.2 Search by CNR API

API provides complete history of the case including, case details, party names, current status, daily proceedings, orders, judgments, IA details and process issued information based on **CNR number** of the case.

5.2.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-cnr-  
api/cnr?dept_id=dept_id&request_str=request_str&request_token=request  
token&version=version
```

5.2.2 HTTP Method *GET*

5.2.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key-value pair of cino .
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. " v1.0 ".

5.2.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as **request_str=encrypted (cino=value)**

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	cino	M	16 characters alphanumeric CNR.

5.2.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

5.2.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description	Privacy Concern
date_of_filing	2018-11-28	Filing date of case	
cino	MHAU010092312018	16 digit unique CNR number of case	
dt_regis	2019-01-03	Registration date of case	
type_name	M.A.C.P.	Case type	
fil_no	5131	Filing number of case	
fil_year	2018	Filing year of case	
reg_no	22	Registration number of case	
reg_year	2019	Registration year of case	
date_first_list	2019-01-04	First hearing date	
date_next_list	2019-03-25	Next hearing date	
pend_disp	P	Character value 'P' or 'D'. P for pending cases and D for disposed cases	
date_of_decision	2019-03-25	Date of decision (When case is disposed). If the case is pending Null value will be returned.	
disp_nature	Allowed	Reason of disposal. If the case is pending Null value will be returned.	
goshwara_no	1	Nature of disposal is returned 1 = Contested 2 = Uncontested	
desgname	District Judge-17 and Asst Sessions Judge Abad	Designation of Judicial officer.	
court_no	15	Court number in which the case is pending.	
court_est_name	DISTRICT AND SESSIONS COURT AURANGABAD.	Court establishment	
est_code	MHAU01	Court establishment code	
state_name	Maharashtra	State	
dist_name	Aurangabad	District	
purpose_name	Appearance	Purpose or current stage of the case	
pet_name	Aishwarya Dadasheb Gore	Main petitioner's name. In some sensitive cases or disputes of private nature	Petitioner name are masked

		value will be shared as xxxxxx.	
pet_adv	Adv. Thite S.S.	Main petitioner's advocate name	
pet_legal_heir	N	'Y' means petitioner has legal heir	
res_name	Satish Baban Kawane	Main respondent's name. In some sensitive cases or disputes of private nature value will be shared as xxxxxx.	Respondent name is masked
res_adv	Adv. Gopalkar R.C.	Main respondent's advocate name	
res_legal_heir	N	Y means respondent has legal heir	
pet_adv_cd	12	Petitioner advocate code number	
res_adv_cd	25	Respondent advocate code number.	
pet_adv_bar_reg	MAH/2836/2011	Petitioner Advocate Bar Registration Number.	
res_adv_bar_reg	MAH/2015/2010	Respondent Advocate Bar Registration Number.	
police_st_code	120	Police Station Code	
uniform_code	19375022	National Police Station Code.	
fir_no	67	FIR number	
police_station	PAITHAN	Police station	
fir_year	2009	FIR year	
lower_court_name	2nd Jt. Civil Judge J.D. J.M.F.C. Paithan	Lower court designation	
lower_court_caseno	R.C.C. - 0000120 - 2010	Lower court case number	
lower_court_dec_dt	2013-02-28	Lower court decision date	
date_last_list	2019-01-04	Last Proceeding Date	
main_matter_cino	MHAU010000452015	Main case CNR , If case is an application.	
date_filing_disp			
reason_for_rej			
pet_extra_party		Nested response for more than one petitioners.	
party_no1	Aalka Ramdas Gore	1 st extra petitioner name if any. In some sensitive cases or disputes of private nature value will be shared as xxxxxx.	Names of Extra Petitioner is masked

party_no2	Ramdas Ashruba Gore	2 nd extra petitioner name if any. In some sensitive cases or disputes of private nature value will be shared as xxxxxx.	Names of Extra Petitioner is masked
res_extra_party		Nested response for more than one respondent.	
party_no1	Ramesh Ramdas Gore	1 st extra respondent name if any. In some sensitive cases or disputes of private nature value will be shared as xxxxxx.	Names of Extra respondent is masked
party_no2	Senior Divisional Manager, ICICI_Lombard General Insurance Co. Ltd.	2 nd extra respondent name if any. In some sensitive cases or disputes of private nature value will be shared as xxxxxx.	Names of Extra Petitioner is masked
act		Nested response for more than one acts.	
act1		1 st Act and Section details	
actname	MOTOR VEHICLES ACT	1 st Act name	
section	166	Sections mentioned in 1 st Act.	
act2		2 nd Act and Section details	
actname	Arms Act	2 nd Act name	
section	165	Sections mentioned in 2 nd Act.	
historyofcasehearing		Nested response for more than one court proceedings.	
sr_no1		1 st Proceeding details	
desgname	District Judge-17 and Asst Sessions Judge Abad	Judge designation	
business_date	2019-01-04	Business date. (Business details for this date can be accessed by using Show Business API)	Business on date details are not visible
hearing_date	2019-03-25	Next hearing date	
purpose_of_listing	Appearance	Purpose or stage of listing	
sr_no2		2 nd Proceeding details	
desgname	District Judge-17 and Asst Sessions Judge Abad	Judge designation	
business_date	2019-03-25	Business date	Business on date

			details are not visible
hearing_date	2019-04-17	Next hearing date	
purpose_of_listing	Appearance	Purpose or stage of listing	
interimorder		Nested response for Interim Orders	
sr_no1		1 st order details	
order_no	1	Order number	
order_date	2019-01-28	Order date	
order_details	Order on Exhibit	Order details	PDF File cannot be opened
sr_no2		2 nd order details	
order_no	2	Order number	
order_date	2019-03-02	Order date	
order_details	Order on Exhibit	Order details	PDF File cannot be opened
finalorder		Nested response for Final Order	
sr_no1		1 st order details	
order_no	1	Order number	
order_date	2019-04-03	Order date	
order_details	Order on Exhibit	Order details	PDF File cannot be opened
sr_no2		2 nd order details	
order_no	2	Order number	
order_date	2019-04-06	Order date	
order_details	Order on Exhibit	Order details	PDF File cannot be opened
transfer		Nested response when case is transferred from one court to another court.	
sr_no1		1 st transfer details	
transfer_date	2014-06-20	Transfer date from one court to another court	
from_court_no_desgname	3 - District Judge-4 and Addl. Sessions Judge, Abad.	From court no	
to_court_no_desgname	10 - Adhoc District Judge 1 Addl. Sessions Judge Abad.	To court no	
sr_no2		2 nd transfer details	
transfer_date	2016-04-28	Transfer date from one	

		court to another court	
from_court_no_desgname	10 - Adhoc District Judge 1 Addl. Sessions Judge Abad.	From court no	
to_court_no_desgname	7 - District Judge Addl. Sessions Judge 7	To court no	
writinfo		Nested response for appellate information	
sr_no1		Entry of 1 st case filed in Appellate Court .	
appellate_case_number	CRA/10/2015	Appellate case number	
appellate_authority	High Court	Appellate authority	
sr_no2		Entry of 2 nd case filed in Appellate Court .	
appellate_case_number	SA/5/2015	Appellate case number	
appellate_authority	High Court	Appellate authority	
processes		Nested response for processes	
sr_no1		1 st process details	
process_id	PMHAU010013792013_1_1	Process id	
process_date	2016-07-23	Process date	
process_title	Summons to an accused person [Sec. 61]	Process title	
sr_no2		1 st process details	
process_id	PMHAU010013792013_1_2	Process id	
process_date	2017-08-18	Process date	
process_title	Summons to an accused person [Sec. 61]	Process title	
iafiling		Nested response for Interlocutory Applications	
sr_no1		1 st IA details	
ia_number	IA/1/2015	IA (interlocutory application) number	
ia_pet_name	Rameshwar Bhausahab Aagale	Party name	
ia_pend_disp	P	Character value 'P' or 'D'. P for pending IAs and D for disposed IAs	
date_of_filing	2015-05-03	Filing date of IA	
sr_no2		2 nd IA details	
ia_number	IA/2/2016	IA (interlocutory application) number	

ia_pet_name	Rameshwar Bhausheb Aagale	Party name	
ia_pend_disp	P	Character value 'P' or 'D'. P for pending IAs and D for disposed IAs	
date_of_filing	2016-08-12	Filing date of IA	
link_cases		Nested response for linked/connected cases .	
sr_no1		1 st linked case	
filing_number	Session case/100543/2013	Linked case filing number	
case_number	Session case/100203/2013	Linked case registration number	
sr_no2		2 nd linked case	
filing_number	Session case/100544/2015	Linked case filing number	
case_number	Session case/100204/2015	Linked case registration number	
objections			
objection1	Presentation of M.A.C.P. Patition is not proper		
objection2	Date,Place and Time of accident not mentioned		
scrutiny_date	2019-04-11		
objections_compliance_by_date			
obj_reciept_date	2019-04-11		

5.2.7 Sample Response

```
{
  "date_of_filing": "2003-12-04",
  "cino": "MHAU010000482003",
  "dt_regis": "2003-12-04",
  "type_name": "R.C.A.",
  "fil_no": "100379",
  "fil_year": "2003",
  "reg_no": "100379",
  "reg_year": "2003",
  "date_first_list": "2005-04-30",
  "date_next_list": "2007-03-26",
  "pend_disp": "D",
  "date_of_decision": "2007-03-26",
  "disp_name": "JUDGMENT",
}
```

```

"goshwara_no": "",
"desgname": "District Judge-5 and Asst. Sessions Judge Abad",
"court_no": "4",
"court_est_name": "DISTRICT AND SESSIONS COURT AURANGABAD.",
"est_code": "MHAU01",
"state_name": "Maharashtra",
"dist_name": "Aurangabad",
"purpose_name": "Hearing",
"pet_name": "Grampanchayat Beedkin",
"pet_adv": "Patni V.K.",
"pet_legal_heir": "N",
"res_name": "Noormiya",
"res_adv": "Patwardhan R.P.",
"pet_adv_cd"="12"
"res_adv_cd"="25"
"pet_adv_bar_reg"="MAH/2836/2011"
"res_adv_bar_reg"="MAH/2015/2010"
"police_st_code"="120"
"uniform_code"="19375022"
"res_legal_heir": "N",
"fir_no": "0",
"police_station": null,
"fir_year": "0",
"lower_court_name": "Jt. Civil Judge J.D. J.M.F.C. Paithan",
"lower_court_caseno": "Reg Dkst - 0000002 - 1998",
"lower_court_dec_dt": "2003-11-17",
"date_last_list": "2007-03-17",
"main_matter_cino": "",
"date_filing_disp": "",
"reason_for_rej": "",
"pet_extra_party": {
  "party_no1": "Sk.Gani Shaikh Lal",
  "party_no2": "Sk. Gabru Sk. Lal"
},
"res_extra_party": {
  "party_no1": "Sundarbai Jagannath Kute",
  "party_no2": "Maroti Jagannath Kute"
},
"acts": {
  "act1": {
    "actname": "CODE OF CIVIL PROCEDURE",
    "section": "96"
  }
},
"historyofcasehearing": {
  "sr_no1": {
    "desgname": "Adhoc District Judge-2 Asst. Sessions Judge
Abad.",
    "business_date": "2008-06-27",

```

```

        "hearing_date": "2008-07-18",
        "purpose_of_listing": "Argument on Exh.____Ready"
    },
    "sr_no2": {
        "desgname": "Adhoc District Judge-2 Asst. Sessions Judge
Abad.",
        "business_date": "2008-07-18",
        "hearing_date": "2008-08-08",
        "purpose_of_listing": "Argument on Exh.____Ready"
    }
},
"interimorder": {
    "sr_no1": {
        "order_no": "1",
        "order_date": "2018-07-27",
        "order_details": "Order on Exhibit"
    }
},
"finalorder": {
    "sr_no1": {
        "order_no": "1",
        "order_date": "2016-04-22",
        "order_details": "Copy of Judgment"
    }
},
"transfer": {
    "sr_no1": {
        "transfer_date": "2018-04-07",
        "from_court_no_desgname": "10 - District Judge-5 and Addl.
Sessions Judge, Abad.",
        "to_court_no_desgname": "9 - District Judge-2 and Addl.
Sessions Judge, Abad."
    },
    "sr_no2": {
        "transfer_date": "2018-05-22",
        "from_court_no_desgname": "9 - District Judge-2 and Addl.
Sessions Judge, Abad.",
        "to_court_no_desgname": "21 - Adhoc District Judge-5 Asst
Sessions Judge Abad"
    }
},
"writinfo": {
    "sr_no1": {
        "appellate_case_number": "Cri.B.D.No.97552006",
        "appellate_authority": "CNR Number"
    }
},
"processes": {
    "sr_no1": {

```

```

    "process_id": "PMHAU010077582016_1_1",
    "process_date": "2018-07-17",
    "process_title": "Summons for disposal of suit [O. 5, R. 1, 5.]
"
  }
},
"iafiling": {
  "sr_no1": {
    "ia_number": "IA/1/2014 ",
    "ia_pet_name": "Jaspalsingh Hardayalsing Ghai Meenabai Subhash
Dhiwar ",
    "ia_pend_disp": "D",
    "date_of_filing": "2014-03-18"
  }
},
"link_cases": {
  "sr_no1": {
    "filing_number": "Cri.Bail Appln./2364/2018",
    "case_number": "Cri.Bail Appln./963/2018 ( Disposed )"
  },
  "sr_no2": {
    "filing_number": "Cri.Bail Appln./2537/2018",
    "case_number": "Cri.Bail Appln./1055/2018 ( Disposed )"
  }
},
"objections": {
  "objection1": "Presentation of M.A.C.P. Patition is not proper",
  "objection2": "Date,Place and Time of accident not mentioned",
  "scrutiny_date": "2019-04-11",
  "objections_compliance_by_date": null,
  "obj_reciept_date": "2019-04-11"
}
}

```

5.2.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
600	INVALID_CNR	The CNR is invalid. The CNR is not in the prescribed format.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
629	UNEXPECTED_ERROR	Service unresponsive
628	RECORD_NOT_FOUND	Record is not available.
632	INVALID_VERSION	Invalid version of API

5.3 Show Business API

API provides details of business transacted on a particular date based on **CNR number** and **date** for which business is needed. Business date is the date of court proceedings which may be available from the Case History.

5.3.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-show-business-api/showBusiness?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

5.3.2 HTTP Method *GET*

5.3.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of cin o and business_date .
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	Version	M	N	It contains value of the API version, e.g. “v1.0”

5.3.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(cino=value|business_date=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	Cino	M	16 characters alphanumeric CNR.
2	business_date	M	Business date in yyyy-mm-dd format.

5.3.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

5.3.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description	Privacy Concern
Desgname	Adhoc District Judge-2 Asst. Sessions Judge Abad.	Designation of the Judge	Business details are not visible
case_number	R.C.A./0100047/2012	Case Number	
business_date	28-08-2017	Business Date	
Business	Affidavit of P.W.1 received and Ex.A1 is marked. For cross examination call on 10.4.2019	Business happened in the respective case.	
short_order_det	Issue Notice	Short order details	

5.3.7 Sample Response

```
{
  "desgname": "District Judge-2 and Addl. Sessions Judge, Abad.",
  "case_number": "Cri.Bail Appln./0000963/2018",
  "business_date": "2018-06-27",
  "business": "Before Shri S.D.Digraskar District Judge-02 Aurangabad Examination and ordered to be registered and numbered as Bail Petition No 963 /2018 \r\nSd/- \r\nSupdt.\r\nOrder passed below ex 01 and 04 issue notice to respondent and compliant",
  "short_order_det": null
}
```

5.3.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
600	INVALID_CNR	The CNR is invalid. The CNR is not in the prescribed format.
601	INVALID_DATE	Date of business is not in correct format or not valid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

5.4 Show Orders API

API provides facility to view Order or Judgment delivered on a particular date based on **CNR number** and **order date**. Order date is the date of Order or Judgment delivered in the case which may be available from the Case History.

5.4.1 URL STRUCTURE

https://delhigw.napix.gov.in/nic/ecourts/dc-oreder-api/order?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version

5.4.2 HTTP Method GET

5.4.3 Request Parameters

Sr. No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of cino,order_no, order_date in (yyyy-mm-dd) format.
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'

4	Version	M	N	It contains value of the API version, e.g. “v1.0”.
---	---------	---	---	--

5.4.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(cino=value|order_no=value|order_date=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	Cino	M	16 characters alphanumeric CNR.
2	order_no	M	Order Number
3	order_date	M	Order date in yyyy-mm-dd format.

5.4.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

5.4.6 Response

Sample Response	Description	Privacy Concern
.pdf file will be shared	.pdf file for the Order or Judgment will be provided in response.	PDF File cannot be opened

5.4.7 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
600	INVALID_CNR	The CNR is invalid. The CNR is not in the prescribed format.
602	INVALID_ORDER_NO	The order number is invalid.
601	INVALID_DATE	Date of order is not in correct format or not valid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid

628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

5.5 Search by CNR (Current Case Status) API

API provides only the current status like next date, stage or decision date of the case based on **CNR number**. Instead of getting the complete history of case which is more elaborate, this API provides the current status of the case in short. This API is used to update the current status of the case and may be used in batch processing mode periodically. Single CNR or Multiple CNRs can be sent as request parameter to get the current status of the Case(s).

5.5.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-current-status-api/currentStatus
```

5.5.2 HTTP Method *POST*

5.5.3 Post Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of cino .
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0" .

5.5.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as **request_str=encrypted(cino=value)**

Ex: request_str=encrypted(cino=MHAU010000012018) --- If single CNR is sent.

request_str=encrypted(cino=MHAU010000012018, MHAU010000212018, MHND010000012017, PBBR010044122018) --- If multiple CNRs are sent.

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	cino	M	16 characters alphanumeric CNR. More than one CNR can be passed as comma separated. (Maximum 500 CNRs can be sent at a time)

5.5.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

5.5.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description	Privacy Concern
case1		Nested response for Cases	
date_of_filing	2018-11-28	Filing date of case	
cino	MHAU010092312018	16 digit unique CNR number of case	
dt_regis	2019-01-03	Registration date of case	
type_name	M.A.C.P.	Case type	
fil_no	5131	Filing number of case	
fil_year	2018	Filing year of case	
reg_no	22	Registration number of case	
reg_year	2019	Registration year of case	
date_first_list	2019-01-04	First hearing date	
date_next_list	2019-03-25	Next hearing date	
pend_disp	P	P=Pending case D=Disposed case	
date_of_decision	2019-03-25	Date of decision (When case is disposed). If the case is pending Null value will be returned.	
disp_nature	Allowed	Reason of disposal. If the case is pending Null value will be returned.	
goshwara_no	1	Nature of disposal is returned 1 = Contested 2 = Uncontested	
desgname	District Judge-17 and Asst Sessions Judge Abad	Designation of Judicial officer.	

court_no	15	Court number in which the case is pending.	
purpose_name	Appearance	Purpose or current stage of the case	
pet_name	Aishwarya Dadasheb Gore	Main petitioner's name. In some sensitive cases or disputes of private nature value will be shared as xxxxxx.	Petitioner name is masked
res_name	Satish Baban Kawane	Main respondent's name. In some sensitive cases or disputes of private nature value will be shared as xxxxxx.	Respondent name is masked
date_last_list	2019-01-04	Last Proceeding Date	

5.5.7 Sample Response

```
{
  "case1": {
    "date_of_filing": "2015-12-30",
    "cino": "MHAU010081942015",
    "dt_regis": "2016-01-05",
    "type_name": "L.R.DKST.",
    "fil_no": "104683",
    "fil_year": "2015",
    "reg_no": "18",
    "reg_year": "2016",
    "date_first_list": "2016-01-05",
    "date_next_list": "2016-01-05",
    "pend_disp": "P",
    "date_of_decision": "",
    "disp_nature": null,
    "goshwara_no": "0",
    "desgname": null,
    "court_no": "0",
    "purpose_name": "Appearance",
    "pet_name": "Sy. Asif Sy. Yakub",
    "res_name": "State of Maharashtra",
    "date_last_list": ""
  },
  "case2": {
    "date_of_filing": "2011-10-15",
    "cino": "MHAU010053452011",
    "dt_regis": "2011-10-15",
    "type_name": "Sessions Case",
    "fil_no": "100405",
    "fil_year": "2011",

```

```

"reg_no": "100405",
"reg_year": "2011",
"date_first_list": "2011-10-15",
"date_next_list": "2019-02-07",
"pend_disp": "P",
"date_of_decision": "",
"disp_nature": null,
"goshwara_no": "0",
"desgname": "District Judge-2 and Addl. Sessions Judge, Abad.",
"court_no": "9",
"purpose_name": "Evidence Part Heard",
"pet_name": "The State of Maharashtra",
"res_name": "Ajay Ghanshyam Barandwal",
"date_last_list": "2019-01-18"
}

```

5.5.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
600	INVALID_CNR	The CNR is invalid. The CNR is not in the prescribed format.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
629	UNEXPECTED_ERROR	Service unresponsive
628	RECORD_NOT_FOUND	Record is not available.
632	INVALID_VERSION	Invalid version of API

5.6 Search by Case Number API

API provides list of cases from a court establishment matching the Case Registration Number. Input for this API is the **Establishment Code, Case Registration Number, Case Registration Year**, and other details. Case Registration number consists of Case Type/Registration Number/Registration Year. Registration Number input is optional, and if not provided, will give list of all cases of the given case type and registration year.

5.6.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-case-number-  
api/caseSearch?dept_id=dept_id&request_str=request_str&request_token=  
request_token&version=version
```

5.6.2 HTTP Method: *GET*

5.6.3 Request Parameters

Sr. No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code,case_type,reg_no,reg_year
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure ‘A’
4	version	M	N	It contains value of the API version, e.g. “ v1.0 ”.

5.6.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(est_code=value|case_type=value|reg_no =value|reg_year=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	case_type	M	Integer value (ex. 15) of the Case Type. This value case_type can be obtained using Case Type Master API.
3	reg_no	O	Integer value with max length 7 digits (ex. 234) i.e. Registration number of case. If Case Number is not provided, all the cases registered for the given Case type in the given registration year will be shown.
4	reg_year	M	4 digit integer value (ex 2019). i.e. Registration Year of the case.

5.6.5 Response

As shown in Annexure “B”

5.6.6 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
604	INVALID_CASE_TYPE	The Case type is invalid.
605	INVALID_REG_NO	The Case registration number is invalid.
606	INVALID_REG_YEAR	The Case registration year is invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

5.7 Search by Filing Number API

API provides list of cases from a court establishment matching the Case Filing Number. Input for this API is the **Establishment Code, Case Filing Number, Case Filing Year** and other details.

5.7.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-filing-number-api/filingNumber?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

5.7.2 HTTP Method **GET**

5.7.3 Request Parameters

Sr. No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code,case_type,fil_no,fil_year .
2	dept_id	M	N	Department ID same as Subscriber User Name

3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0".

5.7.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted (est_code=value|case_type=value|fil_no=value|fil_year=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	case_type	M	Integer value (ex. 15) of the Case Type. This value case_type can be obtained using Case Type Master API.
3	fil_no	M	Integer value with max length 7 digits (ex. 234) i.e. filing number of case
4	fil_year	M	4 digit integer value (ex 2019). i.e. filing Year of the case.

5.7.5 Response

As shown in Annexure "B"

5.7.6 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
604	INVALID_CASE_TYPE	The Case type is invalid.
607	INVALID_FIL_NO	The Case registration number is invalid.
608	INVALID_FIL_YEAR	The Case registration year is invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid

628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

5.8 Search by Party Name API

API provides list of cases from a court establishment matching name of the party. Input for this API is **Establishment Code, Litigants Name, Case Registration Year, Status of the Case (Pending or Disposed)** and other details. The litigants name may be petitioner's name or respondent's name or an extra party name. The search string for litigant name may consist of full name of the party or even few characters (minimum 3) for searching.

5.8.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-party-name-
api/partyName?dept_id=dept_id&request_str=request_str&request_token=r
equest_token&version=version
```

5.8.2 HTTP Method *GET*

5.8.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code,pend_disp,litigant_name,reg_year .
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0" .

5.8.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str=encrypted(est_code=value|pend_disp=value|litigant_name=value|reg_year=value)

Sr. No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	pend_disp	M	Character value 'P' or 'D'. P for pending cases and D for disposed cases
3	litigant_name	M	Character string with maximum length 99. Minimum length of 3 characters is mandatory.
4	reg_year	M	4 digit integer value (ex 2019)i.e. Registration Year of the case.

5.8.5 Response

As shown in Annexure “B”

5.8.6 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
609	INVALID_PEND_DISP	The pending or disposal (i.e. P or D) value is invalid.
610	INVALID_LITIGANT_NAME	The litigant's name is invalid.
606	INVALID_REG_YEAR	The Case registration year is invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

5.9 Search by FIR Number API

API provides list of cases from a court establishment matching the Police Station and FIR Number. Input for this API is the **Establishment Code, Police Station Code, FIR Number, FIR Year** and other details.

5.9.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-fir-number/firNumber?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

5.9.2 HTTP Method *GET*

5.9.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code , police_station_code , fir_no , fir_year
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0" .

5.9.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(est_code=value| police_station_code=value|fir_no=value| fir_year=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	police_station_code	M	Integer value (ex. 15) of the police station. This value police_station_code can be obtained using Police Station Master API.
3	fir_no	M	Integer value with max length of 7 digits
4	fir_year	M	4 digit integer value (ex 2019). i.e. FIR Year of the case.

5.9.5 Response

As shown in Annexure "B"

5.9.6 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
611	INVALID_POLICE_STATION_CODE	The Police station code is invalid.
612	INVALID_FIR_NO	The FIR number is invalid.
613	INVALID_FIR_YEAR	The FIR year is invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

5.10 Search by Advocate Name API

API provides list of cases from a court establishment matching name of the Advocate. Input for this API is **Establishment Code, Advocate's Name, Case Registration Year, Status of the Case (Pending or Disposed)** and other details. The Advocate's name may be petitioner's advocate name or respondent's advocate name or an extra party advocate name. The search string for advocate name may consist of full name of the Advocate or even few characters (minimum 3) for searching.

5.10.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-advocate-name-api/advocateName?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

5.10.2 HTTP Method **GET**

5.10.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code,pend_disp,advocate_name,reg_year.
2	dept_id	M	N	Department ID same as

				Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0".

5.10.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str=encrypted(est_code=value|pend_disp=value|advocate_name=value|reg_year=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	pend_disp	M	Character value 'P' or 'D'. P for pending cases and D for disposed cases
3	advocate_name	M	Character string with maximum length 99. Minimum length of 3 characters is mandatory.
4	reg_year	M	4 digit integer value (ex 2019). i.e. Registration Year of the case.

5.10.5 Response

As shown in Annexure "B"

5.10.6 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
609	INVALID_PEND_DISP	The pending or disposal (i.e. P or D) value is invalid.
614	INVALID_ADVOCATE_NAME	The litigant's name is invalid.
606	INVALID_REG_YEAR	The Case registration year is invalid.

626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

5.11 Search by Advocate Bar Registration Number API

API provides list of cases from a court establishment for a given Advocate Registration number. Input for this API is **Establishment Code, Advocate's Bar Registration Year, Case Registration Year, Status of the Case (Pending or Disposed)** and other details. The Advocate may be petitioner's advocate or respondent's advocate or an extra party advocate. The search string for advocate bar registration number shall be input in the format state characters-bar registration number-registration year (ex. MAH-1430-1989).

5.11.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-advocate-bar-reg-api/advocateBarReg?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

5.11.2 HTTP Method **GET**

5.11.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code,pend_disp,advocate_bar_reg_no,reg_year.
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, which is v1.0.

5.11.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(est_code=value|pend_disp=value|advocate_bar_regn_no=value|reg_year=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	pend_disp	M	Character value 'P' or 'D'. P for pending cases and D for disposed cases
3	advocate_bar_regn_no	M	Character string with maximum length 13. Format of the string is 3Characters for state-6 digit number-4digit year(MAH-NNNNNN-YYYY).
4	reg_year	M	4 digit integer value (ex 2019). i.e. Registration Year of the case.

5.11.5 Response

As shown in Annexure “B”

5.11.6 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
609	INVALID_PEND_DISP	The pending or disposal (i.e. P or D) value is invalid.
615	INVALID_ADVOCATE_BAR_REGN_NO	The Advocate's Bar Registration Number is invalid.
606	INVALID_REG_YEAR	The Case registration year is invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

5.12 Search by Act API

API provides list of cases from a court establishment matching the Act. Input for this API is **Establishment Code, National Act Code, Case Registration Year, Status of the Case (Pending or Disposed)** and other details.

5.12.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-act-api/act?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

5.12.2 HTTP Method *GET*

5.12.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code,pend_disp,national_act_code,reg_year .
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0" .

5.12.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str=encrypted(est_code=value|pend_disp=value|national_act_code=value|reg_year=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	pend_disp	M	Character value 'P' or 'D'. P for pending cases and D for disposed cases
3	national_act_code	M	e-Committee has provided 14 digits National Act Codes for Acts. Same may be used (eg. 18600450099001 is the national act code for Indian Penal Code) . This code can be obtained using Act Master API.

4	reg_year	M	4 digit integer value (ex 2019). i.e. Registration Year of the case.
---	----------	---	--

5.12.5 Response

As shown in Annexure “B”

5.12.6 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
609	INVALID_PEND_DISP	The pending or disposal (i.e. P or D) value is invalid.
617	INVALID_NATIONAL_ACT_CODE	The National Act Code is invalid.
606	INVALID_REG_YEAR	The Case registration year is invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

5.13 Filing Date API

API provides list of cases filed in an establishment of a district and the subordinate courts from the given **Filing date** till the **Current Date**. Input for this API is **Establishment Code** and **Date of Filing**.

5.13.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-filing-date-api/filing_causelist?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

5.13.2 HTTP Method **GET**

5.13.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code,date_of_filing .
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0" .

5.13.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str=encrypted(est_code=value|date_of_filing=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	Date_of_filing	M	Filing date in yyyy-mm-dd format.

5.13.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

5.13.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description	Privacy Concern
establishment_name	District and Sessions Court, Aurangabad	Establishment Name	
casenos		Nested response for cases within stage	
case1			
cino	MHAU010035092020	Cino number	
fil_type_name	Sessions Case	Filing case type name	
fil_no	2100	Filing Number	
fil_year	2020	Filing year	
date_of_decision			
date_of_filing	2020-09-07	Date of Filing	
date_first_list			
date_next_list			
date_last_list			
dt_regis			
case_no			
filing_no	201500021002020	Filing Numers	
pend_disp	P		
pet_name	State of Maharashtra	Petitioner Name	Petitioner name is masked
res_name	Vijay Machindranath Tongire	Respondent Name	Respondent name is masked
Case2			
cino	MHAU010035092020	Cino number	
fil_type_name	Sessions Case	Filing case type name	
fil_no	2101	Filing Number	
fil_year	2020	Filing year	
date_of_decision			
date_of_filing	2020-09-07	Date of Filing	
date_first_list			
date_next_list			
date_last_list			
dt_regis			
case_no			
filing_no	201500021012020	Filing Numers	

pend_disp	P		
pet_name	State of Maharashtra	Petitioner Name	Petitioner name is masked
res_name	Jaishree Sandip Sadawarte	Respondent Name	Respondent name is masked

5.13.7 Sample Response

```
{
  "establishment_name": "District and Sessions Court, Aurangabad",
  "casenos": {
    "case1": {
      "cino": "MHAU010035092020",
      "fil_type_name": "Sessions Case",
      "fil_no": "2100",
      "fil_year": "2020",
      "date_of_decision": "",
      "date_of_filing": "2020-09-07",
      "date_first_list": null,
      "date_next_list": null,
      "date_last_list": null,
      "dt_regis": null,
      "case_no": null,
      "filing_no": "201500021002020",
      "pend_disp": "P",
      "pet_name": "State of Maharashtra",
      "res_name": "Vijay Machindranath Tongire"
    },
    "case2": {
      "cino": "MHAU010035102020",
      "fil_type_name": "Sessions Case",
      "fil_no": "2101",
      "fil_year": "2020",
      "date_of_decision": "",
      "date_of_filing": "2020-09-07",
      "date_first_list": null,
      "date_next_list": null,
      "date_last_list": null,
      "dt_regis": null,
      "case_no": null,
      "filing_no": "201500021012020",
      "pend_disp": "P",
      "pet_name": "State of Maharashtra",
      "res_name": "Jaishree Sandip Sadawarte"
    }
  }
}
```

5.13.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
636	INVALID_FILING_DATE	Filing date is not in correct format or not valid.
635	GIVEN_DATE_GREATER_THAN_8_DAYS	Filing Date qual to 8 days.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

5.14 Registration Date API

API provides list of cases filed in an establishment of a district and the subordinate courts from the given **Registration date** till **Current Date**. Input for this API is **Establishment Code** and **Date of Registration**.

5.14.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-register-date-api/register_causelist?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

5.14.2 HTTP Method **GET**

5.14.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code,date_of_reg.
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0" .

5.14.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str=encrypted(est_code=value|date_of_reg=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	Date_of_reg	M	Registration date in yyyy-mm-dd format.

5.14.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

5.14.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description	Privacy Concern
establishment_name	District and Sessions Court, Aurangabad	Establishment Name	
casenos		Nested response for cases within stage	
case1			
cino	MHAU010033222020	Cino number	
reg_type_name	Spl.Case	Registration type name	
reg_no	316	Registration number	
reg_year	2020	Registration Year	
fil_type_name	Spl.Case	Filing case type name	
fil_no	2009	Filing Number	
fil_year	2020	Filing year	
date_of_decision			
date_of_filing	2020-08-27	Date of Filing	
date_first_list	2020-09-07		
date_next_list	2020-10-05		
date_last_list	2020-09-07		
dt_regis	2020-09-07		
case_no	201600003162020		
filing_no	201600020092020	Filing Numers	
pend_disp	P		
pet_name	State of Maharashtra	Petitioner Name	Petitioner name is masked
res_name	Shaikh Azharuddin @ Bablu Shaikh Shamshoddin	Respondent Name	Respondent name is masked
Case2			
cino	MHAU010033622020	Cino number	
reg_type_name	Spl.Case	Registration type name	
reg_no	318	Registration number	
reg_year	2020	Registration Year	
fil_type_name	Spl.Case	Filing case type name	
fil_no	2032	Filing Number	
fil_year	2020	Filing year	
date_of_decision			
date_of_filing	2020-08-29	Date of Filing	

date_first_list	2020-09-07		
date_next_list	2020-09-24		
date_last_list	2020-09-07		
dt_regis	2020-09-07		
case_no	201600003182020		
filing_no	201600020322020	Filing Numers	
pend_disp	P		
pet_name	State of Maharashtra	Petitioner Name	Petitioner name is masked
res_name	Rajendra Devrao Sultane	Respondent Name	Respondent name is masked

5.14.7 Sample Response

```
{
  "establishment_name": "District and Sessions Court, Aurangabad",
  "casenos": {
    "case1": {
      "cino": "MHAU010033222020",
      "type_name": "Spl.Case",
      "reg_no": "316",
      "reg_year": "2020",
      "fil_type_name": "Spl.Case",
      "fil_no": "2009",
      "fil_year": "2020",
      "date_of_decision": "",
      "date_of_filing": "2020-08-27",
      "date_first_list": "2020-09-07",
      "date_next_list": "2020-10-05",
      "date_last_list": "2020-09-07",
      "dt_regis": "2020-09-07",
      "case_no": "201600003162020",
      "filing_no": "201600020092020",
      "pend_disp": "P",
      "pet_name": "State of Maharashtra",
      "res_name": "Shaikh Azharuddin @ Bablu Shaikh
Shamshoddin"
    },
    "case2": {
      "cino": "MHAU010033622020",
      "type_name": "Spl.Case",
      "reg_no": "318",
      "reg_year": "2020",
      "fil_type_name": "Spl.Case",
      "fil_no": "2032",
      "fil_year": "2020",

```

```

    "date_of_decision": "",
    "date_of_filing": "2020-08-29",
    "date_first_list": "2020-09-07",
    "date_next_list": "2020-09-24",
    "date_last_list": "2020-09-07",
    "dt_regis": "2020-09-07",
    "case_no": "201600003182020",
    "filing_no": "201600020322020",
    "pend_disp": "P",
    "pet_name": "State of Maharashtra",
    "res_name": "Rajendra Devrao Sultane"
  }}}

```

5.14.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
636	INVALID_REGISTRATION_DATE	Registration date is not in correct format or not valid.
635	GIVEN_DATE_GREATER_THAN_8_DAYS	Registration Date qual to 8 days.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

6 Land And Property Card API

6.1 Land Survey API

API provides list of land survey cases. Input for this API is **State Code, District Code, Lg or Census Flag, Consume Date**.

6.1.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-land-survey-details-api/landSurveyDetails?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

6.1.2 HTTP Method **GET**

6.1.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of state_code,dist_code,lg_census_flag,consume_date
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0" .

6.1.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str=encrypted(state_code=value|dist_code=value|lg_census_flag=value|consume_date=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	state_code	M	State census code
2	dist_code	M	District census code OR Lg Directory Code
3	lg_census_flag	M	Flag is C Or L. C for Census code and L for Lg Directory code
4	consume_date	M	datetime

6.1.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

6.1.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
state_code	27	Census state code
dist_code	511	Census Or Lg Directory Code
land_details		Nested response for cases within stage
cino	MHAU010033222020	Cino number
	MHAU010033222020	
item_no	1	Item no
Khata_number	2202	Khata number
area	1.0100	Land Area
survey_no	55/B/1/1	Land survey number
party_name	संदीप गिरमाजी येलतवार	Party Name
item_no	1	Item no
Khata_number	442	Khata number
area	0.6600	Land Area
survey_no	352	Land survey number
party_name	संदीप गिरमाजी येलतवार	Party Name

6.1.7 Sample Response

```
{
  "state_code": "27",
  "dist_code": "511",
  "land_details": [{
    "cino": "MHND020001282021",
    "MHND020001282021": [{
      "item_no": 1,
      "khata_number": "2202",
      "area": "1.0100",
      "survey_no": "55/B/1/1",
      "party_name": "संदीप गिरमाजी येलतवार"
    }],
  }],
}
```

```

        "item_no": 1,
        "khata_number": "442",
        "area": "0.6600",
        "survey_no": "352",
        "party_name": "संदिप गिरमाजी येलतवार"
    }
}
}

```

6.1.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
624	INVALID_STATE_CODE	The State Code is Invalid
625	INVALID_DIST_CODE	The District Code is Invalid
645	INVALID_LG_CENSUS_FLAG	The Census Code is Invalid
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

6.2 Property Card API

This API is used to search if any case is filed against a urban property and returns case CNR number. Further, the CNR number API can be used to get the details of the case. The API operates in three modes – it can either be called by sending state code and property card number OR by sending state code, district code, taluka code, village code, office code and cts number OR by sending state code, district code, consume_date. It will return property card details like state, district, taluka, village, office and cts number along with CNR number.

6.2.1 URL STRUCTURE

```

https://delhigw.napix.gov.in/nic/ecourts/dc-property-card-details-
api/propertyCardDetails?dept_id=dept_id&request_str=request_str&reque
st token=request token&version=version

```

6.2.2 HTTP Method **GET**

6.2.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key-values specified in any one mode <u>Mode 1</u> state_code, property_card_no <u>Mode 2</u> state_code, district_code, taluka_code, village_code, office_code, cts_no <u>Mode 3</u> state_code, district_code, consume_date
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0"

6.2.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case key-value pair is to be passed as

Mode 1

request_str= encrypted(state_code=value|property_card_no=value)

Mode 2

request_str=

encrypted(state_code=value|district_code=value|taluka_code=value|village_code=value|office_code=value|cts_no=value)

Mode 3

request_str= encrypted(state_code=value|district_code=value|consume_date=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
<i>Mode 1</i>			
1	state_code	M	2 digit state code.
2	property_card_no	M	16 digit Property Card Number.
<i>Mode 2</i>			
1	state_code	M	2 digit state code.
2	district_code	M	3 digit district code.
3	taluka_code	M	2 digit taluka code.
4	village_code	M	10 digit village code.
5	office_code	M	4 digit office code.
6	cts_no	M	3 digit cts number.
<i>Mode 3</i>			
1	state_code	M	2 digit state code.
2	district_code	M	3 digit district code.
3	consume_date	M	datetime

6.2.5 Response

JSON response contains following parameters.

4. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
5. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
6. **version**: Contains version of API.

6.2.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
property_card_details		
cino	MHAU010040082014	16 digit unique CNR number of case
district_code	515	District code
district_name	□□□□□□□□	District Name
taluka_code	1	Taluka Code
taluka_name	□□□□□	Taluka Name
village_code	1901003100	Village Code
village_name	□□□□□	Village Name
office_code	1901	Office Code
office_name	□□ □□□□□□□□ □□□□ □□□□□□ □□□□□	Office Name

property_card_number	1901100001453296	Property card number
cts_no	201	CTS Number
cino	MHAU010074502018	16 digit unique CNR number of case
district_code	515	District code
district_name	□□□□□□□□	District Name
taluka_code	1	Taluka Code
taluka_name	□□□□□	Taluka Name
village_code	1901003100	Village Code
village_name	□□□□□	Village Name
office_code	1901	Office Code
office_name	□□ □□□□□□□ □□□□ □□□□□□ □□□□□	Office Name
property_card_number	1901100001453296	Property card number
cts_no	201	CTS Number

6.2.7 Sample Response

```
{
  "property card details": [{
    "cino": "MHAU010040082014",
    "district_code": 515,
    "district_name": "□□□□□□□□",
    "taluka_code": 1,
    "taluka_name": "□□□□□",
    "village_code": "1901003100",
    "village_name": "□□□□□",
    "office_code": "1901",
    "office_name": "□□ □□□□□□□ □□□□ □□□□□□ □□□□□",
    "property_card_number": "1901100001453296",
    "cts_no": "201"
  }, {
    "cino": "MHAU010074502018",
    "district_code": 515,
    "district_name": "□□□□□□□□",
    "taluka_code": 1,
    "taluka_name": "□□□□□",
    "village_code": "1901003100",
    "village_name": "□□□□□",
    "office_code": "1901",
    "office name": "□□ □□□□□□□ □□□□ □□□□□□ □□□□□",
    "property card number": "1901100001453296",
    "cts_no": "201"
  }]
}
```

6.2.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
624	INVALID_STATE_CODE	The state code is invalid.
625	INVALID_DIST_CODE	The district code is invalid.
641	INVALID_TALUKA_CODE	The taluka code is invalid.
642	INVALID_VILLAGE_CODE	The village code is invalid.
643	INVALID_OFFICE_CODE	The office code is invalid.
644	INVALID_CTN_CODE	The CTS code is invalid.
640	INVALID_PROPERTY_CARD_NO	The property card number invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

7 CauseList API

7.1 CauseList API

API provides cases listed (CauseList) on a particular date from a court establishment for a given Court Number. Input for this API is **Establishment Code, Court Number, Cause List Date** and other details. The format of Cause List may vary from State to State. Sequence of cases is provided in the API, however it is advisable to cross check the cause list vis-à-vis as available on the services.ecourts.gov.in portal or mobile app for better understanding and accuracy and refer the cause list available on the portal.

7.1.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-causelist-  
api/causelist?dept_id=dept_id&request_str=request_str&request_token=r  
equest_token&version=version
```

7.1.2 HTTP Method *GET*

7.1.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code, court_no,causelist_date, ci_cri.
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0" .

7.1.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(est_code=value|court_no=value|causelist_date=value |ci_cri=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	court_no	M	2 digit court number for which the cause list is to be generated.
3	causelist_date	M	Cause list date in yyyy-mm-dd format.
4	ci_cri	M	2 for civil and 3 for criminal

7.1.5 Response

JSON response contains following parameters.

4. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
5. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
6. **version**: Contains version of API.

7.1.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description	Privacy Concern
desgname	Adhoc District Judge-2 Asst. Sessions Judge Abad.	Designation of the Judge	
cases		Nested response for cases within stage	
case1			
sr_no	1	Serial Number of the Case	
case_number	R.C.A./0100047/2012 or IA in R.C.S/100025/2013	Case Number will be shown. If Case is not listed and individual IA is listed instead of Case "IA in respective Case Number" will be shown.	
cause_title	Megha Kishor Mahajan Vs Kishor Arvind Mahajan	Petitioner Vs Respondent	Names of Petitioner and Respondent is masked
main_advocate_names	Adv. Ramesh Jadhav Vs Adv. Ganesh Patil	Petitioners Advocate Vs. Respondents Advocate	
purpose_name	Hearing	Stage/Purpose of the case	
urgent	Y	Y/N will be shown. Y means case is marked as urgent	

time_slot	3-5	Time slot will be shown if provided in the cause list	
ias		Nested response for IAs filed in the case	
ia_number1	IA/00002/2019		

7.1.7 Sample Response

```
{
  "desgname": "Principal District and Sessions Judge, Abad.",
  "cases": {
    "case1": {
      "sr_no": 1,
      "case_number": "R.C.A./100061/2013",
      "cause_title": "Gulab Ghanasaram Marmat Vs Chattrasing
Ghanasaram Marmat Pardesi",
      "main_advocate_names": "Thole V.I. Vs Bharuka M.C.",
      "purpose_name": "Appearance",
      "urgent": "N",
      "time_slot": "Morning Session",
      "ias": {
        "ia_number1": "IA/00002/2019",
        "ia_number2": "IA/00003/2019"
      }
    },
    "case2": {
      "sr_no": 2,
      "case_number": "Reg Dkst/2016/2018",
      "cause_title": "Shriram City Union Finance Ltd., Vs Kishor
Sakhahari Sapkal",
      "main_advocate_names": "Sadawarte V.K. Vs ",
      "purpose_name": "Appearance",
      "urgent": "N",
      "time_slot": "",
      "ias": {
        "ia_number1": "IA/00002/2019",
        "ia_number2": "IA/00003/2019"
      }
    },
    "case3": {
      "sr_no": 3,
      "case_number": "Reg Dkst/2031/2018",
      "cause_title": "Maharashtra Stae Financial Corporation Vs
Bhulesh Gopichand Kirad",
      "main_advocate_names": "Gangtire V.Y. Vs ",
      "purpose_name": "Appearance",
      "urgent": "N",

```

```

        "time_slot":"","
        "ias":{
            "ia_number1":"IA/00002/2019",
            "ia_number2":"IA/00003/2019"
        }
    },
    "case4":{
        "sr_no":4,
        "case_number":"Reg Dkst/2033/2018",
        "cause_title":"Axis Bank Ltd., Vs Dnyaneshwar Dattu Ingale",
        "main_advocate_names":"Ghanekar M.P. Vs ",
        "purpose_name":"Steps_Unready",
        "urgent":"N",
        "time_slot":"","
        "ias":{
            "ia_number1":"IA/00002/2019",
            "ia_number2":"IA/00003/2019"
        }
    },
    "case5":{
        "sr_no":5,
        "case_number":"R.C.A./56/2016",
        "cause_title":"Ramesh Ramchandra Mahajan Vs Secretary,
Public Works Dept.",
        "main_advocate_names":" Vs Deshpande A.S.",
        "purpose_name":"Preparation of Paper Book",
        "urgent":"N",
        "time_slot":"","
        "ias":{
            "ia_number1":"IA/00002/2019",
            "ia_number2":"IA/00003/2019"
        }
    },
    "case6":{
        "sr_no":6,
        "case_number":"300000022019 in R.C.A./100061/2013",
        "cause_title":"Gulab Ghanasaram Marmat Vs Chattrasing
Ghanasaram Marmat Pardesi",
        "main_advocate_names":"Thole V.I. Vs Bharuka M.C.",
        "purpose_name":"Arguments",
        "urgent":"N"
    },
    "case7":{
        "sr_no":7,
        "case_number":"300000032019 in R.C.A./100061/2013",
        "cause_title":"Gulab Ghanasaram Marmat Vs Chattrasing
Ghanasaram Marmat Pardesi",
        "main_advocate_names":"Thole V.I. Vs Bharuka M.C.",
        "purpose_name":"Awaiting Report of Commissioner",

```

```

    "urgent": "N"
  }
}
}

```

7.1.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
618	INVALID_COURT_NO	The Court Number is invalid. The Court number is not in the prescribed format.
616	INVALID_CAUSELIST_DATE	Causelist date is not in correct format or not valid.
630	INVALID_CI_CRI	Invalid Civil Or Criminal Flag
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

7.2 Advocate wise Cause List API

API provides cases listed on a particular date from a court establishment for a given Advocate Bar Registration Number. Input for this API is **Establishment Code**, **Advocate's Bar Registration Number**, **Cause List Date** and other details. The Advocate may be petitioner's advocate or respondent's advocate or an extra party advocate.

7.2.1 URL STRUCTURE

```

https://delhigw.napix.gov.in/nic/ecourts/dc-advocate-causelist-
api/advocateCauselist?dept_id=dept_id&request_str=request_str&request
_token=request_token&version=version

```

7.2.2 HTTP Method **GET**

7.2.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code, advocate_bar_regn_no,causelist_date.
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure ‘A’
4	version	M	N	It contains value of the API version, e.g. “ v1.0 ”.

7.2.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(est_code=value|advocate_bar_regn_no=value|causelist_date=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	advocate_bar_regn_no	M	Character string with maximum length 13. Format of the string is 3Characters for state-6 digit number-4digit year (MAH-NNNNNN-YYYY).
3	causelist_date	M	Cause List date in the format (yyyy-mm-dd)

7.2.5 Response JSON

JSON key	Sample Response	Description	Privacy Concern
establishment_name	District and Sessions Court,Aurangabad	Court Establishment Name	
casenos		Nested response for more than one cases.	
case1		1 st Case details	
cino	MHAU010000142017	CNR Number of the case	

type_name	Civil M.A.	Case Type of the Case	
reg_no	1	Registration Number	
reg_year	2017	Registration Year	
pet_name	Sayyed Abed Sayyed Hussain	Petitioner Name	Petitioner name is masked
res_name	Shaikh Usman Shaikh Mehbub	Respondent Name	Respondent name is masked
court_no	1	Court number	
jo_code	12	Judge Code	
judge_name	SHRI P.H. MALI	Judge Name	
desgname	Principal District and Sessions Judge, Abad.	Designation of Judge	
desg_code	1	Designation Code	

7.2.6 Sample Response

```
{
  "establishment_name":"District and Sessions Court, Aurangabad",
  "casenos":{
    "case1":{
      "cino":"MHAU010034842010",
      "type_name":"MACP. M.A.",
      "reg_no":"100184",
      "reg_year":"2010",
      "pet_name":"Vijaymala Dnyeshwar Wahul",
      "res_name":"Indramani Rahunath Yadav",
      "court_no":"1",
      "jo_code":"12",
      "judge_name":"SHRI P.H. MALI",
      "desgname":"Principal District and Sessions Judge, Abad.",
      "desg_code":"1"
    }
  }
}
```

7.2.7 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
615	INVALID_ ADVOCATE_BAR_REGN_NO	The Advocate's Bar Registration Number is invalid.
616	INVALID_CAUSELIST_DATE	The Cause List Date is invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

8 Caveat Search APIs

8.1 Search by Caveator/Caveatee Name

API provides list of Caveats from a court establishment matching name of the party. Input for this API is **Establishment Code, Party Name, Search type** and other details. Search type parameter provides facility to search the name string anywhere (A) or starting with (S) with the input characters. The list also includes matched case numbers along with the Caveats.

8.1.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-caveat-name-  
api/caveatName?dept_id=dept_id&request_str=request_str&request_token=  
request_token&version=version
```

8.1.2 HTTP Method *GET*

8.1.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code,caveat_party_name,search_type
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0".

8.1.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(est_code=value|caveat_party_name=value|search_type)

Sr. No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	caveat_party_name	M	Character string with maximum length 99. Minimum length of 3 characters is mandatory.
3	search_type	M	Single character to define type of search. 'A' anywhere, 'S' starting with

8.1.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

8.1.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description	Privacy Concern
Caveat		Nested response for caveats matching the name	
caveat1		1 st Caveat	
caveat_no	1	Caveat Registration Number	
caveat_year	2019	Caveat Registration Year	
matched_case_no	M.C.A./16/2019	Matched Case Number	
caveat_filing_date	01-01-2019	Filing Date	
caveator_caveatee_details	Asaram Laxman Kamthe Vs Anna Laxman Kamthe	Caveator OR Caveatee Name	Caveator and Caveatee name is masked
caveat_code	10000000012019	Caveat number	
caveat2		2 nd Caveat	

8.1.7 Sample Response

```
{
  "caveat": {
    "caveat1": {
      "caveat_no": "251",
      "caveat_year": "2018",
      "matched_case_no": "",
      "caveat_filing_date": "2018-11-13",
      "caveator_caveatee_details": "Ramesh Krishnaji Kulkarni VS Bhalchandra Kushnaji Kulkarni",
      "caveat_code": "100000002512018"
    },
  },
}
```

```

"caveat2": {
  "caveat_no": "303",
  "caveat_year": "2018",
  "matched_case_no": "",
  "caveat_filing_date": "2018-12-18",
  "caveator_caveatee_details": "Ramu Ambadas Nagre VS Uttam
Kondiba Sonwane",
  "caveat_code": "100000003032018"
}
}
}

```

8.1.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
619	INVALID_CAVEAT_PARTY_NAME	The Caveator's or Caveatee's name is invalid.
620	INVALID_SEARCH_TYPE	Search value provided is invalid
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

8.2 Search by Caveat Number API

API provides list of Caveats from a court establishment matching the Caveat registration number. Input for this API is **Establishment Code**, **Caveat Registration Number**, **Caveat Registration Year** and other details.

8.2.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-caveat-number-  
api/caveatNumber?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

8.2.2 HTTP Method **GET**

8.2.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code,caveat_no,caveat_year
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0" .

8.2.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(est_code=value|caveat_no=value|caveat_year=value)

Sr. No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	caveat_no	M	7 digit Caveat Registration Number.
3	caveat_year	M	Caveat Registration Year

8.2.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

8.2.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description	Privacy Concern
caveat_no	1	Caveat Registration Number	
caveat_year	2019	Caveat Registration Year	
matched_case_no	M.C.A./16/2019	Matched Case Number	
caveat_filing_date	01-01-2019	Filing Date	
caveator_caveatee_details	Asaram Laxman Kamthe Vs Anna Laxman Kamthe	Caveator OR Caveatee Name	Caveator and Caveatee name is masked
caveat_code	100000000012019	Caveat Code	

8.2.7 Sample Response

```
{
  "caveat": {
    "caveat1": {
      "caveat_no": "251",
      "caveat_year": "2018",
      "matched_case_no": "",
      "caveat_filing_date": "13-11-2018",
      "caveator_caveatee_details": "Ramesh Krishnaji Kulkarni VS Bhalchandra Kushnaji Kulkarni",
      "caveat_filing_date": "13-11-2018",
      "caveat_code": "100000002512018"
    }
  }
}
```

8.2.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
621	INVALID_CAVEAT_NO	The Caveat Registration Number is invalid.
622	INVALID_CAVEAT_YEAR	Caveat Registration Year is invalid.
626	INVALID_TOKEN	The Token is invalid.
627	INVALID_DEPT_ID	The Department id is invalid.
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive.
632	INVALID_VERSION	Invalid version of API

8.3 Caveat History API

API provides complete history of the caveat from a court establishment matching the Caveat Code. Input for this API is **Establishment Code**, **Caveat Code** and other details. Every Caveat has a unique 15 digit Caveat Code within the establishment. This unique code can be retrieved by accessing Caveat using Caveat Search by party name or Caveat Registration Number API.

8.3.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-caveat-details-api/caveatDetails?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

8.3.2 HTTP Method *GET*

8.3.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code,caveat_code
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. “v1.0” .

8.3.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(est_code=value|caveat_code=value)

Sr. No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	caveat_code	M	15 digits Caveat Code.

8.3.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

8.3.6 Response JSON (after decrypting response_str)

Json key	value	Description	Privacy Concern
caveat_details			
caveat_no	1	Caveat Number	
caveat_year	2019	Caveat Registration Year	
cnr_no	MHAU01-C00002-2019	Matched Case CNR	
subject			
caveat_filing_date	2018-11-13		
time_of_filing	18:16:41	Caveat Number	
matched_case_no	M.C.A./36/2019	Matched Case Number	
caveator_details			
caveator_name	Priti Ashtabhujanath Tripathi		Caveator name is masked
caveator_add	Aurangabad		
caveatee_details			
caveatee_name	Sushila		Caveatee name is

	Ghanshyam Dongre		masked
caveatee_add	Aurangabad		
extra_party_caveator			
extra_party_caveator1			
extra_caveator_name	Lekhita Gopal Purushottam		Extra Party names of Caveator name is masked
extra_caveator_add	Akola		
extra_party_caveator2			
extra_caveator_name	Lekhita Gopal Purushottam		Extra Party names of Caveator name is masked
extra_caveator_add	Akola		
extra_party_caveatee			
extra_party_caveatee1			
extra_caveatee_name	Ashok Krushnaji Kulkarni		Extra Party names of Caveator name is masked
extra_caveatee_add	Aurangabad		
extra_party_caveatee2			
extra_caveatee_name	Vijay Krishnaji Kulkarni		Extra Party names of Caveator name is masked
extra_caveatee_add	Aurangabad		
subordinate_info			
state_name	MAHARASHTRA		
dist_name	Aurangabad		
subordinate_name	5th Jt. Civil Judge S.D. Aurangabad.		
case_number	Spl.C.S./0000283/2016		
lcourt_decision_date	2018-12-31		

8.3.7 Sample Response

```
{
  "caveat_details": {
    "caveat_no": "0000251",
    "caveat_year": "2018",
    "cnr_no": "MHAU01-C01504-2018",
    "subject": "",
    "caveat_filing_date": "2018-11-13",
    "time_of_filing": "18:15:03",
    "matched_case_no": ""
  },
  "caveator_details": {
    "caveator_name": "Ramesh Krishnaji Kulkarni",
    "caveator_add": ""
  },
  "caveatee_details": {
    "caveatee_name": "Bhalchandra Kushnaji Kulkarni",
    "caveatee_add": ""
  },
  "extra_party_caveator": {
    "extra_party_caveator1": {
      "extra_caveator_name": "Rajesh Ramesh Kulkarni",
      "extra_caveator_add": "Aurangabad."
    },
    "extra_party_caveator2": {
      "extra_caveator_name": "Jotsana Jaybant Devdhar",
      "extra_caveator_add": "Aurangabad."
    }
  },
  "extra_party_caveatee": {
    "extra_party_caveatee1": {
      "extra_caveatee_name": "Ashok Krushnaji Kulkarni",
      "extra_caveatee_add": "Aurangabad."
    },
    "extra_party_caveatee2": {
      "extra_caveatee_name": "Vijay Krishnaji Kulkarni",
      "extra_caveatee_add": "Aurangabad."
    }
  },
  "subordinate_info": {
    "state_name": "MAHARASHTRA",
    "dist_name": "Aurangabad",
    "subordinate_name": "Jt. Civil Judge S.D. Aurangabad",
    "case_number": "Spl.C.S./0000285/2012",
    "lcourt_decision_date": ""
  }
}
```

8.3.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
623	INVALID_CAVEAT_CODE	15 digits Caveat Code.
626	INVALID_TOKEN	The Token is invalid.
627	INVALID_DEPT_ID	The Department id is invalid.
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive.
632	INVALID_VERSION	Invalid version of API

9 Establishment APIs

9.1 State Master API

API provides list of the states and relevant **state codes** used in the eCourts project for further accessing relevant APIs. This API doesn't require any input string and can just be connected using dept_id & token to get the list of the states.

9.1.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-state-api/state?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

9.1.2 HTTP Method *GET*

9.1.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	dept_id	M	N	Department ID same as Subscriber User Name
2	request_str	M	Y	No Request String variable.(eg. request_str="")
2	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
3	version	M	N	It contains value of the API version, e.g. "v1.0".

9.1.4 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

9.1.5 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
state		Nested response for states
state1		1 st state
state_code	28	State Code
state_name	Andaman and Nicobar	State Name

state2		
state_code	1	State Code
state_name	Maharashtra	State Name

9.1.6 Sample Response

```
{
  "state": {
    "state1": {
      "state_code": 28,
      "state_name": "Andaman and Nicobar"
    },
    "state2": {
      "state_code": 1,
      "state_name": "Maharashtra"
    }
  }
}
```

9.1.7 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
626	INVALID_TOKEN	The Token is invalid.
627	INVALID_DEPT_ID	The Department id is invalid.
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive.
632	INVALID_VERSION	Invalid version of API

9.2 District Master API

API provides list of the Districts and relevant **District codes** pertaining to the given state used in the eCourts project for further accessing relevant APIs. Input for this API is **State Code** and other details. District Codes can be used to access the court complexes and court establishments.

9.2.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-district-  
api/district?dept_id=dept_id&request_str=request_str&request_token=re  
quest_token&version=version
```

9.2.2 HTTP Method *GET*

9.2.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of state_code
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure ‘A’
4	version	M	N	It contains value of the API version, e.g. “ v1.0 ”.

9.2.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(state_code=value)

Sr. No.	Element	Mandatory (M) / Optional (O)	Description
1	state_code	M	2 digit state code retrieved from State Master.

9.2.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

9.2.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
district		Nested response for Districts within the state
district1		1 st district
dist_code	27	District Code
dist_name	Pune	District Name
district2		2 nd district
dist_code	19	District Code
dist_name	Aurangabad	District Name

9.2.7 Sample Response

```
{
  "district": {
    "district1": {
      "dist_code": 26,
      "dist_name": "Ahmednagar"
    },
    "district2": {
      "dist_code": 19,
      "dist_name": "Aurangabad"
    }
  }
}
```

9.2.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
624	INVALID_STATE_CODE	The state code is invalid.
626	INVALID_TOKEN	The Token is invalid.
627	INVALID_DEPT_ID	The Department id is invalid.
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Internal server error or service unresponsive.
632	INVALID_VERSION	Invalid version of API

9.3 Court Complex API

API provides list of the **Court Establishments** and relevant **Establishment codes** pertaining to the given District used in the eCourts project for further accessing relevant APIs. Input for this API is **State Code**, **District Code** and other details. Establishment Code retrieved using this API can be used to access the case data using various Case Search APIs.

9.3.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-court-complex-  
api/courtComplex?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

9.3.2 HTTP Method *GET*

9.3.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key-value pair of state_code, dist_code
2	dept_id	M	N	Department ID same as Subscriber User Name
3	token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. " v1.0 ".

9.3.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(state_code=value|dist_code=value)

Sr. No.	Element	Mandatory (M) / Optional (O)	Description
1	state_code	M	2 digit state code retrieved from State Master.
2	dist_code	M	2 digit district code retrieved from District Maste.

9.3.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

9.3.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
court_complex		Nested response for Court complexes within district.
complex1		1 st court complex
court_complex_name	Gangapur, Civil and Criminal Court	Court Complex Name
establishment1		Nested response for Establishments in the court complex
est_code	MHAU07	Court code
court_est_name	Civil and Criminal Court, Gangapur	Court establishment name
complex2		2 nd court complex
court_complex_name	Aurangabad, District and Sessions	
establishment1		
est_code	MHAU01	Court code
court_est_name	District and Sessions Court, Aurangabad	Court establishment name
establishment2		
est_code	MHAU02	Court code
court_est_name	Civil Court Senior Division, Aurangabad	Court establishment name
establishment3		
est_code	MHAU03	Court code
court_est_name	Chief Judicial Magistrate, Aurangabad	Court establishment name

9.3.7 Sample Response

```
{
  "complex1":{
    "court_complex_name":"Court of Civil Judge, Junior Division and
Judicial Magistrate, First Class, Gangapur",
    "establishment1":{
      "est_code":"MHAU07",
      "court_est_name":"Civil and Criminal Court, Gangapur"
    }
  },
  "complex2":{
    "court_complex_name":"Court of Civil Judge, Junior Division and
Judicial Magistrate, First Class, Kannad - 431103",
    "establishment1":{
      "est_code":"MHAU06",
      "court_est_name":"Civil and Criminal Court, Kannad"
    }
  },
  "complex3":{
    "court_complex_name":"Court of Civil Judge, Junior Division and
Judicial Magistrate, First Class, Court Campus Paithan, Paithan -
431107",
    "establishment1":{
      "est_code":"MHAU09",
      "court_est_name":"Civil and Criminal Court, Paithan"
    }
  }
}
```

9.3.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
624	INVALID_STATE_CODE	The state code is invalid.
625	INVALID_DIST_CODE	The district code is invalid.
626	INVALID_TOKEN	The Token is invalid.
627	INVALID_DEPT_ID	The Department id is invalid.
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive.
632	INVALID_VERSION	Invalid version of API

10 Master APIs

10.1 Acts Master API

Every Act is provided by unique **National Act Code**. API provides list of the Acts and relevant National Act Codes used in the eCourts project for further accessing relevant APIs. This API doesn't require any input string and can just be connected using dept_id & token to get the list of all the Acts with the respective National Act codes.

10.1.1 URL Structure

```
https://delhigw.napix.gov.in/nic/ecourts/dc-act-master-api/actMaster?dept_id=dept_id&request_token=request_token&version=version
```

10.1.2 HTTP Method *GET*

10.1.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	dept_id	M	N	Department ID same as Subscriber User Name
2	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
3	version	M	N	It contains value of the API version, e.g. "v1.0".

10.1.4 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

10.1.5 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
act1		1 st act
national_act_code	18600450099001	National Act Code
actname	INDIAN PENAL CODE	Act
act2		2nd act

national_act_code	19590540099001	National Act Code
actname	ARMS ACT	Act

10.1.6 Sample Response

```
{
  "act1":{
    "national_act_code":"18360100000000",
    "actname":"Bengal Indigo Contracts Act"
  },
  "act2":{
    "national_act_code":"18360200000000",
    "actname":"Bengal Districts Act"
  },
  "act3":{
    "national_act_code":"18370400000000",
    "actname":"Madras Public Property Malversation Act"
  }
}
```

10.1.7 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
626	INVALID_TOKEN	The Token is invalid.
627	INVALID_DEPT_ID	The Department id is invalid.
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive.
632	INVALID_VERSION	Invalid version of API

10.2 Case Type Master API

API provides list of the Case Types (referred as **type_name**) and relevant Case Type Codes (referred as **case_type**) used in the establishment for further accessing relevant APIs. Input for this API is **Establishment Code** and other details. Type Name and Case Type retrieved using this API can be used

to access the case data using various Case Search APIs like Search by Case Registration Number, Filing Number etc.

10.2.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-casetype-master-api/casetypeMaster?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

10.2.2 HTTP Method *GET*

10.2.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. " v1.0 ".

10.2.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(est_code=value)

Sr. No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) retrived using Court Complex API

10.2.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

10.2.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
casetype1		1 st case type
case_type	46	Case Type Code
type_name	AC Cri.M.A. - Criminal Misc. Application under Prevention of Corruption Act	Case Type Name
casetype2		2nd case type
case_type	4	Case Type Code
type_name	Civil Revn. - Civil Revision Application	Case Type Name

10.2.7 Sample Response

```
{
  "casetype1":{
    "case_type":"46",
    "type_name":"AC Cri.M.A. : Criminal Misc. Application under
Prevention of Corruption Act"
  },
  "casetype2":{
    "case_type":"35",
    "type_name":"Arbitration Case : Arbitration Case"
  },
  "casetype3":{
    "case_type":"73",
    "type_name":"Arbitration R.D : Arbitration Execution Darkhast"
  },
  "casetype4":{
    "case_type":"24",
    "type_name":"Atro.Spl.Case : Special Case under Prevention of
Atrocities Act"
  }
}
```

10.2.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
626	INVALID_TOKEN	The Token is invalid.
627	INVALID_DEPT_ID	The Department id is invalid.
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive.
632	INVALID_VERSION	Invalid version of API

10.3 Police Station Master API

API provides list of the Police Stations (**police_station**) and relevant Police Station Codes (**police_station_code**) used in the establishment for further accessing relevant APIs. Input for this API is **Establishment Code** and other details. Police Station Name and Police Station Code retrieved using this API can be used to access the case data using Case Search API like Search by FIR Number etc.

10.3.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-police-station-master-api/policeStationMaster?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

10.3.2 HTTP Method *GET*

10.3.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure ‘A’
4	version	M	N	It contains value of the API version, e.g. “ v1.0 ”.

10.3.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(est_code)

Sr. No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) retrived using Court Complex API

10.3.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

10.3.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
policestation1		1 st police station
police_station_code	32	Police Station Code
police_station	AJINTHA 32	Police Station Name
policestation2		2nd police station
police_station_code	51	Police Station Code
police_station	AMBEJOGAI RURAL 51	Police Station Name

10.3.7 Sample Response

```
{
  "police_station":{
    "police_station_code":"32",
    "police_station":"AJINTHA"
  },
  "police_station1":{
    "police_station_code":"51",
    "police_station":"AMBEJOGAI RURAL"
  },
  "police_station2":{
    "police_station_code":"14",
    "police_station":"BEGUMPURA"
  }
}
```

```

    },
    "police_station3":{
        "police_station_code":"29",
        "police_station":"BIDKIN"
    }
}

```

10.3.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
626	INVALID_TOKEN	The Token is invalid.
627	INVALID_DEPT_ID	The Department id is invalid.
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive.
632	INVALID_VERSION	Invalid version of API

10.4 Court List API

API provides list of courts used in the establishment. Court Number (**court_no**), Designation of the Judge (**desgname**), Judge Name (**judge_name**), currently presiding in the establishment are retrieved for further accessing relevant APIs. Input for this API is **Establishment Code** and other details. Court List retrieved using this API can be used to access the Cause List API by giving relevant Court Number as input parameter.

10.4.1 URL STRUCTURE

```

https://delhigw.napix.gov.in/nic/ecourts/dc-court-list-
api/courtList?dept_id=dept_id&request_str=request_str&request_token=r
equest_token&version=version

```

10.4.2 HTTP Method *GET*

10.4.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair of est_code
2	dept_id	M	N	Department ID same as Subscriber User Name
3	token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. " v1.0 ".

10.4.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as **request_str= encrypted(est_code)**

Sr. No.	Element	Mandatory (M) / Optional (O)	Description
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) retrived using Court Complex API

10.4.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

10.4.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
court1		
court_no	1	Court Number
desgname	Principal District and Sessions Judge, Abad.	Court Name
judge_name	SHRI V.V. PATIL	Judge Name
court2		

court_no	2	Court Number
desgname	District Judge-12 and Addl Sessions Judge Abad	Court Name
judge_name	SMT A.S. KHADSE	Judge Name

10.4.7 Sample Response

```
{
  "court":{
    "court_no":"1",
    "desgname":"Principal District and Sessions Judge, Abad.",
    "judge_name":"SHRI P.H. MALI"
  },
  "court1":{
    "court_no":"2",
    "desgname":"District Judge-13 and Addl Sessions Judge Abad",
    "judge_name":"SMT A.S. KHADSE"
  },
  "court2":{
    "court_no":"3",
    "desgname":"District Judge-3 and Addl. Sessions Judge, Abad.",
    "judge_name":"SHRI H.S. MAHAJAN"
  }
}
```

10.4.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
626	INVALID_TOKEN	The Token is invalid.
627	INVALID_DEPT_ID	The Department id is invalid.
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive.
632	INVALID_VERSION	Invalid version of API

11 API for ICJS

11.1. Criminal Case Update Status API for ICJS

The API provides details of the **new** (flag= N) criminal cases registered in CIS after consuming the chargesheets and **updated** (flag = U) criminal cases for which chargesheets are already consumed based on State Code, Flag and Transaction Date.

11.1.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-icjs-chargesheet-status-api/chargesheetDetails?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

11.1.2 HTTP Method *GET*

11.1.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value specified state_code, flag, transaction_date
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	Version	M	N	It contains value of the API version, e.g. "v1.0" .

11.1.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str=encrypted(state_code=value|flag=value|transaction_date=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	state_code	M	Census State Code
2	flag	M	Flag (U OR N) N - New case U - Updated Case
3	transaction_date	M	Transaction Date

11.1.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

11.1.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
icjs_chargesheet_case_info		Nested response for cases within stage
police_stn_name	P.C PALLI Police Station	Police Station Name
police_national_code	2033067	Police National Code
fir_no	82	FIR Number
fir_year	2022	FIR Year
cnr	APPR120001982023	CNR Number
pet_name	The Station House Officer PC Palli PS	Petitioner Name
res_name	Kolliputi Venkata Subbaiah	Respondent Name
next_date	2023-09-12	Next hearing date
decision_date		Date of Decision
stage	SUMMONS	Stage
pending_disposed	Pending	Pending Or disposed
new_update	N	Flag value- N / U N - New Case U – Updated case
efiling_no	203306722008201	Efiling Number
police_stn_name	WOMEN PS	Police Station Name
police_national_code	2029002	Police National Code
fir_no	19	FIR Number
fir_year	20223	FIR Year
cnr	TSSN030014372023	CNR Number
pet_name	WPS Sangareddy	Petitioner Name
res_name	Santhosh kumar Jangam	Respondent Name
next_date	2023-11-08	Next hearing date
decision_date		Date of Decision
stage	APPEARANCE OF ACCUSED	Stage
pending_disposed	Pending	Pending Or disposed
new_update	N	Flag value- N / U N - New Case U – Updated case

efiling_no	202900223001901	Efiling Number
------------	-----------------	----------------

11.1.7 Sample Response

```
{
  "icjs_chargesheet_case_info": [{
    "police_stn_name": "P.C PALLI Police Station",
    "police_national_code": "2033067",
    "fir_no": "82",
    "fir_year": "2022",
    "cnr": "APPR120001982023",
    "pet_name": "The Station House Officer PC Palli PS",
    "res_name": "Kolliputi Venkata Subbaiah",
    "next_date": "2023-09-12",
    "decision_date": "",
    "stage": "SUMMONS",
    "Pending_disposed": "Pending",
    "new_update": "N",
    "efiling_no": "203306722008201"
  }, {
    "police_stn_name": "WOMEN PS",
    "police_national_code": "2029002",
    "fir_no": "19",
    "fir_year": "2023",
    "cnr": "TSSN030014372023",
    "pet_name": "WPS Sangareddy",
    "res_name": "Santhosh kumar Jangam",
    "next_date": "2023-11-08",
    "decision_date": "",
    "stage": "APPEARANCE OF ACCUSED",
    "Pending_disposed": "Pending",
    "new_update": "N",
    "efiling_no": "202900223001901"
  }]
}
```

11.1.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
624	INVALID_STATE_CODE	The state code is invalid.
680	INVALID_FLAG	The Flag is Invalid.
681	INVALID_DATE	The date is Invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

11.2. Pretrial Case Update Status API for ICJS

The API provides details of the **new** (flag= N) pretrial cases registered in CIS after consuming the FIRs and **updated** (flag = U) pretrial cases for which FIRs are already consumed based on State Code, Flag and Transaction Date.

11.2.1. URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-icjs-pretrial-case-status/icjsFirDetails?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

11.2.2. HTTP Method *GET*

11.2.3. Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value specified state_code, flag, transaction_date
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	Version	M	N	It contains value of the API version, e.g. "v1.0" .

11.2.4. Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str=encrypted(state_code=value|flag=value|transaction_date=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	state_code	M	Census State Code
2	flag	M	Flag (U OR N) N means New case, U means Updated Case
3	transaction_date	M	Transaction date

11.2.5. Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

11.2.6. Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
icjs_fir_case_info		Nested response for cases within stage
police_stn_name	SHO BOMMANAHAL P.S	Police Station Name
police_national_code	2012009	Police National Code
fir_no	233	FIR Number
fir_year	2020	FIR Year
ptn_no	APAN15P0000012020	PTN number
new_update	U	Flag value- N / U N - New Case U – Updated case
efiling_no	2012009200233	Efiling Number
econfirm	V	V - Verified case.
status	P	Status is P / R / B / A / L Where P - Police station R - Remand B – Bail A – Application L - Release

police_stn_name	SHO BOMMANAHAL P.S	Police Station Name
police_national_code	2012009	Police National Code
fir_no	231	FIR Number
fir_year	2020	FIR Year
ptn_no	APAN15P0000032020	PTN number
new_update	U	Flag value- N / U N - New Case U – Updated case
efiling_no	2012009200231	Efiling Number
econfirm	V	V - Verified case.
status	P	Status is P / R / B / A / L Where P - Police station R - Remand B – Bail A – Application L - Release

11.2.7. Sample Response

```
{
  "icjs_fir_case_info": [{
    "police_stn_name": "SHO BOMMANAHAL P.S",
    "police_national_code": "2012009",
    "fir_no": "233",
    "fir_year": "2020",
    "ptn_no": "APAN15P0000012020",
    "new_update": "U",
    "efiling_no": "2012009200233",
    "econfirm": "V",
    "status": "P"
  }, {
    "police_stn_name": "SHO BOMMANAHAL P.S",
    "police_national_code": "2012009",
    "fir_no": "231",
    "fir_year": "2020",
    "ptn_no": "APAN15P0000032020",
    "new_update": "U",
    "efiling_no": "2012009200231",
    "econfirm": "V",
    "status": "P"
  }]
}
```

11.2.8. ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
624	INVALID_STATE_CODE	The state code is invalid.
680	INVALID_FLAG	The Flag is Invalid.
681	INVALID_DATE	The date is Invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

11.3. Remand Details of Accused API

API provides remand details and bail information of accused in a FIR from a court establishment. The API operates in two modes – it can either be called by sending Establishment Code, Police Station National Code, FIR Number, FIR Year and other details OR by sending ptn_number.

11.3.1. URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-remand-bail-  
api/remandBail?dept_id=dept_id&request_str=request_str&request_token=  
request_token&version=version
```

11.3.2. HTTP Method *GET*

11.3.3. Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair specified in any one mode. <u>Mode 1</u> est_code, police_station_code, fir_no, fir_year.

				<u>Mode 2</u> ptn_number
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0"

11.3.4. Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

Mode 1

request_str= encrypted(est_code=value|police_station_code=value|fir_no=value|fir_year=value)

Mode 2

request_str= encrypted(ptn_number=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
<i>Mode 1</i>			
1	est_code	M	6 characters alphanumeric est_code (ex. MHAU01) received using Court Complex API.
2	police_station_code	M	Integer value of the police station. This value police_station_code.
3	fir_no	M	Integer value with max length of 7 digits
4	fir_year	M	4 digit integer value (ex 2019). i.e. FIR Year of the case.
<i>Mode 2</i>			
1	ptn_number	M	Alphanumeric PTN number.

11.3.5. Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

11.3.6. Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
establishment_name	District and Sessions Court, Aurangabad	Establishment Name
remand_details		
accused_name	Mohan Kumar	Accuse Name
type	PCR	Remand type
days	60	days
from_date	2021-05-28	From date
to_date	2021-07-27	To date
ptn_no	MHAU01P0000562021	Pretrial Number
accused_name	Rohan Kumar	Accuse Name
type	MCR	Remand type
days	45	days
from_date	2021-05-28	From date
to_date	2021-07-12	To date
ptn_no	MHAU01P0000562021	Pretrial Number
bail_details		
accused_name	Satish Kumar	Accuse Name
appl_date	2021-05-28	Application Date
next_date	2021-05-28	Next or Disposal date
bail_date	2021-05-28	Bail date
status	Disposed	Case status
result	GRANTED	Result
ptn_no	MHAU01P0000562021	Pretrial Number

11.3.7. Sample Response

```
{
  "establishment name": "District and Sessions Court, Aurangabad",
  "remand_details": [{
    "accused_name": "Mohan Kumar",
    "type": "PCR",
    "days": 60,
    "from_date": "2021-05-28",
    "to_date": "2021-07-27",
    "ptn_no": "MHAU01P0000562021"
  }], {
```

```

    "accused_name": "Rohan Kumar",
    "type": "PCR",
    "days": 40,
    "from_date": "2021-05-28",
    "to_date": "2021-07-07",
    "ptn_no": "MHAU01P0000562021"
  }],
  "bail_details": [{
    "accused_name": "Satish Kumar",
    "appl_date": "2021-05-28",
    "next_date": "2021-05-28",
    "bail_date": "2021-05-28",
    "status": "Disposed",
    "result": "GRANTED",
    "ptn_no": "MHAU01P0000562021"
  }]
}

```

11.3.8. ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
603	INVALID_EST_CODE	The court code is invalid. The court code is not in the prescribed format e.g. MHAU01
611	INVALID_POLICE_STATION_CODE	The Police station national code is invalid.
612	INVALID_FIR_NO	The FIR number is invalid.
613	INVALID_FIR_YEAR	The FIR year is invalid.
650	INVALID_PTN_NUMBER	The PTN number is invalid
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

11.4. Conviction Details API

This API provide conviction details of accused in a case such as accused name, punishment in years/months/days, amount of fine imposed , act and section under which punishment given etc. The API operates in two modes – it can either be called by sending State Code, District Code and other details OR by sending State Code, District Code, Consume date.

11.4.1. URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-convicted-  
api/convictedDetails?dept_id=dept_id&request_str=request_str&request_  
token=request_token&version=version
```

11.4.2. HTTP Method *GET*

11.4.3. Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair specified in any one mode. <u>Mode 1</u> state_code, dist_code. <u>Mode 2</u> state_code, dist_code, consume_date.
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0"

11.4.4. Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

Mode 1

request_str= encrypted(state_code=value|dist_code=value)

Mode 2

request_str= encrypted(state_code=value|dist_code=value|consume_date)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
<i>Mode 1</i>			
1	state_code	M	Ig State code .
2	dist_code	M	Ig District code.
<i>Mode 2</i>			
1	state_code	M	Ig State code .
2	dist_code	M	Ig District code.
3	consume_date	M	Consume date. (date Format : yyyy-mm-dd)

11.4.5. Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

11.4.6. Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
convicted_details		
cnr_no	MHAU010021562012	CNR number
accused_name	Archana Bramhanand Tale	Accused Name
judgment_date	2018-04-02	Judgment Date.
act	Protection of Women from Domestic Violence Act	Act Name
section	29	Section
punish_day	0	Punishment day
punish_month	2	Punishment Month
punish_year	0	Punishment Year
fine_amt	0.00	Fine Amount
cnr_no	MHAU010009452020	CNR number
accused_name	Ravi Ramlal Rao	Accused Name

judgment_date	2022-11-30	Judgment Date.
act	INDIAN PENAL CODE	Act Name
section	376,304	Section
punish_day	0	Punishment day
punish_month	0	Punishment Month
punish_year	12	Punishment Year
fine_amt	10000.00	Fine Amount

11.4.7. Sample Response

```
{
  "convicted_details": [
    {
      "cnr_no": "MHAU010075612017",
      "accused_name": "Archana Bramhanand Tale",
      "judgment_date": "2018-04-02",
      "act": "Protection of Women from Domestic Violence Act",
      "section": "29",
      "punish_day": 0,
      "punish_month": 2,
      "punish_year": 0,
      "fine_amt": "0.00"
    },
    {
      "cnr_no": "MHAU010009452020",
      "accused_name": "Ravi Ramlal Rao",
      "judgment_date": "2022-11-30",
      "act": "INDIAN PENAL CODE",
      "section": "376,304",
      "punish_day": 0,
      "punish_month": 0,
      "punish_year": 12,
      "fine_amt": "10000.00"
    }
  ]
}
```

11.4.8. ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
624	INVALID_STATE_CODE	The state code is invalid.
625	INVALID_DIST_CODE	The district code is invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

12 API for e-DAR

12.1 eDar Details API

API provides list of road accident cases. Input for this API is State Code, District Code, Consume Date.

12.1.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/dc-edar-details-api/  
eDarDetails?dept_id=dept_id&request_str=request_str&request_token=req  
uest_token&version=version
```

12.1.2 HTTP Method *GET*

12.1.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair specified in any one mode. state_code, dist_code, consume_date.
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0"

12.1.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(state_code=value|dist_code=value|consume_date)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	state_code	M	lg State code .
2	dist_code	M	lg District code.
3	consume_date	M	consume date. (date Format : yyyy-mm-dd)

12.1.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

12.1.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
edar_details		
accident_id	202429944190061	Accident Number
cino	MHAU010055252024	CNR Number
accident_datetime	2024-09-20 09:40:00	Accident Datetime
fir_csr_no	293/2024	Fir number/year
fir_datetime	2024-09-20 09:40:00	Fir datetime
police_station_name	SADRAS	Police station name
dar_submitted_on	2024-11-06 13:20:00	Dar submitted date
est_code	MHAU01	Establishment code

12.1.7 Sample Response

```
{
  "edar_details": [
    {
      "accident_id": "202429944190061",
      "cino": "MHAU010055252024",
      "accident_datetime": "2024-09-20 09:40:00",
      "fir_csr_no": "293\//2024",
      "fir_datetime": "2024-09-20 09:40:00",
      "police_station_name": "SADRAS",
      "dar_submitted_on": "2024-11-06 13:20:00",
      "est_code": "MHAU01"
    }
  ]
}
```

12.1.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
624	INVALID_STATE_CODE	The state code is invalid.
625	INVALID_DIST_CODE	The district code is invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

12.2 Process Service API

API provides list of process details for specific date. Input for this API is State Code, IRDAI number, For date.

12.2.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/processmetadataapi/processMetadataAPI?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

12.2.2 HTTP Method *GET*

12.2.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair specified in any one mode. state_code, irdai_no, for_date.
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0"

12.2.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(state_code=value|irdai_no=value|for_date=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	state_code	M	State code .
2	irdai_no	M	IRDAI number
3	for_date	M	For Date. (date Format : yyyy-mm-dd)

12.2.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

12.2.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
process_details		
state_name	Maharashtra	State Name
dist_name	AURANGABAD	District Name
est_code	MHAU01	Establishment code
cino	MHAU010104532024	CNR number
process_id	PMHAU010104532024_2_1	Process ID
process_title	Attachment in execution prohibitory order... [O. 21, R. 46]	Process Title
publish_date	2024-12-31	Publish date
court_no	1	Court Number
court_name	Principal District and Sessions Judge, Abad.	Court Number
case_status	Pending	Case status
disposal_date	-	Disposal date
disposal_nature	-	Disposal nature
next_date	2025-01-31	Next date
purpose	Additional Issues	Purpose name
police_national_code	0	Police Station national code
police_station_name	-	Police station name
fir_no	1	Fir number
fir_year	2024	Fir year
addressee_name	Bajaj_Alliance General Insurance Co. Ltd.	Addressee name
addressee_type	Extra Petitioner	Addressee type
address	Aurangabad	Address
addressee_district_taluka_village	Aurangabad	Aurangabad

12.2.7 Sample Response

```
{
  "process_details": [
    {
      "state_name": "Maharashtra",
      "dist_name": "AURANGABAD",
      "establishment_name": "DISTRICT AND SESSIONS COURT
AURANGABAD.",
      "est_code": "MHAU01",
      "cino": "MHAU010104532024",
      "process_id": "PMHAU010104532024_2_1",
      "process_title": "Attachment in execution prohibitory order...
[O. 21, R. 46] ",
      "publish_date": "2024-12-31",
      "court_no": "1",
      "court_name": "Principal District and Sessions Judge, Abad.",
      "case_status": "Pending",
      "disposal_date": null,
      "disposal_nature": "",
      "next_date": "2025-01-31",
      "purpose": "Additional Issues",
      "police_national_code": 0,
      "police_station_name": "",
      "fir_no": "1",
      "fir_year": 2024,
      "addressee_name": "Bajaj Alliance General Insurance Co. Ltd.",
      "addressee_type": "Extra Petitioner",
      "address": "Aurangabad.",
      "addressee_district_taluka_village": "Aurangabad."
    }
  ]
}
```

12.2.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
624	INVALID_STATE_CODE	The state code is invalid.
690	INVALID_CONSUME_DATE	The consume is invalid.
691	INVALID_IRDAI_NO	The IRDAI number is invalid.
626	INVALID_TOKEN	The Token is invalid.
627	INVALID_DEPT_ID	The Department id is invalid

628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

12.3 View Process API

API provides process pdf. Input for this API is State Code, Process ID.

12.3.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/viewprocess/viewProcess?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

12.3.2 HTTP Method *GET*

12.3.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair specified in any one mode. state_code, process_id.
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0"

12.3.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(state_code=value|process_id=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	state_code	M	State code .
2	process_id	M	Process id

12.3.5 Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

12.3.6 Response JSON (after decrypting response_str)

Sample Response	Description
.pdf file will be shared	.pdf file for the process will be provided in response.

12.3.7 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
624	INVALID_STATE_CODE	The state code is invalid.
692	INVALID_PROCESS_ID	The process id is invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

12.4 View claim API

API provides claim details and pdf. Input for this API is State Code, CNR number.

12.4.1 URL STRUCTURE

```
https://delhigw.napix.gov.in/nic/ecourts/viewclaim/viewClaim?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

12.4.2 HTTP Method GET

12.4.3 Request Parameters

Sr.No.	Element	Mandatory (M) / Optional (O)	Encryption required	Description
1	request_str	M	Y	Request String variable shall contain key –value pair specified in any one mode. state_code, cino.
2	dept_id	M	N	Department ID same as Subscriber User Name
3	request_token	M	N	Hash Value creation mechanism is provided in Annexure 'A'
4	version	M	N	It contains value of the API version, e.g. "v1.0"

12.4.4 Request String

Following elements are to be clubbed by piping in sequence by Key-Value pair. In this case only one key-value pair is to be passed as

request_str= encrypted(state_code=value|cino=value)

Sr.No.	Element	Mandatory (M) / Optional (O)	Description
1	state_code	M	State code .
2	cino	M	CNR number

12.4.5 Response

JSON response contains following parameters.

4. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
5. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
6. **version**: Contains version of API.

12.4.6 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description
claim_details		
dt_of_accident	2024-10-10	Date of accident
insurance_policy_no	2345309455	Insurance policy number
claim_type	D	Claim type
claim_value	2144700	Claim value
view_pdf	Pdf response	Claim pdf

12.4.7 Sample Response

```
{
  "claim_details": {
    "dt_of_accident": "2024-10-10",
    "insurance_policy_no": "2345309455",
    "claim_type": "D",
    "claim_value": "2144700",
    "view_pdf":
"JVBERi0xLjQKJeLjz9MKMyAwIG9iago8PC9UeXBlic9QYWdlCi9QYXJlbnQgMSAwIFIKL0l1ZG
lhQm94IFswIDAgNTk1LjI4MCA4NDEuODkwXQovVHJpbUJveCBbMC4wMDAgMC4wMDAgNTk1LjI4M
CA4NDEuODkwXQovUmVzb3VyY2VzIDIgMCBSc9Hcm91cCA8PCAvVHlwZSAvR3JvdXAgL1MgL1Ry
YW5zcGFyZW5jeSAvQ1MgL0RldmljZVJHQA+PiAKL0NvbnRlbnRzIDQgMCBSPj4KZW5kb2JqCjQ
gMCBvYmoKPdWvRmlsdGVyIC9GbGF0ZURlY29kZSAvTGluZ3RoIDEzLThKQAO15c+PnfVvZLc
tLmk9R1JUnIhBC3PaHs5q5\ /PZyLcd2f ruwtJ53f4bYuSHmbg3c7+\ /IsEnbbvgh5FrqfmGwmut
MXVQEzwQku6PSfy4gS+UdwqQZWwXJWGLqdEPzDJOCO2zc7YBbvCec3O8fuAfQ34BttnPzPFBE6N
q2AWEo6VzLctBjcB92+KH215CU\ /o42wqTO9fCLRzSZmSG2cTn+ipI7GhqQQ2OwXKGV5Uqb337J
jds8\ /sHfQrVrCfEKPCtYnv6agwSFpT\ /3q002tSXTrFdVHRiqxVvCw65IoWo+Gezb7VpSDqRLW
3IQjrVYUYTlathlhAGYVDgwKSVPVCCZAeQHMM+tdhQiXXsiBpeYFbrKl1prqsdV6pSnuvRhrrjB
WFJGW5LgUSpqTgpS0j4P0l6MNM+dybHk9XBIPu+jwPWaU7jk9+IQecx1rtI3kr8ddrNetU5Rcll
9YRYuRfWTaZ22GH7Ag9R6g+Yr+zuT\ /GmZzQJ23FnUaBgclFJRt9m+jswuc29C3Ry\ /6+D2QZUN
\ /hWzjm6IFtdP0SyBbbAzoHaxFkjvc8yT7h7Qbb63yZ8sFZDI6mUlXcVF13Xba79Nct7ie4E7rt
mp3ivkDP3eG4wGxzb3\ /ZV9B\ /OerQXf\ /PNxmJOO2d84T7NyoSpAx1IpNVqlavxYBG3e4pcn
o\ /DSJUakcI6jvBvpXyF5ClnIZ\ /lQKa4UlKAWC2eS4d0IiT7Eb2K\ /hQOvcfgB8En5hHTvAlvg
mIN10AzEIa6bYQB3gO\ /h6X1A\ /sD1F+g8AmcO1LPnQZcf1I0w7D61G3iDt9H9poCJ\ /GyJ0XqA
75c4P1DnvEYPot9ByKSwukXQq14sVDw65tJ3DZGMSegyE2edZq7+v\ /XAYjBvFtY3dTFYYouIkTS
iRs1BEJzguUEifUSD37N14WDIXIY2gCuVqqy5aFVjYHl0IklU4NyyF7FXRgAphHSCQVS+se\ /Yl
\ /PJhneA8DjV3+hrhWxplovWjxu6gG54XlnWa63a0dLNxOH+ToIJt19kWLw6mUJgzokITgjkMpf
ad3YQSRGerNwgNnrh2vLawO\ /Mz0D8vDlArbtrRsiHAOQI6QUBvU4jBA9d1t++utWYTyf31xSEK
```

yV07hsWgz9bC1FEXZ1yH\KpwlRtb9ASebtpU+Mz7Feiq4d4060g98dRy\wYkSmQkzW9vRNgNV
aVEKL7oBhDCNbhCtviokR1YyJeUQT8HWuT38IkELZCJZZfYQakFms1TbFG5lKxSXsRkBjOhNNA
PUU9UurBNCsrVJG9BrAVKmDIiVCnqE9KPZhmZYU3sheBUJ1DTgPlrPVIqQfTrKzWrvYioNBRCAe
Beop6pNSDaVZWeCN7DWAcvtuGnAjVW3ldDUkR6zRNsUbmUrH8dhkXcNTVZ7VYq2uKNbaYyuW3zL
iIW109VurFNCsvxry2GRdym\seK\VimpUXY17rjIu5tdhjpv5Ms\JizGuffJuuldSLpyv66R
gf+5gdbN+TFT5zTS4NN7YgU4re3neBFZTX\zLlbScyjclShi380Fqz9r+qJS0EV2WVWDpKdhLE
HvDkt1KEL8j6+\eCrV7VEysKLvCJOfoQkbMCft+swlRuu8Ma6dHWL0IqkgbwUA1KLtZqmWCNzqV
i+qhRbkdiAycBq8VaXVOsscVUL19XiiG1FZYkp4aJiFiX+AnW2GIql68rxXpLZo\VYq2uKdbY
YiqXMcM856\MZ8n8B4AbpsoKZW5kc3RyZWFTcmVuZG9iagolIDAgb2JqCjw8L1R5cGUgLiBhZ2
UKL1BhcmVudCAxIDAgUgovTWVkaWFCb3ggWzAgMCA1OTUuMjgwIDg0MS44OTBdCi9UcmlltQm94I
FswLjAwMCAwLjAwMCA1OTUuMjgwIDg0MS44OTBdCi9SZXNvdXJjZXMgMiAwIFIKL0dyb3VwIDw8
IC9UeXB1IC9Hcm9lcCAvUyAvVHJhbnNwYXJlbnN5IC9DUyAvRGV2aWNlUkdCID4+IAovQ29udGV
udHMGnIAwIFI+PgplbmRvYmoKNiAwIG9iagolPC9GaWw0ZXIgL0ZsYXRlRGVjb2RlIC9MZW5ndG
ggMjE1OD4+CnN0cmVhbQp4nK1b23LUOBDV83yFhQfYhCX5ulX7EEIS7te8sTykksBmKyGQhNvfb
ltjya1WZ7adUNTY457j7j7tlo5kQD\clw92rbWVFW19z\qnf3V+vunVRXOe6sHe++s\NqJ1
03b6R8rwF2s3n\QlT5KvwU\Tg\IzVddGecbONZwW2Vab\XFJ63H2zXga2caV+m+aozrar1\
pPUD5ZRRWu2oj+pEncLns\oEly\VebBvqrFqMWAq+Hg4VqpRVg2qu7XanuxlsI+\thf1\r
+QiX6z4miO+QWic0qu7kw9NCQnvekPieF0ZpxCdxQm7an8R6pA3WljtWf4N+pVt0Hjg6OE7\N
rOAhea\x8e3eaip1Nzjj216f6azxpmtny6l+VzzulerruhWqdaHSKTDc9L4HjodnyUNsIEHj6K
yBrO4R1WDymSk+M3zMC2qNt622jWnhFHvqgXJzleasXO\HrAqP64qlrdWuMb6roGDOVqZrumgY
6+X005Ubal8jnO9reOIdxo2mxvkZMxa\trnmuqH2Ro9R4tVvHqz\NxpilzTQ0nU\FbMLA3Eb
BuSZ+qK+Qa00zXoC15\Bfg4Dd\71GGyX8+1I+AIxd+kZ47MAv9aWiZGrovh4WH21VSMd+oC
yhFmJxk5YTDv6avWhLtMRT0QB2py98ay9eNqW1HYm3D7HsAj+ls\VDniJwHGG0NzF6dg8GXPL
yGbMcHH5vjGGp1qf6+Mx7uglf49ha+G7j6rXzqFmrX0tq9hfiX0JLnoSWPBazqxpuhbwkr7OcoN
PhV5LTZWz9OFNA\WV9s8ra4Btc3Zttlphvs5PiE9chlWuVhonPk9ifa6zAM4uM0qK\UP+FqZH
0YOnGs49H6SW5J4\lqMB1MmHk8C8r2x6TbZjyKfEXmINq+npkv55452AJOR6C2u2Fy+wZd07J+
Defz8ORH9lfwLfb+uJh3Fqu5BWvbm7ArJfzZlw8D519Ccxft2N17PEDmAc0XP9M0\lx4I56Ym
Pfp1jjOcVie2h7cS2z\G9Ry6bzxqEO+r60krmDF6FyY2101S\gdho6Z67ayH5dzfUMcqH+iWr
YwMxWpSjv1+PuXuhB8Ho\CK9Wf8HnkfqwqJJ5\rcajY0bTJMeyvJKZrdvQXU+wxhcd6GgjutO
egSnn\AZ180LeyqPb8Oa+8alqIFB2HquxeIRmj4AZU4DXr6JeyNxlEa+O4sZzn7tapbxKrtOV
D+fpOZJ3exD8\zSv6MRW0lbmBVkyKQnlh\2wldZXdx7bLcXeio+kbdaev\qs7ruLySmZMXYT
Y9gSqtq71TzNtQib3FjLMYt5odPGx4G6RaP5fyzRlcs9EAnh\hfmH00+G0Ahx\HdHf1Jmonzy
s3zzup8dLqxygr7vJw7KqNZUZ0gNYXrPsdlnNvodVz0EYd+P5I\XZr3zIVm5TXN8F5qlmTxbXL
Mv8dp1XdcYNcw0Xj7TcwfLOG8ff1fRmJ4zDp4urkWVGvQ\VsLDuuUE1XAdLpxpXY3E9chfX1+M
Kzj\AcjHuXEN9vk27QZijRH3kWjinSOvAFGr5bGkt8+xvVsuUn\fGIjV7BZ8tWE+P67FXMCE\
hnn4pXoHtn0YAq\USxlrO5gBzzi74PAefPam8+Pp\GQ6Pw3HZ2EJ+HxxPTIOa1UbVAtnv2m8
jS\FqvA0re8se09hwwxDtnLT07R+aHQHG+m2c\pMT4Z2gNo7F158EdOZHkBrfJdhJtPsh8EUs
chNbKxoaFvjCWYyzbEQhoRnMRJeRaxo8I0ZCGYyzX4QhoRnMRJeRazJ0AzOuBwTTckPxpDwLEbC
q4gVDTWswAhmMs2xElAeZzESXkWsAlC9sQQzmWY\CEPCsxgJryLWZKh70N0cE03JD8aQ8CxCgwq
uIFQ11bSqCmUxzLIQH4VmMhFcRKxqspzWMptkPwpDwLEbCq4g1GXwLM32OiabkB2NieBYj4VXEi
gYHcwLBTKY5FsKQ8CxCgwquINRkcYPscE03JD8aQ8CxCgwquIFQ0NzAkEM5nmWAhDwrMYCa8iVjRU
vWkIZjLNfhCGhGcx3ht1OVCK311jbVtBoq22ROHKS LR26TaXOhlioZANAMEJaIn0edCM5MjBKI
Z8CgRPY1GF7oZHWEQzYBHiehJdLrQzhQNgWgGPEpET6LVhX4mRwhEM+BRInoSvS40NDRciJoBjx
LRk2h2oaMpGgLRDHiUiJ5EtwstTY4QiGbAo0T0JNpd6G10hEE0Ax4loifR70JTuzQEohnwKBE9i
YYXuhodYRDNgEeJ6El0vNDWFA2BaAY8SkRPouXEhBwhEM2ARY2it1nOS4GtPdS6qvM98mRDLxey
VBmR3ieX9FJkU0S8VyZ8CgZR5msl0KbfoE9M8mCR8k4yqS9FNvoK9s7kyx41IyJTN5LwU0R8R6
aZMGjZBxlel+KbvKF99IkCx414yiT+VJ4o69sT02y4FEYjjKpL8U3RcR7a5IFj5Jx1M19KcDJF9
5jkyx41IyJTPJLEY6+sr02yYJHyTjKZL8U4hQR771JFjxKxleM\auYR1\Z3ptkwaNkHGXYxwp
yiojfg5AseJSMo2wJQG3IF35\QLLgUcs4b14DlIo8\jtb3+d\3xBtsy80VUak98nXAKUip4g
IRbPgUTKOsJVAqcjJF0LRLHiUjKnsDVAqcvSFUTQLHiXjKFsDlIqcIiIUzYJHyTjK1gClIidfCE
Wz4FEYjrI1QKnI0RdG0Sx41IyjbA1QKnKKiFA0Cx414yhbA5SKnHwhFM2CR8k4ytYApSJHXxhFs
+BRMo6yNUCpyCkiQtEseJSMo2wNUCpy9IVRNAseJeMoWwOUipwiIhTNgkfJOMrWANSgFCEUzYJH
yThe91915uvF\41p9R8RJQXrCmVuZHN0cmVhbQplbmRvYmoKMSAwIG9iagolPC9UeXB1IC9QYW

ohbCiwPfk+gNYXWk1+k\ /dCGLBESHB4cFR4cPpVsb3pH+KtzAK33CvztznzZNb77qXvNt\ /B3Yxg
 \ /iAA0aMFAblyEsVBMZ0SNES8i14+\ /ptP1TU\ /trdeLXI6wlgzMzBw\ /KzJCeaHqrqUmhepIcF
 nbCek4LB0cCtchgnLIOf7lOuuK8IvRhF8xbC\ /lgnvQyzOsG8yJJuB\ /WAonwsHB+RYZEwhUeH8
 4vcpiMzYxwKp2241EcRt8Ygx+kF6btnN48bcdU+i0eMoZ+gR95lCylJ8hyqsd7qH4HPbGdFuAGd
 m3HmTvwHqC0i35AmsCzNBDr\ /SF\ /jcTxA3r0JIE4LLRDRxys7Yo7BsdA38BBwdpg9hAZg3tCAX
 TgBVLEYMFSVGounjyt6FEjXVVAViY\ /fPD1Y5OnHMou8Jtnvn7ivZcn57+Y4ls+PX92N2Gnl2li
 tjncORqHrlhN8J2Egyv3nvfH\ /vQn7\ /69aaNjmQ8dnvzUhgNvtKP\ /xIGCFvKRsfm2xgaR4Ad5
 JxJyixY0E6EB5rRx4FTz3ZPl1mA2xAtjgzxeMa7syZNyciYNInkZE6anJE5cVLG2kNPr1l\ /8F
 C3uqbTKzqte\ /LJdesOHJQ2Hdiy6dDBZzSPoiMPbdl08OCmzU9O\ /vTMMWvXzpy9Jty8+y9NwLU
 zL\ /3t2tkXPwV7LQHe2gNvPpDTUBTmOgNWpPCegTgyAjGlcWBv3C9RXJm0+KReFBkfHhYZCD26
 qglT50\ /Z2Ve3j1ln2ChW+c+enXe1\ /TvK1fHRL9zYvhjJUUB9sKpjpf6\ /07IUT6P48M7200au
 \ /ODrwRj5qmiA7dG7dswMR97f770K+OI6qQ9ZyIiKC2tmDl5RPVM583sF0ylpYs+n\ /E8+CBmPo
 hTuA9yDwTvUlyPjW2grwrp4AMB8NBDCa5qPyhMw24dhfRrN25cW1VdvYq+asGf4EJswJ9YCsx0A
 dlH99MFZsSx5F8H6kcr6kPiB7YODhJ7xHdht0ao5c1Z9euMGfbXAJBfiqXgaXmgusNCedBfdTXuy
 tV2EdDIPdAiRhQOwV1RIZIjUsy8eJBETiSLZ6F48I4W+7j\ /Hj15MwTPo3hQ8xG+OPx4qXnnuhV
 mf0MW45pNZz5+u+gTX0MWfAN4FiKFUSQR\ /ATkhali0xYcHk3R8l3qtp174riQ6Lz\ /uvCz0flz
 or\ /CfRL\ /B29BtyA6o40g8AmvBMM15WSe8Fy2+qDuzNOriZ5P5vHH4qtBVSDMDhgD0OPw2lQr2
 XXzsKcGRDehHrtczQzydoo1LTY3TprjyApuLmpMEi2oL8FN8fT2NXC9duWsBn6puvG35TfF3FBX
 HtBgZwY3Bv7W8Rxizsq5u5coVK1Ze+\ /nna5\ /+9FMqzsa50A9n02P0KH2KHivE23A5tuJttIRu
 oBtpCan7Czb5dYdTCzVKvDZYio\ /SBmvDsOZb+g88et63ZvFvFxZ\ /3zjHzObWwNyBMBfqiJDI4
 JGYSwR5H7OV4fGY5w1w6O+NM16b9v6\ /6A8d\ /OhTQj9z0268bb19zbyFa8SZ2HfI8M\ /PX6OXO
 \ /rT5afpfgt+rf7eyq2H1wL+apDTH\ /AfBnwVXePF0wporsfL00pQ98HxSgNoeUU+azqf9\ /r17
 aufeN75o+lSodFn99qVe\ /Y35Pdt2L1wTvUyf6NUHx3z0qHlp+QHrh5570acFkes33x8x7FTRRs
 2L15V01\ /Jx4OhDBoMtAXudcE+Lpm03GG0whI6gEx07vrYeUpIfxajZvQxbiQPNH1JNWYcZSE\ /
 NfmW0msgwy6QwQvsyLI1LGRitA8LFVoLwPkOJnuc22JrMj9pol9NvWA0em9asm779nXj5vbLkK7
 sp3ndu90fvv6B\ /soYXlv\ /7oXzlxOShR8Zr3OBRjj3hyjmDyoipBHSQg4cA4VDjgnjOUYQpixY
 sWLBwuUrDozYqb\ /0zb33v\ /gZR2DvUbtYjH6Vhc8cSb18\ /vz1N166+JHw97FjgO5t+l+4Gj+K
 6\ /DTXbv+YjTtv4Fs00BHQSAbxIQPuChkq+BwMcj5z2X4Z+cmE6mUrI0bpP6n8VTWysZjZ9VnoY
 bCLhZBACsJ7TavZ2KEHjJ13aJF69gVNA\ /CW1NjrZhXsOPwf9347B9HdtRtuHnhwo31eNve48f3
 Pnb8OJlVt21b3Ypt2y51fHvP+7dvv7\ /n7Y4PPlN38vLlk3XPMH05VF46M31hloeF+AFK2KBwME
 w8N0x7z32DPDp8d8EbX4Ge\ /kVv0LuJducY\ /SsLnj5KP6utq6utXV4n7B47Bvt\ /fRsH0+X0cT
 qb5nTt+puXDEeJEaDKdy+BKrlfvQI54BipVmLXMwsEe7TP6eK0upQB2hrd3ICULAFxOp4ZBmdkC
 K8NzkgfMiQ9g2OxnPQsYH1DGdWSLUI8gNQMNTg1jmWYuFRXqhL9BmdkDgJAnpcuoEelVPEA7O\ /
 IRwjD8VjSNU0mB+7NFxeRJRqULj+M3zuA3+M0L+AiKZU0qDURxAL7XBAXscn35pOGvb\ /tbYsZE
 o8ZKJ9EDpKmwzT2AI09jKsZXk3zbbKE+0UE+K4H68Qd8WEst7iibKfoBrBKaoDu4vSj6W98dfEN
 657HftuKFodMcJdVhbExHz334vdaikf3eXPXiobFc5WYrqa7NMelx+EsAXJHmbv3UHdeiG2lqOn
 RnVHRCGGh7Tt2EMH2gzqyed179mAuMmhdg22c2BF8NAh5kXgPvxXXxC\ /NbXjttYbcpfGrtz85Y
 vgM+uNj4\ /ZkPPfm5PwCHLDL8WZ+P\ /2vm\ /bTD2c6qmbb7XjgM+fwyNKUUFrvTrywpGzOnPLi2
 t9yshsvXbqbnbO2qSmq8az19byla3r0nEaX\ /3qQflVcVZOenjpt2tK5C\ /Col07j1AXz6w7sKv
 hyHv2JXiJ4nalM5zMN57ZDdXrz3x\ /uwISwzKRhXNIj7CHaMMghZFwAtl8Jv7hF+eaWfjGVnxz
 CelYP9P5VsUmoYvw+r0uZqm0cYvZjEft02Z23jNCjP+Nx3gwnN1QVLiSXsLjXakXwIOhUvFIzuH
 4Ig54vH7LPvqvO5vr6jbfoXuOHBG2vvXOuhVHjjfRn827Dj+50zy\ /bkVNY71ZQqUvnF7a0L7Th
 f2fvQ9+U9x8WwoFf+gCnGtEliZB80rqUsojZYcbOEgKHU6\ /\ /mjxrYmGAmzCvcrrvisKv3Tq6v
 XrV+sv9MGr3rtq0FfgLihhoDiSkEgPnT0BW97z9DR9ak8D8wWQS5rK5QoDqbQyYrEfqqqjPOGLh
 7AGd6Lf0LuHuAgdAGwJnUfMON0PBA+oxUB6Cz6GN1LHCzvmb6eBlyIbq0Cqx9wtc3uRUeOiEOt
 znr8Qnk5HSXMtnKMk+9R\ /zm06Ixz3Xv0pFJzMKwTgBV2fyxtGENKtzqX4LesVhp\ /tTXOfL5HM
 332A312hQdP9XEEULAiKtOuuEu++OzXX3x3p+iFPCC+Ozt+30DfpRuhQBho\ /2WV2PHMS\ /QklA
 7P06cHD8YLS50fZGTgg3g6LsBPDBtOGxR+pc+B3wfd\ /Ibxcwy\ /c\ /cLVrkW\ /I8ILxwRAo4cc
 f7riHPUEcZ5qbNJEETL7yGzWVjEuVd1INj5uQqsFBbugsUXjzh\ /4jhmM18Mc5uNNF+AkpVlQxK
 vbq4qdZ5SdhYL2Vml498T4o6ceD1hCd3xXaG+\ /m\ /SkNLSxld+\ /TTCRU+qAYxOnjJgfvNhIYR
 bBEjeiF\ /Z6nxFWLqdvuFcpMrwlhAP3287tWbhL84nzG477gLMgFZ6UTyBARVxDyi9F9xIV7H5U
 xDyElrx4INbVAg7LefhFF6OP8ZXccWzTiIU4BqOQ\ /3PhF7ci1Cvv0vMfie4geTwQ+aADPEjYl
 VRjjc5F0n8CQSDrJ\ /fMrStP8kxykSY0EzleK393abef5kvrSQ52q5bd3ZQ02QkLTBo0IFr0As\

/PTp559\ /ev3Wresr7kCQFhgmfb4Kd8clBcZJn2ficXgMHovH0WfoKfocfaaURetDwESXioJCMk
\/3PUtvWQsKlbzn9LeVx2pnVg3fJ\ /FEMr\ /CF39ctmbNsh95rM5987vv3qRfviv89ti27XuVOL
396rkvnNdVWehpLksHtu9IwLOBeUjtXfEwHAZnWA8RiS99i25yC0H\ /+UP\ /VQUPbftksipkF\ /
wElrewTz+mlqHJCS94b7nbVlS3TNI2Hivd2bs93DEErEticB8c7HZzLpo74xL7I106X9hPL7w\ /
3Djx0svOWyDlk69d2el8EfvWLVxYR38R7oRMyaE6M762cpzzJI+Ld1\ /ZcbzHuvr6tcwHdkDdUw
Iy94bKI7ijq\ /iMxfc5gHbDrkLsSLF06OjeJ4v2H39197+uPXpjflG7PfvWbqk4deD5XY2\ /We+
MhiPF4X1rlpc5Bg1LPP\ /ky+\ /37UPPN6xZOLd0zvBBI17a88mncYw27ETiWZC3nXKucGcGZrcZ
R2mlVXyyNFYeNys\ /fcOOcN\ /c81diJx987hVYxyyv+GsQ2287ux6EcFkIxsJRIfDooXcuHzqKX
z\ /yPb1Dv\ /yHZC4tbWqin3\ /+Oe5KIK80fU2P0C\ /xQziX4TZD4SxlAW4gq3mUlBLJMXESXoNX
b8UrF1F5J41chr+VzPeWiXMgFOoZJvDkA\ /FZoOSZ8EgfdR1LDz5KS6rZTN+mf91M9y7F3x3CnX
DcRjwIP7ATL14ivnwviaHcOy6+eG+IOJXjwVlL6qTkTR9lm\ /ZxQbYknnitUEBPP0VTAIZWrRfC
GrCMez2FT2+lu\ /Ch9c7vHhMWOL+D3GkXlpSW0m74FuShV52PmLkem78D\ /b+n8syTiAc+czk89
SjVz8c\ /7YZTYvY2vHwBLTtqFjOlxwHKfG4dEY7P1Rzcg5gveDKZ0rZH8bPR71E50yzij2azgi
\/lY+W2t\ /Ak0c3\ /ujezxroP4VETahaOfJ81oD3\ /fornaYJNd89YW5z7g0Bza7nB1927tVs4h
hrAaO\ /goHvNVDoT6f9+qsm9LfPzJpMM6s9ySFe\ /2j4uYQZiEzF36ykaXTMKvyNdMX5AXsTIPT
19GgXsoNa+DkblEx2NBVRS3Y2p7Vd\ /F6I1xj4WEgkxmO+Ndf3NAZah2fzGJ4C8dRRTAH79YIZ8
e5iMISHsKu+HOauXeN5SSt89tHc6rklJQue2EwvDlqv33PmowvflK0yONqNz9+XcfFdnHlrlhzr
orX4rPN9s3lM6tm9TzyXVr3UUHC1d+9rnG480E0AHYSicBbJLIo8z5VAG7vOLYynD\ /dgXf9667
EbN45Z6\ /vTM1i3ZP6CxYsXzF9ilhLMTtothOn2zsZFemm44YMaV5y5BPrv55itsH4La\ /CTI94D
7lMRqB880wSoJcjLyjT3vUvrulJNTZoQsmLVsRd3y0tqO+JHDJ7CWombcP7Yf\ /fvq2q++\ /PLr
eTUuvRW5+I9y6Uo5gzH0+PBWtTV5o4GeZQLcvHEcBNiNkw8smV+7eHEtCGA+YJiOBzU24oHTDUJ
v8723TK+8efP6p59fUumQr4D\ /UBZZ4KcKv1qPA58XF8SLfOUcuHGtZfVDS3tdefp92vjWJ1+\ /
rFk017a4nYC8r15bUPPMRC1CQ+gV4+\ /+NLL7D3QVBjdAYZHmJ5iaN0wzfzNgJq8tWpKJZ0n4L
Gjpo3FfvTnD51fNzQ0HHxsePUwqfPYzJkbVpQ2PW02k5zSpSee69RZ8Sk6RCwCnruhaObhyqsOt
ZgZgT31xHKVh5biyRu3359+NHtCUHXFxroWdeEUetalLnK2acqduz163CiZ8fxr61o0d6CUrlbl
dk6RTawA2bq01J3KYUyVTqEKD+lbGnBK3036PVs200Hr8svts9dzl8ovK3\ /zI+frkIzQhXUvnq
APKHsu4ArdpdtQP0BFG9LqHblry3t2eJ\ /ew4c93Gf4h7uo3ADo0syYlJSY2KSke724pgCiOZMO
wcs5Ttc2OizVViQLPz3i4d4jhvV5eErV8JtjOxJnDRqvyRiTknGpXNK783cfyY8\ /NqMyXMX8r
iPB\ /nNID9YpLdaZQS3ysTYKlgrtKP9tkBk4U0r8LF99DYuW017raC3Fm1hKmjiyw7shC38KIWzG
p5bT91VcoSPg+njWsnjObtp1DwCxQjaB50DQk+Zx8IF+8HB\ /xf\ /ugXHHp5Iz\ /TYX1m\ /eQuP
X5xusjvV02PoJhnK4x3NbrZtsrScTK6suv8fNE7VvJTePWYjes1xpkTzTS+aKucj1B8BHix+E\ /
Sd+MMHC\ /ABs9ZKHG2yA4wN3AzUu7wKu+v6y5X1VR1dcQiYTH15WV7dsad2KJe9S53vv052p337
xxTffffPHft4UQixTH0XcopW\ /zfeJzxQTA80eRLIt75L6eLp5b3rlx+81xZcAdrXIjs4Qw2qSmw
FOlB1pSI32QnTFYfObz+OzAaamK+POwbKDddv9RPN6TSkvxnT+IRNUGxAb0OvF38kre\ /Z3NZ06
XUpPnLnqFapgh+m0v7zVZ7E1\ /yco8e8xlUmtplIFLPgyQP8FgNGK+9Tw0Ydp8asGQ6WVBjrRy\ /
cvZc66uH0w9Omi7OMZeUjqteUld1+flpx4b9VjVr2qTU\ /P59o5cUbTwQ\ /fDXxY6cnOrxD\ /eN
XWPd+lQ08\ /3m28JVaSazOESpNlh5j+qRkXvEX9y48QAeTN+IfSRxmFDjVbtoXRU5W4rH0OdKnd
OWp4+fvmHZmieZDP1h\ /5gu9uQ1YbjHXssDVdF6cKSwGg\ /cTV\ /qu1G\ /p34LHsaTk9izKdl81
my9dFUUYurccn792WfxbV6bNDeCr\ /sDJmgpvHVxhC\ /Sxyz49HYcgAPW4eJSuhe4KnVGCdegqE
zhv5+AeG0Pa6G2wg+qqyL9XHXhg5hU\ /vzxKjzZTL9Y+f33S+mdUnx850e\ /AjPnhQ8YBnmw6Q7
H7EtGMrwOYPO7gPcgrzs88o5fq+pQ6HRpIa6YT5txnxqaOufd9+bRzQuwN70+Cx+1CSuwFhJQFR
0ECWgkPQ\ /fm\ /HLyjm5EfYYjivsXdKglSjYRbqSJ177CN3ZSvS06HLDw5P7jpcGDOW\ /\ /MJx8
o5LEffY5k0JavdWyrARwH8a8F8H+L+rD8cIE2iP6STQ+aTgrc8nRadxZH7T91fpFaU+\ /JKeIM9
AfoQTkRTGDep+tx\ /M6qgw7vzKayZmZ\ /L04Jvb9LWDBtXqt90cPGJBxuTKqokZC+6YN1\ /HQR3
D5KjHwvVNJRXP0FsNdV0jlu2mt9ZMBDo\ /OC64VtPF\ /XuuBRs0XX5jb7Fb89BRJczeQ7s46cAI
t3DSB3\ /5yPyMibMqJ2XMf2TIza36BYMHL9BvvTnkzoS1uNvuZRFd6xpwt7UTSjZdp5RzRon1zf
z9KL4upRLFxmFM67EYztCsGOFVYjfcosp\ /PaFu8uN5+bt9fEKXjs\ /dlT35sfHw4Nt+0cTcBtJ
z88S8JFH0GZKWsW3COGH5Dx3DZYA8NcFkXIPvTG83\ /GfUzZv\ /6cY7j1w97bo3VjqH+nfyvgnn
eG\ /k+oF1XhYKvuW\ /t7Gy6a\ /+nds\ /+Wj5KRBz2LsJgD8MF1hZ+ALdI1nopMYbrRU3o12aq8i
oKUFLcCM6KVxGG+BaRLajLjB+AEYnCeVoHnyfEiWQbZtRNVy34KqBazVcgxkGXHPH2qHeHTD3Fb
iSGIbrIp+iGi8tqpa0zb9IY5BRWoSKpb\ /APREZRQr3c6hYMwoZhY\ /h+ry5SNJD\ /xvI6DUdTd
Gko8nSV6hYhDF210ph7Eeg9zZqrwlG+YD5o1cR8pFk5Cuea\ /5eQigH5GhgPMN9LafP\ /g5nO5w
PxqAp4k4UL3rz+xQxCU0B3STx9j6QNwOuYc1Z41QUd+14zQcwBv3ieHudzMZURI5jopBl\ /Ew1

18Mbr6n6Y26iO1QB9Ymb6E00MOXQP8Hdmf0wQQd1M9ANAYtQR\ /iCDwbL8MH8Gv4e0EjPCD0EkY
K6cIcYblwTqAkguSR9eQA+V58WMwWHeJKsUE8IX4tTZUWSS9KP2oe0CRoCjTbNOc1H2savbp7Df
cq8qrzes3rR+8Y7xLvA97nvX\ /08fcZ4FPks9rnkM+LPm\ /6fOrzT1\ /kG+Sb7lvre9T3pl+g3l
C\ /eX6H\ /P7q1+Tfy3+4f63\ /Uf8PA3wDkgLMAQcC\ /hrwS2Bo4PDAssBdgacDvw9sbBfTbqrqq
wWCD+qDtrG\ /u0BBaDv\ /iyw\ /6Pdmf\ /uEHsAj3X44HZ1T25AjcabaFpCIre6\ /T+qAH1fbIrS
\ /UtsS8hdc\ /qxBoUKW2vZGwUKd2vZDXYSPlHaAz6YOD6ntQDRAfkBtByF\ /2aS2g5GPvJL95ZQ
I9Rx6mVNnbYyisay24fiAjWqbQL9DbYvQfkFtS6gTpmptbg3oJUWrbG0UIBrXth4YKO9R2QEGP4S
e1HYhKuh1T20Gok5yltoNRe3kWSkZWVIGqkQ2ZUDEqQQ6I916oEPZ+GcVBddkPaaFVADNkqDNMM
G6Hy4aMSI8scP6QIZOXw\ /wYacWiMvjIcPZ3Ydn5kxHuRlgzC74NMNMxpUDLDAj5qBJmFMJcPaA
U85kytBm+DCjl8F0BcwoAlwTzZFhvBbp6PuaLULKlotpmKi5xyL0Ke8tx\ /fpp5YJqOcnksDtsR
r0lWk4rL4yRE8vK5Bw2yy7nG0lG2yyjIcY3xWjW5lFkHSX68mKjXdbbjLKpXK6oLCgzFcoGq0Vv
KgcCrTnN5XKYUBG0mebKgR8jfNu5ZEiFzDXaTEVysrXcYCy3G6E\ /CaZaEeyrSVZr6f8S5v8KSD
5fZoeFVq7rOLAO+\ /s6lG+02U3WcjkuRjugNa0WSn9Ih5P5Q1aL+DLFNxyqH7kYLLKWg40cYDnE
\ /ccB1h+KYuFjUDFmAUyMrLXC3QYeYeR4Nu47MYBrhDWoxOGOgBobawDQWZUxdmulrdBYZLUVG2
PKjTcc6sGBy9dcPv97H2djTDwjwMjeKIVVcFc5vH\ /O37MIsL3vpQV++ih5cnz72PWF\ /X9H3w
Y9f8XeeD+2m6R2aRqUebjeu4DFq7VUuizcmf\ /cl6YZNkcz8LRWjxdwS7hY0ZVrmJOpZx7pYHjF
PFRo5uaYmHF26I5X1bOYTlfx6FGk0LBCqgOlclm7hWKLlWqpl2YDs5F67jQw6xC7iEVKroLgc1W
eFc8yRV8zFoRhl4SwS2n5wHK7nbOVyGs0avyKT5YCF5p4SgOPuLSTxG0ylQ\ /7uXmsYUCSzmMfw
fEguLnjGKLtlhPBXxbgUol57OFGwOXwMF9rQBGHXzURoPKUSrsVQInFVYFEUnVdWHSnhOcKias
fA+T4lc+LZXWqlwW8l1GO1hHda2cHu6bN0Sv3ZYHf0HckS75YzleUnmyEo8KNgmVautrf\ /nUrs
Op3Bb4fZorXuva5GoiuvD8h9RcEVDEc+p5aqERg+KBv7NaETz09OEGWYUcjxljqcfl6lZ0mWhQn
WrMLntYYe8zqIzT12lB0QrzwwtNvDMRS0a+H0mKI5DjUa7K3mumKlRW0eOcBzncxl1quWKndnb
ZevKdpQMrn+T+xp5XuQrNrewu8t+eM\ /sYUDJK\ /g+5pelSimlab+bC3TSbWbfwuPPhOPZVdGY7
w7lKyn9CicMp0aPGzu6XWu\ /YtRUfRVCSh6vs4lkYFzyuxV7qGNYpjHpClR+2weOVPvUfxXReN
tvqx\ /luZPHOcoZWH6bmN7sfBn3PSml5bvdyPx2jV7mV8nelPsrpNzUBGzp+lFa6rx+72TffctN
1FjGq+M7ayQBWXysDXR9xnX4xwy912BZvv2nUjPLxNiZ30NvtMAY97qwevlWo8uCwx0ZN99GYE
c3mei5XI7oCPsoupueZlehe4Wl\ /hec\ /j5gSnulfrerPBq5R\ /2xvyjS3S+Hs9FKtbT11Nf9t
Cp7aM7Thv\ /dmLXz7OnasluiZhVRrIIoc9cgNnVfa8QK7tG18F2sWkzZF8u5btvWH\ /83MtYfS1
WgxohD3ReL3JoajXScThbKhCdGJwue8tAEqCdz+Fga9MlQz+XASD48sX\ /nk8LtkshH2HgEj8YJ
0GaIWWg8x1IwcuCbYU+CHoYt82f2NBbmZWlWW6tDEzkNHaDl8pk5HDsDetPhrlPnsRXJ0Dmenl1
7FGLVqEKP\ /WujPB47bB3jReE0D\ /pbqLbmKo1TdHGWAU85gD9aHWX\ /simN4zh+o7mmWDvTzWe
qymkilxFDZpjJwFE6f2K94+GeDfNyuT4TucwKt5lchlQYV2TrcQ4USygcJfN\ /QTWJz2D\ /tiqP
c8Eo5akzo7mETJ4Uvp5RHct7Fc6yVCuzdgtKjKpLhQ+m\ /3w35Vwufzp8ZC5\ /Hv\ /XW8w2iYDv
wnX5ziiOkOH2o\ /FcvkSuhyxOIYmPMS0yfaa7Z+Z4WCWZ64vZjXGewiklco3k3lcsF1pr69zP0l
wURnH5dFxT6Xx2LuhRB\ /PT3D2KP6ZxWZNV3SqYit8rPpHuodlkLiOz7DigqlN9KpHrrrUUSoQw
\ /lukUCyQqH4ne+isxfqZqnWT3bb04l72e6lM4LGo47MSualz3VpI5fGboXI+3sPDXHYcr\ /pnl
puz1vp1xZFr3n+S0xQsF+3WFkzh\ /pSucpjr1sa\ /x1Vylw72tUJ+3nG483brnduzemypSj3rz2
iPXOtZCShZeBSfa2kzr6VXyc\ /KntVy5vGs4e63c7lOyUpN3lL9uqoPJXdxqi93WqpfA6\ /TlVr
Q7q5KlP3D6q5Mqvhoy56unAYtfIbnec\ /O6SqSVaor2mIp9aWeVwuMmv0+2vyzHartCbGC7\ /cK
lSredqiVCZ0vUp3L+ue0ORXb2pyq\ /p0NXL80\ /3buL0r1DOViWuYlZMxKq4Nuc5nLTphGlDef
lnaWL3F+xjaUNS2DmU6KPbg3KBaXhMTxmj6IpTKX8ax96Ls3ar7narcy240ygXGMmtV7xj5P3iL
GuPr27I432jTywqy+92tb98\ /\ /fH1\ /e+\ /5ZXBUDYBi7LDpjcYlXpbqWwtaovi65tttFlMdv7
2E2aXGG1GoFVs05c7jIzoucGwsMyENhWbIyWHVZZX14tVxhtdlhgLXCawKbyYqBSCEyzmY4So\
/peU19YaLVUwHQ2wVEC6Kak9o5U7hXBVRLRG8AMst5utxaa9EAPNFhYaTGW0\ /QOxk+RqQx03Is
h8gVyrRxiUQU6j+jNobEZK2xWQ2WhkcMYTCCYqaDSYeQ8tFoQDVYqLKs0ME6qTI4Sa6UDmLGYVE
Jsvk1RJcBW2mE+Eydathi5lNy+9pJoDxrRjGas1SbbjWAHmG0CVlXx25BmzAFsBVO0Q1UdJlRVY
rX8fgEzQlGlrRwIGvlCglW2W6Nle2WB2VjoYD2KjsvAJZlAhdZyg4nJYR\ /q65sHQ\ /oc6ywj10
DxIs6A2wnKrQ4wg13pZVapaPEAZUy2l+hBqAKjqjVgA5xc30pOazn4hU22WG3G+4ot06orjEV6I
BSjMNV6lKKvZvgWq8FUZGKOpizgOtbA0DlBgOXXFEdiy+9DfiqLNPbOCGD0W4qLudsFJdVv5TY
2SLmofpCALGzFS5+7G0pKR5nUBSmL\ /MAA0iirnPx0oIILJaXVcumVq40ItmM7P9nwOeyhp0pk9
nGFSJG8DujIkCVlWawyxHuWiXgtF0DcgQL3QiuNrBOuhozBUaIJoZaCXZgQsyymtyMGWc7IGpkf
UUFhJi+oMzIBhT5AbmNYUr0DrleBwdEY3lrvQC5Fg83yJXlBpXhiNZ5JUKR8M8sa7eWscjmpmOG
0stlLINAvLgmVugLS\ /XFIBjEYrnVnT\ /+c8dqRQqSFrBoLctiTI3WyalZmXlyblZq3oTEHJ2cl

itn52Tlp6XoUuSIxFx4joiWJ6Tljc4anyfDjJzEzLxJclaqnJg5SR6blpkSLesmZufocnPlrBw5
LSM7PU0HfWmZyenjU9IyR8lJsC4zK09OT8tIywpQvCy+VIVK0+UysAxdTvJoeExMSktPy5sULae
m5WUyzFQATZSze3Py0pLHpyfmyNnjc7KzcnWAKQKwmWmZqTlARZehAyEAKDKrelJO2qjRedGwKA
86o+W8nMQUXUZizthoxmEWiJwj8ykwCVgyLp8tjh3dGJ6upyUlpebl6NLzGBzmXZGZWZlMB2Nz
0xJzEvLypSTdCBKYlK6TuENRElOT0zLiJZTEjMSR+lyW4iwaao4LepgC0bpMnU5ienRcm62LjmN
NUCPaTm65Dw+E3QPmkjn7CZnZebqxo2HDPjnIgEGGa3jJECARPgvmXPGxc8EcRlOXlZOnpuVCWm
5umg5MSctl7GQmpMF7DJ7wgom43jQJzNepsovsxHr+713wCy2WhUwRZeYDoC5jI3fzQXv0s0uNF
Y4mG+rwa2kR55KlfwZzb1WSQLgwqPKIXCVpt4Ef4bI4juPkuFagotttydFq+mXpA7wbdiMl\ /Rpm
GSEL2lkqgfiwsmRSZbLzSIdt0GJV9z27vgyIwSr3LMiX+jJYZnez2TqgXBtihc0ES6psJgckE1l
fCb020xx1K7apWlVbCRiVtvzbjPYK2KlMs4x1lTEw18b2M86JqbzIarOoonPlFTqGunKoQy7m4A
YQ3Gorjpf9\ /ye\ /FY3lVXApXLG8cjTw93Ex\ /NlObfS1fs\ /3579Dja0ylZpitZA0Z8dUlFTEq
jn5j38r3eo300h+vzr2+H2x+\ /+0zyf\ /b9vfv9zWqhNuHmRktdDyF9e6y79xUD+kiC+1plcCC
DnX+0pnTeQV3uSc9PIKzXkrB8540defCFUejGOvBBKTseR5yl5jpJTlDxLyQlKjh8bJR1vJMdGk
WcoebqGPEXJ0UByl5LC\ /dCSUHPYnT8aRQwZysCvZH0f2PW6Q9lHyuIE8Vh8oPRZF9s72lfzGkTl
jSUMQ2R1DdtV1lXZRSnNHkLSzC9kRRLZvC5S2R5FtMG9bInmWIG6FhVtDydZast6QlCeIW6LI5i
X9pM2UbNoYIm2KIhs3BEgbQ8jG0zghwUfcsN5X2hBANpzGKCFNXO9Llp8T11lrpHVnyNqFftLaY
LI2QVwDrTVDyepVZ6TVlKxaOUladYasqhVXroiSVk4jKxPEFcDXihStzxyqutK6k43n0toFpcH
k6VAeqmBL0lHFncgi+rJQj9SazBITzQsKAuSFnQm82sCpflxpCaQzJvbTpoXqua2I3PqSXUwme1
LqmbJUlUjmVX5kDRLJpUPEQcscnQldkpslMysCJBmUlIRQCoSRGsNKbeMlMpLiWuKKSv118qCSF
mtWOpPShNEM5A0NxJTyRnJRELJ8TSp5AwpqRWLi6Kk4mmkOEEsiiJGmGRsJAYDKQwjBZToKZkxP
UaaQcn0GPIoJdMomTqWTKkhkymZlEImUjKBkvwzZDwluQaSE0rGxZHsrHZSdg3JakcyExOSSLoF
GWMGaRHeUlo9GR1HRpEgaVQISWlPdIKvpOtMUjDpJRSkpWUJCWHkKREPykpiCQm+EiJfiTBhyQ
wPeaKj9STkWJfaWQGGE8VBoxlgwf5isNDyXDE8RhvmTokPbS0GlkyOBgaUh7MjiYDAogAymJHx
AqxVMyQBsiDQgl2jhfsRtC4vr7SHG+JE6xT38f0i+2k9QvhcTGhEmxnUjsOTGmq68UE0ZiasW+P
gapbz2J7hMqRY8lfUCIPqGkT4L4MLD+sIH07tVP6plIegFjvfqRnnDrSUMPoSQqoJMUNY10j2wv
dc8lkbAssj2JTBAjvEm43EkKn0bkbsGS3InI58RuQKxbM0lWK3b1JV0TxC6R5KF25MHu5IHO\ /a
QHcklnQO3cj3SipCMQ7UhJhyASfhoqhZWS0JAQKTSUhCaIISGkPcxrf4YEg3qDKQmCWlASaQf8t
6sngTAWSEkAAAR0IgeJoJ8lfvDglzC4lPjCHN8a4mMg3l7Bknco8QomGilo0tQQCdZJcUQEMLEv
AVDBl+BcgijBp7Fh6Rrc5\ /\ /bH\ /T\ /moE\ /\ /emC0P8B\ /xfhwwplbmRzdHJlYW0KZW5kb2Jq
CjE1IDAgb2JqCjw8LlR5cGUgL0ZvbnQKLlNlYnR5cGUgL1R5cGUwCi9CYXNlRm9udCAvTVBERkF
BK0RlamFWdVnlcmQ29uZGVuc2VklUJvbGQKL0VuY29kaW5nIC9JZGVudGloes1ICi9EZXNjZW
5kYW50Rm9udHMgWzE2IDAgUl0KL1RvVW5pY29kZSAxNyAwIFIKPj4KZW5kb2JqCjE2IDAgb2JqC
jw8LlR5cGUgL0ZvbnQKLlNlYnR5cGUgL0NjREZvbnRUeXB1MgovQmFzZUZvbnQgL0lQREZBQStE
ZWphVnVTZXJpZkNvbmlbnNlZC1Cb2xkCi9DSURTeXN0ZWlJbmZvIDE4IDAgUgovRm9udERlc2N
yaXB0b3IgMTkgMCBSCi9EVyAlNDAKL1cgWyAzMiBbIDMxMyAzOTUgNDY5IDc1NCA2MjYgODU1ID
gxMyAyNzUgNDI2IDQyNiA0NzAgNzU0IDMxMyAzNzQgMzEzIDMyOSBdCiA0OCA1NyA2MjYgNTggN
TkgMzMyIDYwIDYyIDc1NCA2MyBbIDUyNyA5MDAgNjk4IDc2MCA3MTYgNzgwIDY4NiA2MzkgNzY5
IDg1MCA0MjEgNDI2IDc4MiA2MzMGOTk2IDgyMiA3ODQgNjc3IDc4NCA3NDggNjUwIDY2OSA3ODU
gNjk4IDEwMTEgNjk4IDY0MiA2NTcgNDI2IDMyOSA0MjYgNzU0IDQ1MCA0NTAgNTgzIDYyOSA1ND
ggNjI5IDU3MiAzODcgNjI5IDY1NCAzNDIgmZi1IDYyNCAzNDIgmZi1IDYyNCA2MDAgNjI5IDYyO
SA0NzQgNTA2IDQxNiA2NTQgNTIzIDc3NCA1MzYgNTIzIDUxMSA1NzkgMzI3IDU3OSA3NTQgXQog
XQovQ01EVG9HSURNYXAgMjAgMCBSCj4+CmVuZG9iagoxNyAwIG9iagoxPC9MZW5ndGggMzQ2Pj4
Kc3RyZWftCi9DSURJbm10IC9Qcm9jU2V0IGZpbmRyZXNvdXJjZSBiZWdpbgoxMiBkaWN0IGJlZ2
luCmJlZ2luY21hcAovQ01EU3lzdGVtSW5mbwo8PC9SZWdp3RyeSAoQWRvYmUpCi9PcmRlcmluZ
yAoVUNTKQovU3VwcGxlbWVudCAwCj4+IGRlZgovQ01hcE5hbWUgLoFkb2JlLlUlkZW50aXR5LVVD
UyBkZWYKL0NNYXBUEXB1IDIGZGVmCjEgYmVnaW5jb2Rlc3BhY2V5YW5nZQo8MDAwMD4gPEZGRkY
+CmVuZGNvZGVzcGFjZXJhbm10CjEgYmVnaW5iZnJhbm10CjwwMDAwPiA8RkZGRj4gPDAAwMDA+Cm
VuZGJmcmFuZ2UKZW5kY21hcApDTWFwTmFtZSBjdXJyZW50ZGljdCAvQ01hcCBkZWZpbmVyZXNvd
XJjZSBwb3AKZW5kCmVuZAoKZW5kc3RyZWftCmVuZG9iagoxOCAwIG9iagoxPC9SZWdp3RyeSAo
QWRvYmUpCi9PcmRlcmluZyAoVUNTKQovU3VwcGxlbWVudCAwCj4+CmVuZG9iagoxOSA0wIG9iag
8PC9UeXB1IC9Gb250RGVzY3JpcHRvcgovRm9udE5hbWUgLo1QREZBQStEZWphVnVTZXJpZkNvbml
RlbnNlZC1Cb2xkCiAvQ2FwSGVpZ2h0IDcyOQogL1hIZWlnaHQgNTE5CiAvRm9udEJCb3ggWy03N
TiGtLTM4OSAxNjE3IDExNDVdCiAvRmxhZ3MgMjYyMTQ4CiAvQXNjZW50IDkzOQogL0Rlc2NlbnQg

ZKIUp+jKPMFOepBr8KtjlK8+9x399Sr9gX4BWX7UpOfn1IW2Vu5Yd2ZmYeHMGYWFpGHkSHr121\
/pL3geNuIH8MMDBtDfjDVXr7\//15LvVpSlOkBEqAnEOyOiJkBe4K6S0wAhxjuPCc0J\//R00LeVe
8eD1WfOHv+Evw6Nkqn2FQK45gVS83pzzImSYHKWYmTiZBQcFubTJtx276Df0Njq\//3PLx6NUZxf
8Fo9bmMktL09NLS9KhSY3VxSZWxlPQLP\//v4Gx9++MbjZ8MH7V1y7MyZY0v24pjtTU3btzU0AG\
/33PPc86tX87xdCTyt5TEV3X01CYYMHikkjUSJih67jCbYQDsZQEu1Y9dPfv077HEVB+P+9BR9b
dILc+rCWvXb10ktThV1fJmUhH2++w370jV0C62hugEDsKex519Aey\//khU7yvRlPwW6ZIdCtvVe
fmaXXZ2VVKtdMPRleaJ5XUFBf7zjpyhsCGkEPq1i9u2MRnrkgcbmA7DyDtbtwOgw15+6Z+hl9sY
7nyTQpUzwJ+wDkJYTgJCxp09aSedcXikvIefoEPXgZv\//k5PsdldxIPlzJhz6LUTCypwnlSXMIG
X18oBFwS9l1C3TGDkzAD5YPIPHL+J3rb5\//TWy7iI4TV1XiJfcVtEQn7rLoPS9ghhucYZNXikIT
PLYMjKNLxo+vusS79892Hrwob6uZVzPetCvde0yMiPXv\//7P4Nex8OGHdm87v6lS5TKz063ap6S
dsAepwBYTHJzxsBm+MHqog2xrlQ2PII8NEJI76Aw7gXJYWzcoJjB4CNBYaOY74aFBoUEoGFYtJu
nT6urmzbdPGRxUfupU+1Fi4ecWnxvpbH404UNr0ledM+Uit31++pfn5lo\//X3JE\//RDi6Wx0WLF
g5\//fgT2qmpvopc7++Le8xdue3LDh4Ja7s\//N+On\//+cl5Wq6NvzLcH135bXlCaqZ1Dj5zaQn8w
NM3PSJ9VWRpw4QKce\//w4nti6cIGuwkS\//eIJ+T8+CnJ0\//Qw25H+KzF+zgUFRSIiwqUD8mJZII
qCPhw780\//3ERX29zrLrLRD3n7SB4xzm7NOOPnXY7vo2eswtRwli2N4QKX3oKcIIG4w9S1gcoYB
SjKHFMnAk50Nkoa28n4deu7dv993fpeXrsi8YtG9c\//3Lh4\//67d+xbbxUv2I88v29o75NWDH79
NjK2LlZreD3\//w4R3bldyZ33lJmgW+0BduNKIzl4lqLmPVCLoBND0J\//vAN3U8bYAs2uQmL6yxR
zz946tixV5fvG4z3ff0pfgQbIHk9kpJK1794lL5En4Hj+K496r4QST\//z3BUC\//gZZE6qUYRgro
ikUhZmtb79y8nyr4\//f2duFpPacq5jb6gB3H4SysxcNATSAHe0Q30kWMb4Y5EDDDXDriZ4TaZld
Qi3hkgeM1XN7SQncImS0cY8dFGnHM0XHMsfMi3aHogGFJgBVyY6zEEIb0RivjH3gyIO0\//3x1ng
92px42gxwFw4645jtBNseLVIf\//V\//tbJo6\//mLkl6FH\//xAD2\//Haoptg71+Gw1SJ69SnIcQf
oQXpy8GC8uRnSTx7ejqtxDd70lOviWcN2qf1cPIfw\//Q2\//cs8LVDkXDh0QQvcLzxxw44Mjf7\//j
2AOPeTr3xNbv9erjdLugdW+0uTOLN9ltumE4MZR7M4GM77bSMRMJYyIIkSV1klRk8lSxvkDIzpm
S+Ipxt\//\//Dn3Afo5u9mTd34ujTMbv\//j9V8+jewmQx93epfhvFj04C4BRq\//D156h4cK6ZfR2x
z6FF8cnQgRIktjxrR1qgZ12J6b4DWD6ddOL4g0MKHC+Isfw7+kqbjeEPB7txoMX7lIhrLTQyt+\
/H\//wV9nPC0PZ2UCKd\//QXV7Wc4HwnkGNeiaL1+WQy8vpr7wiSQKxcwg12YWGWEw01qb8c7ybD9
+B\//t33f8jeNc\//4TsAc3sFJM70pR3Kcyffu2qQVnIKE7lXoOSyPbdu9v379mzH\//xlIb4LF+MS
2HUunIHTc7Ow2n0KH2OHqFH7XgrxNQcvI3qIYA2Ub0rLscBnwFQ0bgyDVQGIsstIcQtvQiOz7A
n\//fXTa++9Z2hYdU+jgTH9w+kz12kvu3DpwPp1+znPdC3nuTd7hyYN6uJTYvvbELbAuAlC+tN2u
szF9Lv08oiVdfF993+ZoQoVrsEPgts7uX6Z2kaMTri2E8f21E6VRePB42EQr3jCgtn2PR5zUSK6
ZNNEO8UibxfVx75yD828OH5KfvIBRx6I2fkt6nzW8U7jwhUrFjYK7\//nNmELL7fjKvfmOj+Xm5L
eOb3024sHVqzdxX7NDTXMK5I1V9\//AK8gjsrLG6tqKhA9UiLHLQGku\//19tX3Ve55W+ndmCvy42
oc6Wl38HHlq2YdfjvR\//dA3XX5LtqRjSv27Gq03Kkflnz76SMf\//xoXRw9vXltnKkbmTzywOf
f5fA6EPsSTl8zUE83p0ZACTGBU\//TdS3SyPl09SG7eP573EBXfX99uBIjE2APzXLnLWxPwf0ygc
3It2D1hlvtW0gZ7duOPb91P36nnV6DlHSGXpVmQNiF0H9+8hkoEb6DNqL76Ed4MJ7McsK\//1LUL
tnVgbYgdNZSjkqSDZir9g0qLhMYlYND6HdIF8HaG1hFFPrLD3MsIecYp+SSCTXHOjfBSWprIb2B
P\//OY3tG2J0LoOYxwBu50YrNmBd9wjTrh+gmPNff2vf0Z22dV8BvtJyMk8R3opq7FXF0vOJJOUK
Myj3zxOo3bhCjQ9Rdi6AYtY2Ibf2UUP4ecXOSo2ChPoGmiTYwUIUToDw4rt+MarXilwvqUklW+e
MNzwmevhcc9Ss0VYuhG8YvjdeLGFrrnrWjn8WrgDKaWE0fKY5PlD5zYDclenMXUqJH8I3ehkk0tH
aIq7p+FrY3bJafOkTXL36eupbdJcy7yt6RfhS0lutDnnu+gp3Hj9OsaZ38+9vNPFy7waDdk\//j9
8\//QGLbflDzPMZYAxhIFA6srn7CEouPHNb1\//+7hZk9AMY14ge6RCwNDwPQgzEmzrPz9OG2njcf
xP6YLjPB5LTwnDOT0atjbTD\//j+GpRMNncY6Qf8vRxGC8UfhUqNkfcFR2E8\//5v76UGNka7AzTw
v5UJctYkZKBwNYdwwIzlrxbGuojSJ7YVdCvLXtuXXlXT0hC2V92\//7\//NKeemt5Vaix7Dkjj\//
Sl5unlWdmTbxTWO343r68tOjJx555esLilimVX0ZGvuP4+EktwaCvBbpDge5LoAPYOrKIzPhEN3
k8ZQ2OATawc9fCqD6zEp8ZstJw9rvvzhpWDqG34zOTyyuKiirKJ9ulqGbHvSWT6AV6HY53JpUst
2PjC7sOfvnlk7te4DpgMgaAjKzu4u+wIOy6vblhJLFGKjzhzsR\//QaHXNOfrTH4W4zL5tUvKG\
/wxXmHn4G488GeeMjQofS95Xed+fXnc23NTv19DHL4Mjm61dySU5dKecLIJUWQsLLZlUWTKmaX4
Qkr6Ogh9xhe++c\//XzPcMwTkW5\//UvLDryS+\//PLir3b68ZBLUYxLW4KGTsnBHl6lSQQ4P9k0I5
qTCsRSh8p\//IaCmiBQmXmicXZwn3OerNC6ragjbFfP3G7\//RX3OuXH6gw9e29u04GNXm+8dx827
P7wLH8mVz0b4p\//3w41xgKQh1FQ1BOOE11rNBtB6iaCLDB4ZIZPTvnppy00xSvWrHntVP59mZJ3
QZ518Up7x2t200myL3vqueBgxjcdLX4MfA9EcczHlNcdaiEzDrurCCIzu6kwSSyjn9E\//yl+pMv
i32jbY9SFT9PRTk2SJzrKP\//1XRAStMW47bXdX3HI73ayq9AVFNikIZAvvqj2VTZgqnUIZbias
WINfh73B\//MjjKx2v2Mbnld9p427W0rv0\//OuOC5CgkpbXbNtPo5T6YQJ8rAVch1bVuu9TsWs53

GvIYRvVHAOeucLx1IoV+LRUOslkmlRoqr\ewJUF+5omOloQOc6A7jhs5VBKvZgkZaeWtEM\Md
PAAKMB683XRslPMwpJY9NGMlhZEcDSffbrMx7b3Tv4clYUNauFr0UgFzjg36K+AWKoSvb0UDjFH
oGJwKLHCcYfXmLFzz59Dd9f7fjATH+dlsw00HELXmy3X3OcgJlUy1T6keIzTvm92I7DKbGgUQW1
29lMdZyHDFzgVvWNzp8V\6cbxh0fKs5O21K987GVjletybmTZ1ocH1luzymD62lGI3ldZcN9xD
5Hd+4tZh587XT1+rsdV9xboOJNM8sqnXoI4jnPVbf+1R8Adg8\YDg3cgM1PpcCbvd3meyrBDUu
+bvMan3xJIOxpMTtoYK8yHQ48kH5aehxWWPTSCUpfngdl1AZ74Fh6kf50\6AXFOyhtEx8CbB9UR
TL8m65MdrJvzN3KlLgK84MSU90S573Ox5fKWTXqBmSp5qu3Emz7YpP5wI9FrOhnJ6qmJuH6grHr
vv\KkKvw+4BH7lJbCZB3mH0+vB390pe7ukD5GOjlK2tbj7guHfFffit+M3m\kViIj05ueTss3
QGN\F\meZ6cZ8s7LxETooZN6wXu39lodaLLrKjH7Lbbqq1Nl3bVz27meTX2owerbYdPoxuUt
eXPf11WlnBuLYptbczJTMvtGxDy05sHdgBL1aV69NGzU+JDpp66pD+wdw2nFAOleax9+ARfHNIX
uP5JalByc9t2oVhIA3vTZk5Jhk4W7P1QdO3UuesOOJ9LDd0bAgo+zOHYtXPgdYbJ2kYgyLWffVm
ceuonhoig2wlih+is+MLdRNs4kxHcWKnwrd7I77X527vR1\wGq\j9k7bsCDuJFCifl+agGft9
ADNUK07crPrbjKRA8AO3ZHubADar1i5Ky\NfNhLtRf2DkrysdZP\bD5PP3DrVi4zz6yQevnX2
fflwtDJj31D\EGMdYIY+hCJsdRo56QjiClG\oRYbXj9cmDIMoechHuQQrwMLyvY24YdFVHL7I
8XDLouNttHElpt\MFbJtwi7sCYXiMpoJ7tWHfgOfq\EetSbt\BrWnRmAD2uZxNXmzJ4TcdFr
hQnD5lFH1aYYhXF3jM0e5E9nVwxll8uLcJVtp8aKkJDPsb5E7Mqo0UoRB2rhAZnzZsCPvse4P+
phkwVomnlXNLieB8fnWsnow\jYU0dp48719jN9GnSAflyKPDFdmox8Xgcdr72h9ao5PHKHg5CQ
HkVxUxNOu5+ZONcv9DyRcnJi8pD+8VteOfumYaJ02yNUyYaLthvGz+o3vzHA1a79YE\zHXR425
rnrWCXnl4+YDIpQ\Tn5fPAro\0HB8UBPu+n7syRoA8N\YW27o202fFj0Unsk4VynvrwNVtkJ
BceFQkSlSQUvj4Q+Javd0fe7UpoY7c\XT176zYXjfUN3C5OSFutC+wze8s\TCrOW417a7Iwes
2I79V8xqvm1cdJ2Lw\pB42\j71HxKSmTTOD1Bn9LGTOYHazsZFVnQhiEJ6+mtKV7pk9e2ctT4
7t5qnbTlCm77ixbEeDht3W69gEy4Y2y4jEaQqS07Jw3pkwa7UE0GdmKriGXTfF+5Nq7bbN73fEv
NNCT\j\jhjQkXDzuvv1\vuOR72SsWxnoi5x\M87iLwvrg1xf6z\peVn9P0vVXIRaj6Tw174
NzMXhCLPqWHEdPajxRqySgxzQXUZymDeUII9GTpBodgHMmOYmGQP9JGN9HcKBKuG4UHgEvgD01n
J\B2QJnG5y5cd4Apw309XDOhrNS2IP2wjmcYThP8XbU5JGI7NkmziuaEMA5ivI14+G6AM7+qEw
zGO5fR2VkfPzVnXZNGjwPQGUev8HzDWiSRovypTkWj12vQx\Dmo56a7LQBMC85hna+ZO0CX1JU
XBNRRkgx1eMZ7guAfovEPYbn4dgn7EPePZEQ8UKfs0VN6Bc0gfdztrSheh24UU0QdjC2Sw64Apt
j+2AfweaIL6uzGPjyGsoSfRDhaQExUHFUHF5yeahM6fxImQKUZ0fiOGohTxEbRZ2I5+gOtuJj+
YIFQ9RqGJaA16G8u4Gd+N90BF\ZPgLchCvJAhFAthAeFM0RDhpJZZCuBCBTHiOWwXm8WnxBfF
n+TaqV10hnpD80gzURNrWan5g3NFx4aj1s9sj0sHhs8XvX40TPO0+i5y\Nlzx+9fL1GeVV7rfH
a5\Willmvj72uegveQd4F3ku9n\b+xqevT4bPCp9DPu\6evq09M32vdf3iO9XfgP8yvwW+r3
o97m\t\8Q\yL\Nv+D\md7efYK7VXca4nqqxWCFxqG9rDfcKAAyC\sl17sizrP9rsq1BeP
d\nhbHRCbWMUigvUtoBEbHL99qkfblfbIuonqBkXSchXGKW2NegWoUlte6JA4Vm17YPCCVHbfl
73h+aobX80Us5S2wHIV96ktgORv3yC\SpLZKvvMU6dtWetxLLaFpAnNqhtgkZhm9oWoX1GbUsQ
F\3VtgY1COLq2xNFCuvVtg8aI5xW237Bg0mE2vZH1QM\UtsBqI+8QG0Hov7yYygdMZAZ2ZEF1
aAqVI1sSIYdbyXUBzJKgIr0VpQILfZ7KhmlwRgbsJpQQakQ3Wwb5FRDqqH8fHQskW1cMio2IV1
5XcGuBpgTiN86mGkN8qAlhxAKEMNMKISxuoApYqPlKHN8GVAqYdPM4ypANwaGCfDFBPQ1fE+b4T
STWa7paaq2iYPqYyVE269NVGusMtpNTarZWlQ1cXJOFWV8XJqbalczEZZ5WKD1WBpN0jjvTMMc3
RlDXJlta6+ymCVdRaDXFMvmxsqamsqZb2pTldTDwS6clrc5ahBRmgzdzUDPwb4tHLJkApZYrDUG
OV0U73eUG81wPM0GfRLBqSZavX\e5hyl+Qbo8v\c5hlHMUKOCZuiQSwHftlHyozWKwlpno5IT
5xZHfSXYT\THZ4T7Kcqovo8BsJYuQoiPZVKdzMm001YNBbWBmxJ3NBq4yBo2AQ69iNAJGPMw1
wdUC7mPgeBbuaPGAa4A5qNpmM48ZMUIPoI0N8VZTg6XSYDRZqgzx9QboznTjwOmYzgD5c0CwPia
tgQeNaaQ1oSYy8Lj\47Ts\DxviFlxVw6aLnz\OcA9wZL\PcPRv3\RdK4sba7ZK5RtSjzf
h33gTqulbnwzMRD4ea8MMmKOF4dR+tyfAW7mVcZVLmqOJV67pV6jmkvQYXNcXCirfFcb5MnMN6
Pt+sBpdCwQSoNtXCNdwrFFkqVU07MW2ci+5xoYNRldxDzCq6E4GNVnhXPMkZi8xakW5eEsktp+P
xyq5Wz1clzNGp8ik+WAlEWcdRbLzHqR8jtGpVPx7i4rGLAktIjH8bxILi54xil07YEzN8moBKA+
ezixs9l8DGfa0Cem2810njrynEqbFUCZwlCBRFJ03cB6p5TrCpmqnjz9wlcuJbunmlwm0D12Gcm
3VYu47b02nrrvilwuy4v5AjziXnXJ6XZI6sxIOCXaNqtbv1by61U3MKt2aXR9t6eF2XRE1ch3X\
/EQVnNBh5Tq1XJTS4UdTzT0Yjjl8b+A+ODSCRzTXG3Y9r1SzptFClunLUu0xhhbzOorNUnaUDRB
PPDF02cm9FXRr4cyah\E2NRqs3cY6Y6VLY+45wH2ezGXWqZaqcOVtp68p2lAyue4m9jTxNUHw
bV\Hr1354z+xhQ0kN\N1TadKFN9NUzeby3Rid\Ffx6Ovhseym6Mx3mlq1lOeKJwynerdbO7u
dc71i1FR9NUAKDo+zymRnnPK7FXvpo0qGMekqVafWdxyqI57j+K7Tho99WP9tzK55zh9Nw\TcR
vdiIObc9KdXk+93IjHONXutXxezU2yukXNQAbOX103XOcTq8sZnXHTcxUxqPnO0M0CTVwqPZ8fe

YN1MdIld88ZbLxz1Y108zYldvJ6rDMVPO5Nbrw2qPHgtEQj9NbcQGMG1Mz1XK9GtBkOZRXt8cxq
cMltw7\ /C880jpppnep1frSqPBu5Rf+0vinQ3yuGst0GtdN31dSotym6ac7fhfzdmrWo9LauSOK
POGVGsgqh11SAWdUZ3RDP36LnwWaVaTFkX67lue9Yf\ /xMZ66+1qlBjxKauioaXprKRltMpRAVw
x+gUwl0pmgLLZDHvy4FnMtRzxdBTBnfsHxxlcLuk8h7WH8mjCQq0GWIhmsyxFixi+GTy0+AJw5b
5PbvLhfEFgMXmatFUTkMLaCV8ZDHHzoeneXDVquPYjHR4MhnuWtsLsWpUocf+2VMpjx02j\ /Gic
FoKz7uoducqh1N0cpYPd8WAn632sn9ilcPxGP9xXFOsXeDiM1PlNJXriCEzzHTgKI\ /fsaeT4Vo
E40q4PlO5zAq3BVyGTOhXZNFyDhRLKByl83\ /KNY2PYP\ /Iq5RzwSiVqiPjuIRMngw+n1HN5U8V
zgpVK7N2F0q8qkuFD6b\ /MhflEi5\ /Hhwy17+U\ /zMyZptUwHfiOn0niyPku\ /xoMpcvleuhkFN
I431Mi0yfea6Rw5WSeF6YnZjnGdwSqlcIyU31MSJ1t06N\ /IOJ4UsLp+WayqPjy4BPWphfI7ri
eKPOVzWdFW3Cqbi94pP5LlpN53LyCw7CahqVZ9K5brrLoUSIYz\ /LikUC6Sqn+luOuuyfoFq3XS
XrQu5l\ /1ZK1N4LGr5qFRu6xKXFjJ5\ /OarnE928zCnHSer\ /lno4qy7fplx5Bz3n+QOBctJu7s
FM7g\ /5akclri08e9xldylhXWtku93bK683X3ldq8eu6pS9\ /ozzi3XulcCShbO4mPreozreqrk
Z2XN6trzuNdwn1q5nLtkpabvqn6dlYeSuxtcR5icla+e1+lKLWhlVSXK+mFyVSZNVldrTVd2g3V
8hPt+z8rpKpIlqDN6YinlpY5XC4ya9QbavNkK1XOHaObrvUKlibdtamXC5GtQx7L83vsii09dl
X\ /zgZOWf6d\ /i3c3mZ1TlXDNczqyXgV14Kc+7MunTANKG\ /6npYvcv7GNoY1LMOZTqocuNcr1
pceZPGaHojlMlfxrGXqOxFrOsFrDzEajDIFYZaU1NsvPwfvHKN9\ /bumlxmsOhkBdnlotd7+E3\
/vL3\ /+6+E5R6Ua4BF2WbR6Q11Ostc2WtsieLTXWSw1NVY+ctQGF1tsBiAVpVfV28z6ONkowWEh
2kgsKXKECfbTLKu3i6bDRYrTDBV2EDgmvoqoFIJTLORtmqD+15TV1lpqjPDCDbAVg3ooCT2olQe
EslVEhkLYHpZZ7WaKmt0QA80WN1QZ6i36WyMH2NNLeh4CEPKE+QSk9HWBDqPjOWcWAXmi0nfUGn
gMPoaEKymosFm4Dx0mxAHVqqsbdAzTppqbNwmBhswU1ejEmLjLYoqAbbBCuOZOHFynYFLzelrrY
5zoxHhAI4wWWSrAewAo2uAVVX8HqQZcwBrZozq2qarjhJqqTXV\ /nsDMYGyw1ANBA5+oN81WU5xs
baiYY6i0sSeKjmvBJZlAlaZ6fQ2TwzrG27sUunQVpkYDl0DxIs6AywnqTTYwglV5yqxi7vIApU+
2VutAqAqDqjVgA5xc101OUz34hUWuM1kMNxRbttNBqMOCMUrTHXvrdPZGX6dSV9jrrGGOpqulge
tBA0B1ej2XXFEdiy+dBfhqqNVZOCG9wVpTVc\ /ZqKqlm6utbBLzUF0lgFjZDCc\ /1p6UFI\ /TKw
rTlboB9ABR5z156UIEFutr7XJNN1cHkSwG9j9W4GNZw8qUyWzjDBED+J1BEaDJZNFb5UhxLEYy2
s4OOZKFbIRXG1gnT42ZCGNEE0NtAdswIRpNNS7GDM02iBpZzzZDiOkqag2sQ5EfKhsYplpnk6t1
Vka01HfXC5Dr8nC93FCvVxmO7J5XIhUJb2ZzQ6mWRTY3HTOUTq5lGQTixTnQrKucq6sCwSAW602
u\ /PGf01Y3UpC0gEVDzRExla2VMwsLSuWSwszSKanFWjmnRC4qLizLydBmyJGpJXAfGSdPySnNL
pxcKsOI4tSC0mlyYaacWjBNzs0pyIiTTVOLirUlJXJhsZyTX5SXo4VnOQXpeZMzcggqy5DSYV1BY
Kuf150eUAmhpiZ+qQuVoSxhYvrY4PRtuU9Ny8nJKp8XJmTmlBQwzE0BT5aLU4tKc9M15qcVy0eT
iosISLWBkAGxBtkFmMVDR5mtBCABKLyYaVpyTlV0aB5NK4WGcXFqcmqHNTy3OjWMCfoLiXtIfEg
9cAoasLWOTS7JT8\ /LktJzSktJibWo+G8u0k1VQmM90NLkgI7U0p7BATtOCKKlpeVqFNxAlPS81
Jz9OzkjNT83SlNQRyCNUchrUwsZkaQu0xal5cXJJkTY9hzVAjznF2vRSPHJ0D5rI4+ymFxaUaCd
NhgcwzkkCDJKt5SRAGFT4L51zxsUvAHEZTmlhcamlLsk5Jdo4ObU4p4SxkFlcCOWye8IMJuNk0C
czXoHKL7MRe\ /Zn74BRbLYqYIY2NQ8ASxgbfxoL3qVtrjSYbcy3leBW0iNPpUr+jONeqyQBcOGs
eghc5RlvGj9DZPGVR8lwXcHFluQ4Nf2y9AHe3WBV06++0QBZ0MpSCcSHiSWTphorj3RYButM6rp
nldUCMZj1GgX5UlcL06wuNrsHlHNBnftqYEQtPcYGYUTWNcBTS818dSm2qEtVtwkYlZ78WwxWM6
xUNY2GWns8jLWw9YxzU1NvNFNqVNG5+iptY5w51CZXCXA9CG6yVMXL3v8n34qO4FXwXDhH8MPRz
9\ /HxfN3o2Z41v09382\ /Qx3RVD03ZkQNpMPmeH01eYSak\ /\ /6O+tu30qjm3+B3fM7a9f\ /Fad
zIft\ /8vz574jQlvLFOUreyCWvU3LWm\ /zn5xJIKepklePkln\ /kFc2kZcpOUHJ8ZeypOot5KU
scuxW81+t5EUfcpSSFyh5npIjvchhb\ /JsCDk0mDzjTZ5JEZ9+qq\ /OVF9y8Mm+0sEB5Mm+5ImH
\ /aQnkskBuByII03JZL8P2bc3UNqXQPYGkr1t4p54snvzAGk3JbseD5J2hZPHg8jOx4ZJO4+Sx2
zh0mPDyKNwefQoeWRHX+kRSnb0JQ\ /7ke3bjkrbKdm2daa07SjZ1iZu3RitbZ1JtqaIWwBtSzTZ
\ /FCgtHkA2Xyk83hKp\ /hQIHnQlzyYIj4QTjb5kI2byAY\ /cv8t5L71euk+StYDifV6sm6tj7Su
NlnrQ9amiGtW+0lrepPVfuTeVd7SvQlklTe5J5ysXNEqraRkBcxY0Uru9iHLBpClcLM0gdy1JFi
6i5I183pJS4JJ2yI\ /qY2SRX5kUYq4EEYspKR1wUCplZIFA0nL\ /KNsCyXz7TOl+UfJ\ /DbR3hw
t2WcSe4rYHE2akkkjzGicSxrg0vAhS YUTKyUWQLZQMq8Xmdcmmk3xkpkSUzyp6SOktoAMjeXzP
Em1ZRUEzOqFNEYQYtRE9JyurKuaTiKNG1knJKZOWSmT69pJmUTA8k06aGS9OGk6nhZEoCKfMhp
SV9pdJNpKQvKe5LJhWFSPOiSZF\ /gFQUSgrhUhhGCvL7SwWtJD\ /HT8rvT\ /JTxLxe\ /aW820gu
dOcmkInwFGIryfEj2VneUnYryfImmVo\ /KTOBaDN8Ja0f0SomyfAl6Wl9pPRNJk0PSU3x11JbSc
ooLynFn6S0iRPGxUoTjpLxcBk\ /k4wDEuNiYr1j+0h3BJGxY4KksX3ImNHe0pggMtqb3J7cS7q9
1STD70ReJLlNHOFVRqWISSP7SEmbyMhhXtLiPiTRK1xK3EQSYv2kBEpu8ye3+vpItw4gIwbFSiO
SSXyEtXQ\ /gAyPC5SGbyJxMCCukMSliMO8yNDBntLQcBLrR2JTxCExgdKQTSQGsUEkpgUcbAni

KEqoLMbRrjQNqFKSBcT2SiOfSx6Bz3Jcdeg9VAvQ3v5NyJX0etkOK4B\ /Ew3faTjQnJnItZrgnC
qz2LQFdJEO3ahBvUneciBwH2e1EgiETBKlkMOCfEF5kNzk6fJp6frhyRfU5VDfORDqPRQoEs+3N
lZOk3sK00\ /JPU7ROJ9D4nxcR\ /9WedHQ5InlU6TD7lmzFOpGmflQVv5NCiyGjRDuzFvCOKeAXq
GOCBQmke3k1+kXVCGrKEN1YfG60PlM8m9V18RzriH0c0+QZcv2TVJfNZtnReFE2AJP4gNZBiH08
J9gnBsglZPfOIMtWxNu3NyUKBr9eTf8GSqb9M\ /UGyzFzfYbNLSq08ePcrMHyR7SSjM57xwaBxw
iwwFy88LJrCo+7wwmF0wDvKTtFo6CuP6w7g4kh6A07VgTp2e6OGK08axa7ieX2TLt5nfJlZ+M\ /
XU1N\ /ohXEY0dcqT0H1dOUVnJhJ8dBKUke\ /hWsbqezLz9NvL9B2vJhdF3DYefB\ /gibR8+JqTQ
TE8WCIWGTQpmvCR2NtCjaMGAAVEoMjSNyIhEQo+GhEH2CegnEQlMMjyDghIbEwvcFvXnvG+As7o
\ /tjfcq1MbX60clDGzUOa\ /bnO2WZ\ /vYGazqBfyuuC+g1dkrETQ1R+TNH47jbbSbWDEcfffPycB
gfSHzWDE+n3znaBrh596vGnz2roJQieZPH2gIqx+ZX93EEBUzfOAnlArmrovKiZAxEQAHmpD+Se
oaClWA3ASU8bYQCcaeGCJi42IWYEPH3HKVaCKhgsVGuUIGZMio6OyuDfSR13Gd\ /p2Adf5M0tV\
/ZsEWd23BUXylrg+43midExfdnAGGnVqt0Pr179805Vltdoyz\ /+ge947bcfyZDXXjj5+usnX3j
NrPYyWwcCxxkAOBJyG0rCiQBBtkwYPgxQGBJ4YcSA9LRwptjhwxIT4hgyXe+I8Ag8DjKG3icO9B
uRHs\ /VzNoBtPQunTyj7vN2emmp2S\ /6hSdiAzViNI74MHd\ /g8GJEwbNmuEKfhzBPnhizsx+Oh
yj257kKtt4r3sbnTO2KNjXULQx\ /85lpaVLqramDnvwS\ /LcsbFyVNSuJyMj6OmgoNq0UbPKAnr
NvL+3H43J+9vc1ta7Pp56oUEozL27PHVQU0njDSxyMPNhvJz7MPdg8F7FdVnffnqcdGh6w\ /qB8
ABYz+J9NAIRwiIEM\ /30LRduxRN19z83dszoRfR4G\ /6H8Dg+c2vrLLqCPkz30BWzOP3Op+lx4W
mFBjGMCNOGCYkGMUxA+TB1zJjRbTrc900XXUaPt87CLjwNT8euWa230mHuQprCMAwURpFtoPdQq
ARin3htnFZKHIINEkkn8WQrfRbnTaNVRe6KpG9Nx0Z6ZDpOhApOFJ\ /ds3frd3QBxv7dlr17t1\
/CK2nrJaB3AglSviScR4G8EH0saofrQ0kDfosmnqMJ+G1JdF\ /61H1JCPpUCFJk+JUeEPxwJuQJ
5KNYUyP4+DUu7BOMEU58\ /9jJilfvqPR9jx5vVHRailcLjwodTKeQS\ /QLheFD3S8LHZTx39R5E
X+DZzH+4DrpHmfeFOTKH8\ /Szfj8yZ5Ew3k3dOaQ4ap9wPuFxlNudEo6\ /lsjWw87L4r7QTd+sK
ajAWkjtGEJsRoiaGWwlV4GJeMH32wpKkx6c15hUTv98c1l2Aw67PXWrXTbtLfxU\ /jx99+mE2gB
fRSvFb7F66jNHUbnAsZ5Ykt3ga4\ /QumGdK1kiNeTdJ9W3dXX6ekosFK\ /n90613j48KaPf7\ /d
BRh\ /gTXoLhjf12U3LUglM6l8sN6QTVsZeEAYBDEEBE5vG0l8vwmjX+OjTl2lNwoL+y8suhoz+G
Osf0uOMS2Yc49oxjnx8V+8uvGrnfS7Q3TiT\ /eewGFP7X9iraJXH5CX+cIggHh058NzmD42IZFl
OSVhDMYGpcCiMA5Htflr9o8f94\ /82+Z9t\ /ePpwfpp3PebS5oCLivvP2xvv3a1o7Wpd56X2R4T
fPsDbGN0t64uOOPr9gT3f\ /Mo699MHAgnrBm0yNbHzjUunLF4hXtC\ /i6AbYTlwCOIOaVScBMqz
dgpiJI7VgLe0J3tO50qvucTriIyw58Gv5Z6mk6aJH7BxcOcZCfrka10+\ /xeuG8ezDIJINMm8C+
bGUGesLEcVPRoJ4CcTm04qYU9w0Zxq2TL383aDB9lLqb\ /mEdldC7ZuGtD8bFzVic15Jx41LpPP
2dHk4fRr\ /4\ /if6\ /cBBOH\ /DupMvnTqZmSNc5NjnAL8LgLOP7PUULTJ2cbKgBZ\ /h+SsF\ /FE
jpIlgziTg9\ /O2THnl2aTB9PSP90t3MsfjW\ /HwyY9bUhrFOdu7nil9umns0GcaJ5HmYcPoT1\ /
+Sn\ /Ec3ENvhvfHxNDL9fU\ /3TltYP40MGdtJTZ7znQ2zcqgy9CfpDIISlq9eKxq+6nh0\ /c9XE
LKsib4oUrSeIzL+F\ /8XlsLGB9CrCGAlZY6DE3tcwSv4GvZYohEEU\ /mvC0Ed4iqI2Yti3tF0+f
d\ /\ /w44Dolx9aYY3Q49iffnxfH7Fva9\ /U8opp\ /fqmPjxtnDy6tnaOrB9dW9NI+kafeeiVd99
95aEz0QMeWXr09OmjSx\ /Bidvnzdt+X3Oz+\ /xTd9zx1NN33qnsOJIB292AzYfpeYGMgH0YYbEs
GEagdMmCKoRYzBDk\ /d0Y+HQp5sKS41bppx9NikZD\ /8J935n3Hi6kL7E9SnNMW8\ /Ii0AVR0E
lbk3Dh+OA766jHvRNxQrraemmBjsW1P\ /M+Ntg33LSPI16BHOGFq2b2HbFuLdwHzMti59W9eUmr
17GDKkxDZ3WlOT+4Q3uQidr9MnhTJOJ7QbHWXBggx3Nah19eS+89aU0n81LowMwSjxw+c8dK5ay
s\ /dMe0j+mwjz6k5Ur54As4cyE\ /Q4eFYmL5ds+ZeWSQuJa\ /TA\ /TQd\ /jVj\ /E5rrcTeIiUD+
cjZX\ /GEjBcJ8SlbPCVRULIRWHvRdStpnY4ZkT5IDKXvP49veFjOvQ7XMro\ /R3sEMf3DrE9M6p
WKWvEYJ6TPFH0SiBLtIFBLNGmt5y75eKZAXH06w8GtAlbvrlvn4o51cv6N3h3etNjY987+9IXYW
fx4MGht6zbcOtSLkML3ab5L2kH8JwEUBXKAvM5hXPYCLYRgNzHuSbyeGirhiYsgvuCIUIjxsUOS
EwQolQvjggP8wF3iRptgREVM6avTi+ePuOOiGFrJndsKfi2Y7Kzb\ /jJpSuf6N8nY4rxtUXNF0x
3vRDbN3Fc4ad3Nb1VH7eUXl56gF6aOXNs7qMrbsdjnt7xS6U5v\ /9QeqAT9cOXC9vv00jfPLT1t
gmF3+Pd3xWob3NHJX55aO2Xs4or8o2z6eGTW+k3lnnz83JvrqhYtGghnoSX4Iltixaaqqz0kwP0
a3gG+YoVNmriJHaDmc\ /FGdJhMUr34Qke8h6scut1TcKXF3DAYpl7le7WDOrzOA7dTLxjjkua+f
sulwvfQM+5hDhhNMR15+tA6wGgFQYrxgBOTRtn0HdP58STyL2FZF3HOx060u+XC\ /qIk\ /tOPRG
dCI71XFHL1n0REW33t7zT3nGsX7\ /Ve9td4kXX4aeXb+ute3HX+\ /8gNW3tS1uuRN9z\ /47tyhp
S1HlR2svzH4LzVZyMeuQ9fxzGGEoJN90Tn9MOenRcJn4DV7ReXp5lF+6954Vfmle8eNupPLz3sw
\ /xTmyBVLczK5uuf\ /YIfc5dQ4\ /t3oN4XIF8l3ie0yEUDxkWdj2DMVbElBHLDPi7ttcvjxq15o
02tz+XTHgUz8ZjMjPpGHq3Cyfj8diIB4PmQBy6hN5NN9HFFd\ /AaK8H2hFevRF2MuT47oqqxMPj
Fia4XyrHs\ /QLblwYS3fMFvITFozlBHdcoPqj7qtH3bsu0B3IS3cF0NVdn266j0r1wLgFCe7zFb

gSqc7Q032Nb+h6ktzo8ur5TdBzDFSYZtnGkamWU+5SvBhBpHjN9o7Xfh89etmLhSvHTHhAhz8xP
0RP3kd3079nMvXfuA4HLM0S0YuP0pN0Pz1ETyQk4C2tkMpgo4XrcD3ezozglUNDQY6+XjlgVdar
d+6x2i5phMd0+6cJEdOU0jv7de4iXccc9xdz9nOhXNQf\/+JyXYl2uQSze5tLpU\ /uBPoB3el3p
\ /eOOhdmwXj6Hq0kL8H43ixTqAu6OotlgQT6XlJzwIi8abcM+OyETjij6\ /hiMHX\ /MPEuuuWrm
6dtOisNdr1+P\ /vjh7Ee2RYDrcjuvDG\ /+bFoxD2A3CLcu06Hf9Y95j4raG7V0VF04GwVm\ /sDQ
Q\ /SpV\ /90gXbkF0uhbb4MNA07KE3rzcxgm8KoYNc2YpwQ76mq7i+X0LIN74HJi3uUjWOG6Ouz3
Ddvnf26YRBbwpJQpKu4+19TM\ /7Trsf+eSLU\ /s4oqs55CjXs+i48p0YeuVOrutXQN5XgLBWSxu
rwOKYqGnh+97pCMe7BPuufTr8z\ /B933\ /tXr5HIXjlA7IHNLdLNFzNcbGczfzv750hENM8pBU
nDJCRmy3zKJSOLTw4wMa8e+j0Zl2DaBq51ajF\ /CZbgCj8rKpCNm4hxIjoU4hx6hT9HD9IgLbx
PewPdRM0TnZmr2xr4DMIewDNOV2TQiy2U+16Qzwf3hB3Fx9OwHv059SzfN0ry3T1Rji4Xh\ /+bU
6e9osEu4uH\ /9un2IP9do0gwC\ /P0QHIukAfzEyXBHhOt6w9ohwRoyGvvExSYmEBBOPYMKhJ81h
SdpX72NYZn4ZRCm\ /D5r2Ei6gX6akLVx\ /v7BWY6uNod2fJgR3dcAcsNtZLTmzPoPZtRDOrrvlQ
0fz6inz1Nn6qg+Gb84ynASU8Hetnkl05kOdi9snfyAKvMWHnNxfJcWoQXrkxTMRdZ3y+6QC2FbC
c3nim\ /us+AOHclfkTCxyDBLCTymkM4v347te979dsuiB9KaFrUIbwXOnEpnuF CJ1UXu91xMM68
d2\ /aE\ /h4ctVnJ55Gw\ /n8OeklSn3MoCk7Fng0if9KhbAr7Y89ZIXKcQ9zdsephbcjkjceOtMm
JeNj3Lb+2Z9jxPQ8u3xIWUrT\ /2Gpt+oH0KP1u2e8TcNWe3S32G82DDSNPHX7\ /1+Rk+uSWtbU1
N5mGGYa9e\ /zjr9IYjkrQwRm+PvIzE9\ /bqpnzZdljb9Jl9xZkS8OyXUn0zjcfAxd9\ /WvcTFd9
fWWIS5HjQOdFzUMwn6lLio\ /zHUVfTwVMLWjxjftYJHYsvaH56DMnhi4Dt39D13HbGDDri\ /TOW
20kmRDbOvrFBx9hnfAVlBHds9\ /DCXgK51EF8ZQOPOBYC64CO3BOG4LUoEnXzXXr\ /kl\ /WawTW
nTLjgpRO3TSeYgfRvFqHHmPxSO6CWL9oJLL9CzxEHw+XqtQknZ8bqehn69dphMWha8z4Quo04of
2aHDO3R3iJlXjnNic8SgKx+R3S5F7k5YlqXXlHztp+wo\ /LpgeRKbIV0op\ /fs1te43UP4Rfr6w
nBhq27DM3jSNqaA3bQSj4F9h0m3WcikGZCsRwsQ\ /HQmho2H+3P3cJUXwy8dVvCn8+TUjQ9z1Wd
0T0ylPzt0wnLd5pfxutt0uF0HAS16XOfCPwiXgNgpYRR857j4fnpONBzeXKmcpxRDr3jIsmv7o
WJCzLFNZFXw4SH4xeMvVN87gNcd+eV7NfoboYln14iyzW9+ZNDxp6l79swlT1Hvzymo4Kmd+tvr
7TCuA2dOUKQev7XgtJvfPz0Y+z4r9mg609joBOr0PFjvEEaoqfHKdY9h8OP6TS9L7\ /fqklr5fI
\ /Q\ /ZIJUBLw89f7AhGGvDHx2gLBtmGv5DOu1\ /Ho+1JgR21EKLRZAt9h\ /PV6YeTLVdr6Dvsss
f0fs1+K6zR1KiYMP78oQ30R00NXYlb+f44E2KSPYvuxd5eYIg+H89jOkwMYE0NPyQZRoBL\ /0zS
XS0jkuWUqeXlMm7d3qqjtojqgwe2JCZ2nMWH0Ig0jNkx8den1+5+Rhh41S4sWLELdb7\ /wfFPGJ
8hwGe3hr3NGKhEDT8+qxkRltZE0KnnYZvB+1gOJ92uw6eaDHdbzs4YGzKEfnjGMj8qkj6P7woN7
HdLlXVGh78+VbPsemlbq3t1+eTN1ZsmTaVX6BuTy1fgD8z5YxLLD\ /lrzdQR+mm7nwFdjAMMeSA
ry3zeZ4Jh6HqPAhkK8k3Oj092IntZUAou+MX8QlW6RUgYUrt84+Dw0PiFs1bpceGTj22o251bhH
3xwEGD6FsRuhpD9ulF26cXD61bouxXCzw\ /ArnDuNyGP3BhjsBOIt2wQAoW\ /qUNDYy+pbppYB\
/\ /PlU3O4W+9Hv6fIThHsvLN44JTsHRZ8wLo6aDbj6or84fm1h+8F93TjXETtstfvfblytAD+aN
k6ZhDR40uRxfVXCMBRz5ILs\ /igccwACGZouG0aA0rmw6WyH0wWCmYVobFMsKb2xdrCGbtDgp2
s3x28eT6+euzxnEkDI+6bj080okrXhMfrZjwnUFjv+9fnOJ\ /aur9lpnIwD8MBNK\ /pG02e532+
gC0QZdAB6J8qWKl05\ /UX4eNUejNkjGdBL3IhpEyoI9q0NXxPR\ /6sXC9fmJFpweN9xE6ZERP6g
+2HvANuBk\ /70K0c7Oeda\ /uHTWu0nwYGj+ic42m93XR3+2pgZi0HWJDpKPMt9evAffJpxAG8zp
PdWDZCJuYuHgYunEZeUsasm00E2VN3skPG9HYN3vvDZLUerkmtuGO7cuCl01\ /TSfz2dMPT1\ /
GQH5izW97lzi5dHfSLeyFeT\ /18Z6am33fKxfweh7xwiPkc7NXuB9mjIY9pe7g9W2+1Xn8gmVfW
6PDZuRMft03MSgo03a6jIlsDA8ILTC0x9cy9226pmJ3bMHai+7xLOJA\ /NDlq2H373Hu5bYGH0A
g8QvmK5GXgcSu2wvMNWUhQa8H4gTFiYOv4goH9V6yEfeZDK3X4RalisnVkkkGrK7Ea4HZl1Iscc
CGBvkJHCas43cTr0eVLJj9FJ8Ix2RM1ODVo3sT8pBgxaN74gqQYPWNwLvqbl0fMGzfQIvbsjc7J
C+cMBxnCVIa0yXVl5oMP99Z+jGMiE8MH3LxAWQOY7vby2EFJfDepbKAlnoB9cBt9\ /gpQP3UQn7
TrMNHrd3BKXTjdSX9jCrvaB7e7XL+4j7vwt9089CAX8vwb79HJBqYFTsblgl18XC1CPoPAf1K7S
32NuXqWGSzu0eLWKR21D2UOBAOG01GNERrtIp5kXPP843hGu3EKax4nOn8VNSE+6ublxDXbFNd
dkNmIbOqdWleXNiW9be5odieG68UwRkbb6qs9uASTwMujy\ /5\ /Bm4WoXfXafmcl9iIrb28g8vm
gW+xAj+mSsx4I8sR54hLBnzFfPisSqnoQlduVMJXULfSz05Bi\ /iDPOIf18++Bi6tNSEZiCy9l
udq84htHD1cNibzlOd1UZyk1zNzXszpoIpkvaOGd39kT6u8IzhVaKl4CnkiN9\ /rAMxPeQVvku
F6IgRzZbxYsApGwCNzioB+ytSIC1oozM8YGP9CPzpoXRFXR48KE+h4rQYdrRY+Vwn2OYZgFGF4C
DMF8HSQRPPk2Ky\ /4dM8h4ksX14fToVUsFySmfnIGJ1\ /6nKWNrER5pOlmh5588vv3wnxBuMGTB
d70JAqPDUcDnwjGJe76PjR6ZA0Jj86ru6\ /\ /LeAtD4XjV\ /U5+639SsR0ekIXNrL\ /oDNpuC+C
Hf9unePH8mtn50XyOdCE0wZsq3W9ASbTHd9Z87desrK+MSF0vdnWGtTI831aDZ495x99xJQb2+6
8UdP\ /Z3z7P4fWkJfPRBLrwseqffrTKz89eh5PCA6qal6v7dd3TFR80tLS2MT9j2TrN7ShT60Ii

cjWxw9fXhmX9Pi+MdxHpWOWHGku81GW59k7FThfeE2a7l3rPrldD0cGzszAfjr6qz1EChqWMT50
RfyD+0+Ojg8A4fBE+qTL3Tx9SN9esZU37mg3Js9My1bi2Ak+el5MZDyUU4uXqPLEwsNMK56HQKA
jowq8gYBPNYT76EogEOreXKtlLBTq8yAUhMEu94a23IG9h2\ /vECqARwLYaaw4COIACg\ /LdFrQ
qSHOEBFOBGfCJzpQr8PLN0Ssv3X07PB\ /Ck90AOKrn\ /3zDF0g\ /Eb\ /Rl\ /gOA2wh68HnHCKxe
DNWh\ /YG\ /sIPp7tuBanizt9Fy9Jb9P9nD73YMc7lfs5t9vqdHjlTFx6FCf7HngKjgYL6NIX6Ln
HhS3uGuDhniAc5mvq+4BvJtAO5ntxzE9xbJMIIdIWdOGMJrT23WEfrjtAnl+Ddp+fo8G3CbtXoe9
F8F15PrYIG7+H74ndhrbwb6Mh8nwmgrORpEw3xGsCJ2FLpSelMo\ /i5TgTwVlyoXZW3RIeFch2p
mf72RmvHlAWJfJIm6gLN9PvxOdcV67uxvNwA3bhJQ\ /R2c\ /S8BvTB7+PI3sbw\ /01RNkLX+zc
L44Q57M9gR\ /m1A3ALoGnmkQDTmBh4WMYkQ5d7CmsqHff3r+PfULDA\ /12rJvoaLfUhU\ /XCc7o
PvbxDQ\ /03bFukr3dUq+7kRxya3uF5q3fvkfMKkgJElzC1wHdqmCTdfRv4gOwBgYc84APSYqPOB
N7XkNlQrqHcOGHc4hJ5REngbAnDeHL3lgV25tok6MKFxt0hsXNUcnaQXrDtvPLdTeZ0Sm9rPnt
2X3GxoxynLedcO4AU223+92uBx3\ /25rjB97Q+vNK+ml+1fExN56P\ /1hxc3MN76h0fiQJtr7Lv
fgcU30Zfa2BfoEwBimYIzgfqy8RNGqMMJYnAw1ijPEGdJBDCD4PweMYPjsLbZcvqlRmaYZ+iWn
WeQew\ /uW7hopG7kImffwb0HySO3nV92\ /uYVOPi+22JjVm7HQStvbr1hbHyjF3DTgHHq++YT+K
SUTzJ5RtQpMZAyOOSr4Uo67o\ /5y3FjxZ4ZU24P9tX02jLNUhnq1N03Vq4M8QncNsN4N8l8pbIs
Q0OILDOh4JWpk0eBPvMmKPQh7071f9WlXX1L8JifUX9f\ /sOfVzIvPOG5\ /zb\ /6sVeO\ /2SQEu
+yPMH83yWUYj9wMDf5l95rddOZGZPnBr9VYllaAZfWmBRE9ph15mEbiPH0EGNL2qTBDRJcwElaJ
agQGEYOkjq0H5S1\ /kMOYEGQv8Job3zsuBGhTBvk7CzSXHGv8I1TxI6f4W7D1wBcMlwzYHrObhi
4UoW9iCbsKfzDUbDc4kj0d990lGLtLnTptF1viEdQUWacXBfCFc\ /GJSa9bOdb5Cb4aqj72tyoD
2k8w2fy50vazZ2ntMYUZE0G8YZ0QzpCvSlo0hpBqrUjEcHpm2oyjcc3QS075fi4J7d+TzIki\ /s
RBtAnovA\ /xlyL8h+L5wB96JMyRcNEavQOLhrxYloLIns3Aj1JGkMGic8C9cWek50K2Wf7agW2m
vFs3x8ClyzyMtQh9MzKUfToc8ppqIETRoyiBM7PxBTO98Twzs\ /EXeidcJ29A3cBSY\ /mCBc\ /Y
xAE9FS9DZOxvfq3fg0\ /lwIEQYJOUKpUCe0CA8IzwjfkjQyJawjr5BPxWGiXdwSPiO+Kn4iXpBS
pA7pH5oQTY7GptmmeQES01CfCT5NPtt8Dvt86tvLN8u3wfcZ38t+Y\ /xm+q3xO+D3pn+Q\ /wj\ /
Cv86\ /1b\ /Nf67\ /P\ /m\ /7z\ /LwEjA+wBTwb81Cu5l73Xrl6vBoYEjgwsDLwn8KUgMSg\ /aH7Q
rqAvg\ /sFFwfbgrCHPx9MQzJCFoWsDnk1l0OrVYIfnCF2sN8vwaqQxX\ /pCocLqLOfikXhcepv+
hC6BR1TyxiF42K1DH6D27y\ /+4vF59SyiGKFkWPzQr2EzrWsQf2F59WYlWolGrUcgKJjHVo09Ns
QvkUtB6Fh8jlqOQT1kj9Ty6FIxx6ZlIZCZoH\ /uk4pY5SMpe0C4LSoZYLY80lqWYTyJbUsoUhhh
lrWgJ8sVcu+gP9jtRyAMkikWg7UJhC7Wg5CdXKKWg5BkfJZtRyKbsk\ /oVxkRTbkQnZUD\ /ujOu
SElWggqkZJcE9DQ+GTDiX2W0IZ5cAYJ3LAZUcWZEKNKBlaC1ATjE+BUjZqgI+Myry0HLxmgbsF5
rTAtxlG+qM8KM0GCpWoGUZUwlgTUKnlI2UoM\ /oyUGmCbXuMqQK69TB0hvlW4Gviff4I5VptLnt
9bZ1THlidJKcNhXN1lUvOqXc6nHaLqTFZLmiqTpGzGxrkmJbKIzdZHBZ7i8Wc4p9nmW2qbJar60
xNtRaHbLJb5Pom2dZclVBfLZutjab6JmDQE2k5l6Me1UCZaa4J8Fjg28ElQyrJcou9vkbOtaZL
U0OC7TnwNAGMCU5QRiijAox9pglgucJmD4v8dI\ /jOK1wcg\ /88wquSkHTDByg2ZBqZnP4pFlR
a7o97aJKelpA\ /riacLzR+xDPFiuQ4SDsSLYwjDcX15azhdxTODqhd7pKmxNoGHOMFvEPdeJ\ /h
eBpxEUzkORqMFAkTAXCvc7cDdwunZueemAF0LzEF1TqctIzXVDERbmlMc1mZ7taXGaQ+1pDRZoD
u\ /GwKPP3si7o8RxxvqY\ /BYehRaQ2ormwVgWb\ /93oojFo\ /91OSsGNEGPo+Y\ /Zgx\ /sM1\ /\ /
8O4\ /09koetru0vmelWLMu83cR9o5Fqda21WHjF\ /jYVJVsrpNXJqXaGg0K7jfrZVrlrOpYl7pZ
nTqeG9Fi83xcKKtyVzXFaOsInPt6nhpnCwAlWnauF67hWKLNLWqpj00nRxFz7gwwahq7iE2lbqHA
hutYFc8yROdzFqx3bwkllvOxCOY3R0cVzXMMAnyKT5YDV7ZyKk4eY9HPzVQalD9eKAXYxcHlrcY
fifEguLnjGOXTliLD6btwKWZ4+xCY+YSOLmvVUGvk\ /d6ePw5h2Q1lqoBWTOnouhkHveBOp4TnK
pmGnlbd4k89O09vFJB28x1mNzNOqzcyO3psXVX\ /DpgdvKfyJHslTOV5yWZU1biQaFdr2q1p\ /X
\ /WmqP5hS0Nq9HO6\ /xui6J5nF9NP5HHDzRUMNzapMqoaUbRzP\ /ZjyS+b2Z\ /3rfAhI5vWO6+3
GDmiU9FqpW15J6rz0ckNdZdFaos0xA0cozQ5cNuueiLg38MRM0wXinGg2OHmM9sdKlse45oPs8m
ctsUi1V5c3bH19tTKfkctNf2NPK1yBztX0jv3flj\ /\ /EFk6Q3MbXNZMqUUoPTf3VXKYTlxd\ /I
4++eh7LnozGsDvVrKe0KEiZTs3dbN7d6zzrF+Oi6KsZqJj4PI9Ezo6U2aupmzZqYRyTpk5ts3fL
oSbuPYrvenhcqx\ /Hv5Wpe44z9\ /AwE7fR9RD8NZKe\ /K7Vy\ /UwJqt2b+Dz6v8iq9vVDGTh+Bp
70PW0OLye6YmbalCrisrvLD0sMI9LZebzY6+zLsZ65b52BhvvWXVju3mbEjuF16wzVTzurd2wNq
vx4LFEC\ /TWX0djFtTK9dykRrQNPsoqZuKZ1eKd0d3+Cua\ /jpg6nullfneoGC3co\ /7cXxTprp
fDWW+zuvftrq\ /raVXuprnuNvzvxxqZDu9s3qZlLiTpPRLEdRIN3D2JXZ\ /SkaOMePQe+a1WLket
iE9ftttfuP\ /xcZ68+1qlJjxKmuizVeTU1ARs6nBBVDjfEpgVoFmgr7yTLeVwBtMuznyqCnEmrsX
+\ /lcbtk8x7WH8ujcSqUGcUSNIXTUmiUwTejPR1aGG2Z11ltEowvBlpsrhFN4zyMQK2cjyzjtIu
gtRDuRnUcm5ELLVogzsrjEduNKvzYvyGs4LHD5jEsCtIKaO\ /i2hNVAefoQVYEtTKgP0HtZf9es

YDTY\ /iTuaZYudiLM19Fms11xCgzmrmaQJDXWosUuJfCuHKuz2wus4K2mMuQD\ /2KLEaOQLGEgi
iX\ /7vI6XwE+xeTFRwF41ShjkzmEjJ58vh8xnUSb1WQlahWZuUuKimqLhUcTP+VXs7lXP5C+Mhc
\ /gr+bzKZbbKBvoeux3fGcwpFXj+awuXL5noo4RxyeB\ /TItNnoXdkWTer5HJ9Mbsx5HmcUzbXS
Pl1JffQ62md63mHh8N4Lp+Ra6qQjy4HPRphfIG3RfHHAi5rrqpbhabi94pPFHbTbi6XkVl2MnA1
qj6VzXXXUwolQhj+LikUC2Sr37nddNZl\ /WLVurleW5dwL\ /ujVqbyWDTyUdncluVeLeTz+C1Sk
U\ /p5mEeO05R\ /bPEi6ynfj1x5Bn3n+QOhZaHd08L5nF\ /KlQRlnu18e\ /pKrnLCotaNT\ /vOL1
5u+fK3X332LUR7b7\ /TO6Wa7vvBJQsPJ6PbbxmXFerkp+VNavrzNN9D3e9lctzSlb29F27X8\ /u
Q8ndzd4nUZ7dr5nv05W9oMO7K1HWD6t3ZzKP93at6cppsJGP6H7ec3C+imTN6oxraSn7S+WJE+P
muI42\ /2qFuvaEaOPrvcJlHi871Z0Jk69ZHcva519zKrZfc6r6dzbwyPLv9G\ /n9rapZ6p6rmG2
n0xR6dqR53zWpROMAeXpV+M1Vu\ /yPkYtA127D2U6qO2G3KxaXHmSxnj6I5TPH8axp7Lsya73ia
480GGxyFWWBuu8pBT5P3iGm+Lv3zW50mI3yQpl75Nj\ /yF\ /+efv\ /99\ /xixfw7keIMPou8lsa
TTZ58jWmmup+PuXWuyN9Q7+eBRG11nsFuBVazc1OS3mZLnGDsLDNBDYXmtJlp1W2dtkkm0WuwMm
WKucIHB9Uy1wqQbQbKSzsqI+1zRVV1sbbTCcDXDWAXVQEntcKg+M5SqJTQJiZtnkcFir603ADzR
Y3dxoaXKanAxPTX0D6HggognyOXWGuc80HlsEkdit9jsVnNztYWTMdeDYPVvZu4Lx9BjQjJYqb
qh2cyQzKt31lmbnQCmsV51xMbbFVUC2WYHjGfiJMuNfi41t6+jLrkbj2TGM9Vqlx0WsAOMrgeoq
vjXsGbggKyNKdqpqo4zmldnbfzjBGaGmmZ7EzC08Ilmq+ywJsuO5qrZlmona1F03AAuyQsqtjaZ
65kcjgx\ /\ /wroM1VZWYxcAsWLOAcvEzRZnWAGh9LKrGLr8gClT3bUmUCoKouqNYABTm7qIae1C
fzCLjda7Zbrii07XTZLjQkYpSigevY2mlyMfqPVXF9TzxxN1OAE14MCEDWzZVxyRXUsvkx2wNXc
YLJzRmaLo762icOobXDZ6hxsEvNQzUQcbAZHjyOazkpHmdWFGZq6EbgGiLqPA+WLoOAsanBJdf
3cHUQyW5h\ /5cSPpYVHEyZzDaeELGA31kUAeZ7WaHhOuNxVjG29Mhx7LQjeVqA+sUqjFTZYFoY
lSbwQ5MiBZrvReYpdUJUSObbDYIMVNVg4V1KPID5WsMU2dyynUmBlC0NPXUC7Dr8nCz3NxxVgHH
9swrsYqEf2VZB3sxA0yY6ZihTHIDyyAQL56BN1PlHFMtCAax2GT15o\ /\ /3LF6sIKkBRAtDTUM1
ASjnF9SXCGXl+RXTM0uM8oF5XJpWu1lQZ4xT47NLod6bLI8taBiQsmUChlG1GUXV0yXS\ /Ll7OL
p8qSC4rxk2TittMxYXi6XlMkFRaWFBuZoKyjOLZySV1A8Xs6BecUlFXJhQVFBBCrCtKOFTVVIFxn
JGrMhYljsBqtk5BYUFFdOT5fyCimJGMx+IZsul2WUVBblTCrPL5NipZaUl5UagkQdkiwuK88uAi
7HICEIAodyS0ullBeMnVCTDpApoTJYryrLzjEXZZZOSGcISELlM5kNSACXQKi2VbHL5hOzCQjmn
oKK8osyYXcTGMu2MLy4pYjqaUpYXXVFQUIznGEGU7JxCo4INRMktzC4oSpbzsouyxxvLu5iwYao
4XepgE8Ybi41l2YXJcnmpMbeAFUCPBWXG3Ao+EnQPmijkcHNlisuNk6dAA4zszsACDTDBYFiBANv
yXy5Fx8YtBXEanoqSswgtlakG5MVnOLisoZxDyy0oALrMnzGAYtgF9MuMVq3iZjVjbH70DRRHZq
oB5xuxCIfjOYPxhLHiXsbXaYnMy31aDW0mPPJUq+TOZe62SBMCFxzdB4CptvAj+DJHFVx4lw3UF
FluSk9X0y9IHeHezQ02\ /5hYLZEEHSyUQH1aWTObVO3ikwzLYaFXXPYepAZjBLO8oyJemBpjm8M
LsGVCEbdFmr4cp8+z1TkmsqkZWu3189Wl2K4uVddKwLhCi99ucdhgpapvsTS4UmCsnalnHEl9U
43V3qiKztVX7czw5FCnXMuJm0Fwq702Rfb\ /P3krmsp3wXPgSuU7RzN\ /HpfCn43aoK3nc76\ /f
oeaOq9+TnlqPaTD1hRbnS1Vzcl\ /\ /mq7x+tg9L\ /znvtPXm0ThDp\ /hmsR+39e\ /fHvsLak65N
zlLwyiZyl5Iw\ /+a8gcjqNnDpCXjxCTv5OXthMnqfkOCXhnhsvHwsjz40nR4eSv7eRZwPIEUgeo
eRpSg4Hkyf9yRM68ngCecyfPJYl\ /u3RKOnRKHLoyJR0KIYcjCIH7g+UDhjIfrjt15MOA9kXQPY
+EirtTSOPhJJHloh7UsjDW2KkhynZ\ /VCYtDuaPBRGdj04WNp1hDzojJYHEwegNsDR8jOHVHST
kp2RJH7A8n2+45I2ym5b9tN0n1HyH1LxG1b46VtN5FtWeJWoLY1nmy5N1TaEkO2HO48ltUp3htK
7ulF7skS744mmwPIps1kYyDZ0Ifctd4s3UXJemCx3kzWrQ2Q1vUmawPI2ixxzZ2B0pre5M5Asnq
Vv7Q6jazyJ3dEk9tXtkm3U7ISZqxsI7cFkOUx5Fao3JpG1i3VSssoWto3WFqqJUSWB0pLKFkcsB
ZniYtgxCJK2hb219ooWdifLJh\ /RFpAyXzXTdL8I2T+EtHVGi+5biKuLLE1nswzkBaY0TKHNMot
+XfijCYOSuxA2U7J3GAyd4los6ZINKqsKaSJkkZKGkLinElktj+po6TWn9RmiTV6YmkjZkqy7qy
eQ6qOEFMbmUXJzeHkpoBg6SZKZoSS6dOipelDyLROMjWNVAAQivIoqWiZKY8iZVFkcm4NDmela
aFSKXhpARuJRgkuKifvNxGigoCpaJ+pChLLAzUjXxXeQCZB96Q0MhHaJ7aRgkAyYby\ /NKGnJpcn
+cZAKT+NGPN6ScZAYlRMkteL5OZESrmbSU4kyc4KkrLbSNYIPykriGQtETPHJkmZR8g4uI27iYw
FFmOTyJjRkdKYMDI6I0waHUKyRv1LGWFklD8zaQiWRRyRA8w2BBPDEnGEHxmRJQ4ffikN30yGdf
aThkWSdL9oKX0zSUsKlNIouSGIDO0VIA2NIakDkqRUA0nR+0spMWRIcgg0ZDNJhjnJoSQ5SxzsR
wYl+EqDoklSIEnKEgcmhkoDN5NEaEsMJYlZYoiViQcS8UfIAK1eGpBE4uAWR0ksEIzdTPSyr6T3
J\ /olouxL5CyxP\ /T2H0SyHo8JHSLFZJBoPenXRvrqSFQa6ZNGIqE7kpKI8CQpYg4Jh1p4EtFJ\
/pIuhvSOJFpQslZPwmBuWBsJBZFCh5AQ0E4IJChQF9yPBIWQoCViIAgX+DvpFUB6ZYkBwcQfhvo
fIX7RxNdHK\ /keIT5aogGymt5E8idSliiSMEmmIOISkeBgiYQRkiUKUBIo1AleIqIggg9j8\ /I7
8eD\ /P\ /\ /Q\ /zSarr9o9L8AawmWSQplbmRzdHJlYW0KZW5kb2JqCjIgMCEvYmoKPDwvUHJvY1N
ldCBbL1BERiAvVGv4dCAvSWlhZ2VCIC9JbWFnZUMGL0ltYWdlSV0KL0ZvbnQgPDwKL0YxIDggMC

[illegible]

12.4.8 ERRORS/STATUS

If the request fails due to a missing, invalid, or mismatching redirection URI, or if the client identifier is missing or invalid, the flow will result in error response.

The following table lists the possible error/status codes:

Status Code	Status	Status Description
624	INVALID_STATE_CODE	The state code is invalid.
634	INVALID_CNR	The CNR is invalid.
626	INVALID_TOKEN	The Token is invalid
627	INVALID_DEPT_ID	The Department id is invalid
628	RECORD_NOT_FOUND	Record is not available.
629	UNEXPECTED_ERROR	Service unresponsive
632	INVALID_VERSION	Invalid version of API

13 Annexure-A: Encryption-Decryption-Hash Value

13.1 Hash value creation and implementation

Hash value is prepared by using **hash_hmac** function in PHP. **sha256** algorithm along with requested string and **15081947** key is used for generating Hash. Hash value is generated by concatenating sequence of Key-Value pairs of parameters separated by pipe (|) and then generating hash of this concatenated string by using **hash_hmac** function.

Ex: `$input_str="Key1=Value1|Key2=Value2|Key3=Value3|Key4=Value4";`

e.g. `input_str="court_number=1|causelist_date=2019-04-15|est_code=MHAU01|ci_cri=2"`. In the example concatenated string may be stored in variable `input_str`.

```
$input_str="court_number=1|causelist_date=2019-04-15|est_code=MHAU01|ci_cri=2";

$request_token = hash_hmac('sha256', $input_str,"15081947");
```

Generated hash value is passed as **request_token** to the API.

URL of the API will be

```
https://delhigw.napix.gov.in/nic/ecourts/dc-causelist-api/causelist?dept_id=dept_id&request_str=request_str&request_token=request_token&version=version
```

13.2 Encryption method for request string

The request string is encrypted by using **openssl_encrypt** function. 'AES-128-CBC' is used.

`$authentication_key="xxxxx";` // Authentication key provided by e-committee

`$iv="xxxxx";` //

Note: Both Authentication Key and IV have same value.

Request string is formed by concatenating sequence of Key-Value pairs of parameters

`$input_str="Key1=Value1|Key2=Value2|Key3=Value3|Key4=Value4";`

e.g. `input_str="court_number=1|causelist_date=2019-04-15|est_code=MHAU01 |ci_cri=2"`.

In the example concatenated string may be stored in variable `input_str`.

```
$encrypt=openssl_encrypt($input_str, 'AES-128-CBC', $ authentication_key, 'OPENSSL_RAW_DATA', $iv);  
  
$request_str = base64_encode($encrypt);  
  
$request_str=urlencode($request_str);
```

13.3 For sending request to open API

`$dept_id="xxxxx";` // Department id same as Subscriber User name.

`$request_token` is the hash value as mentioned in section **12.1**

`$request_string` is a encrypted string as mentioned in section **12.2**

```
https://delhigw.napix.gov.in/nic/ecourts/dc-causelist-  
api/causelist?dept_id=$dept_id&request_str=$request_string&request_to  
ken=$request_token
```

13.4 Decryption method for response string

The response string, `response_str` (variable), received from the respective API, is decrypted by using **openssl_decrypt** function at the client end. 'AES-128-CBC' is used.

`$authentication_key="xxxxx";` // Authentication key provided by e-committee

`$iv="xxxxx";` //

Note: Both Authentication Key and IV have same value.

```
$payload=base64_decode($response_str);  
  
$decrypt=openssl_decrypt($payload, 'AES-128-CBC', $authentication_key, 'OPENSSL_RAW_DATA', $iv);
```

`$decrypt` variable contains decrypted response of the respective API in JSON format.

13.5 Response token verification

The decrypted response string (eg \$decrypt), as detailed in section 12.4 is passed to the **hash_hmac** function to generate the hash value. Hash value is prepared by using **hash_hmac** function in PHP. **sha256** algorithm along with requested string and **15081947** key is used for generating Hash.

```
$decrypt="{
  \"desgname\": \"Principal District and Sessions Judge, Abad.\",
  \"cases\": {
    \"case1\": {
      \"sr_no\": 1,
      \"case_number\": \"R.C.A./100061/2013\",
      \"cause_title\": \"Gulab Ghanasaram Marmat Vs Chattrasing
Ghanasaram Marmat Pardesi\",
      \"main_advocate_names\": \"Thole V.I. Vs Bharuka M.C.\",
      \"purpose_name\": \"Appearance\",
      \"urgent\": \"N\",
      \"time_slot\": \"Morning Session\",
      \"ias\": {
        \"ia_number1\": \"IA/00002/2019\",
        \"ia_number2\": \"IA/00003/2019\"
      }
    }
  }
}";

$response_hash_value = hash_hmac('sha256',$decrypt,"15081947");
```

The generated hash value of response (e.g. **response_hash_value**) may be compared with **response_token** received in the response.

14 Annexure-B: Response

JSON response contains following parameters.

1. **response_str**: This encrypted string, on decryption gives all the data in JSON format. Details are shown in the Response JSON table along with the elements, sample and description.
2. **response_token**: Contains hash value of the JSON string after decrypting response_str. This may be compared to check data authenticity.
3. **version**: Contains version of API.

14.1.1 Response JSON (after decrypting response_str)

JSON key	Sample Response	Description	Privacy Concern
establishment_name	District and Sessions Court,Aurangabad	Court Establishment Name	
Casenos		Nested response for more than one cases.	
case1		1 st Case details	
Cino	MHAU010000142017	CNR Number of the case	
type_name	Civil M.A.	Case Type of the Case	
reg_no	1	Registration Number	
reg_year	2017	Registration Year	
pet_name	Sayyed Abed Sayyed Hussain	Petitioner Name	Petitioner name is masked
res_name	Shaikh Usman Shaikh Mehbub	Respondent Name	Respondent name is masked

14.1.2 Sample Response

```
{
  "establishment_name":"District and Sessions Court, Aurangabad",
  "casenos":{
    "case1":{
      "cino":"MHAU010034842010",
      "type_name":"MACP. M.A.",
      "reg_no":"100184",
      "reg_year":"2010",
      "pet_name":"Vijaymala Dnyeshwar Wahul",
      "res_name":"Indramani Rahunath Yadav"
    },
    "case2":{
      "cino":"MHAU010056852010",
```

```

        "type_name": "MACP. M.A.",
        "reg_no": "100256",
        "reg_year": "2010",
        "pet_name": "Lata Santosh Pawar",
        "res_name": "Sanjay Sudarshan Jaiswal"
    },
    "case3": {
        "cino": "MHAU010052442010",
        "type_name": "MACP. M.A.",
        "reg_no": "100240",
        "reg_year": "2010",
        "pet_name": "Mahadeo Natha Batule",
        "res_name": "Trilokinath Choursiya Ramvilas Choursiya"
    },
    "case4": {
        "cino": "MHAU010013542012",
        "type_name": "MACP. M.A.",
        "reg_no": "100042",
        "reg_year": "2012",
        "pet_name": "Janabai Amarsingh Chavan",
        "res_name": "Dilip Dayaram Patil"
    },
    "case5": {
        "cino": "MHAU010013972018",
        "type_name": "MACP. M.A.",
        "reg_no": "26",
        "reg_year": "2018",
        "pet_name": "Shashikalabai Ramrao More",
        "res_name": "Nitesh Sakharan Bhavar"
    },
    "case6": {
        "cino": "MHAU010064082016",
        "type_name": "MACP. M.A.",
        "reg_no": "13",
        "reg_year": "2017",
        "pet_name": "Madhukar Bhujangrao Kolte",
        "res_name": "Krushna Laxman Kharabe"
    },
    "case7": {
        "cino": "MHAU010019102011",
        "type_name": "MACP. M.A.",
        "reg_no": "100121",
        "reg_year": "2011",
        "pet_name": "Raju Pundlik Wade",
        "res_name": "Shaikh Kalimoddin Shaikh Tamijoddin"
    },
    "case8": {
        "cino": "MHAU010025342006",
        "type_name": "MACP. M.A.",

```

```
    "reg_no": "100227",
    "reg_year": "2006",
    "pet_name": "Babasaheb Dadarao Dandale",
    "res_name": "Asefkhan Munirkhan"
  },
  "case9": {
    "cino": "MHAU010087032018",
    "type_name": "MACP. M.A.",
    "reg_no": "128",
    "reg_year": "2018",
    "pet_name": "Vilas Bhimrao Sant",
    "res_name": "Devidas Arjun Gadhe"
  },
  "case10": {
    "cino": "MHAU010052582010",
    "type_name": "MACP. M.A.",
    "reg_no": "100249",
    "reg_year": "2010",
    "pet_name": "Gitaram Dyaneshwar Sinde",
    "res_name": "Amjad kha Gulab Kha"
  }
}
```

15 Sample code for Encryption, Decryption and Hash value (Java and .Net)

15.1 Code for Java

15.1.1 Encryption

```
import javax.crypto.Cipher;
import javax.crypto.spec.IvParameterSpec;
import javax.crypto.spec.SecretKeySpec;
import java.util.Base64;

public class Main {
    public static void main(String[] args) throws Exception {
        String inputStr = "your request string";
        String authenticationKey = "your_authentication_key";
        String ivString = "your_iv_value";

        // Convert IV string to byte array
        byte[] iv = ivString.getBytes("UTF-8");

        // Create AES key and IV
        SecretKeySpec keySpec = new
SecretKeySpec(authenticationKey.getBytes("UTF-8"), "AES");
        IvParameterSpec ivSpec = new IvParameterSpec(iv);

        // Create AES cipher
        Cipher cipher = Cipher.getInstance("AES/CBC/PKCS5Padding");
// Note the change here

        // Initialize the cipher for encryption
        cipher.init(Cipher.ENCRYPT_MODE, keySpec, ivSpec);

        // Encrypt the input string
        byte[] encryptedBytes =
cipher.doFinal(inputStr.getBytes("UTF-8"));

        // Encode the encrypted bytes as Base64
        String requestStr =
Base64.getEncoder().encodeToString(encryptedBytes);
        System.out.println(requestStr);
    }
}
```

15.1.2 Decryption

```
import javax.crypto.Cipher;
import javax.crypto.spec.IvParameterSpec;
import javax.crypto.spec.SecretKeySpec;
import java.util.Base64;

public class Main {
    public static void main(String[] args) throws Exception {
        String responseStr = "your_base64_encoded_response_str";
        String authenticationKey = "your_authentication_key";
        String ivString = "your_iv_value";

        // Convert IV string to byte array
        byte[] iv = ivString.getBytes("UTF-8");

        // Create AES key and IV
        SecretKeySpec keySpec = new
SecretKeySpec(authenticationKey.getBytes("UTF-8"), "AES");
        IvParameterSpec ivSpec = new IvParameterSpec(iv);

        // Create AES cipher
        Cipher cipher = Cipher.getInstance("AES/CBC/PKCS5Padding");

        // Initialize the cipher for decryption
        cipher.init(Cipher.DECRYPT_MODE, keySpec, ivSpec);

        // Decode the base64-encoded response
        byte[] encryptedBytes =
Base64.getDecoder().decode(responseStr);

        // Decrypt the payload
        byte[] decryptedBytes = cipher.doFinal(encryptedBytes);

        // Convert the decrypted bytes to a string
        String decryptedText = new String(decryptedBytes, "UTF-8");
        System.out.println(decryptedText);
    }
}
```

15.1.3 Hash Value

```
import javax.crypto.Mac;
import javax.crypto.spec.SecretKeySpec;
import java.nio.charset.StandardCharsets;

public class Main {
    public static void main(String[] args) throws Exception {
        String reqString = "your request string";
        String secretKey = "15081947";

        byte[] keyBytes =
secretKey.getBytes(StandardCharsets.US_ASCII);
        byte[] dataBytes =
reqString.getBytes(StandardCharsets.US_ASCII);

        SecretKeySpec keySpec = new SecretKeySpec(keyBytes,
"HmacSHA256");

        Mac hmac = Mac.getInstance("HmacSHA256");
        hmac.init(keySpec);

        byte[] hashBytes = hmac.doFinal(dataBytes);
        StringBuilder stoken = new StringBuilder();

        for (byte b : hashBytes) {
            stoken.append(String.format("%02x", b));
        }

        System.out.println(stoken.toString());
    }
}
```

15.2 Code for .Net

15.2.1 Encryption

```
using System;
using System.Security.Cryptography;
using System.Text;

public class Program
{
    public static void Main(string[] args)
    {
        string inputStr = "your request string";
        string authenticationKey = "your_authentication_key";
        byte[] iv = Encoding.ASCII.GetBytes("your_iv_value");

        using (Aes aesAlg = Aes.Create())
        {
            aesAlg.Key = Encoding.ASCII.GetBytes(authenticationKey);
            aesAlg.IV = iv;
            aesAlg.Mode = CipherMode.CBC;
            aesAlg.Padding = PaddingMode.PKCS7;

            ICryptoTransform encryptor = aesAlg.CreateEncryptor();

            byte[] encryptedBytes;

            using (var msEncrypt = new System.IO.MemoryStream())
            {
                using (var csEncrypt = new CryptoStream(msEncrypt,
                    encryptor, CryptoStreamMode.Write))
                {
                    using (var swEncrypt = new
                        System.IO.StreamWriter(csEncrypt))
                    {
                        swEncrypt.Write(inputStr);
                    }
                }
                encryptedBytes = msEncrypt.ToArray();
            }

            string requestStr =
                Convert.ToBase64String(encryptedBytes);
            Console.WriteLine(requestStr);
        }
    }
}
```

15.2.2 Decryption

```
using System;
using System.Security.Cryptography;
using System.Text;

public class Program
{
    public static void Main(string[] args)
    {
        string base64Ciphertext = "your_base64_encoded_response_str";
        string authenticationKey = "your_authentication_key"; //
Replace with a 16-byte key
        string ivString = "your_iv_value"; // Replace with a 16-byte
IV

        // Convert IV string to byte array
        byte[] iv = Encoding.ASCII.GetBytes(ivString);

        // Convert Base64-encoded ciphertext to bytes
        byte[] encryptedBytes =
Convert.FromBase64String(base64Ciphertext);

        // Create AES key and IV
        byte[] keyBytes = Encoding.ASCII.GetBytes(authenticationKey);

        // Ensure the key and IV have the correct lengths
        Array.Resize(ref keyBytes, 16); // For AES-128
        Array.Resize(ref iv, 16);

        using (Aes aesAlg = Aes.Create())
        {
            aesAlg.Key = keyBytes;
            aesAlg.IV = iv;
            aesAlg.Mode = CipherMode.CBC;
            aesAlg.Padding = PaddingMode.PKCS7;

            ICryptoTransform decryptor = aesAlg.CreateDecryptor();

            byte[] decryptedBytes;

            using (var msDecrypt = new
System.IO.MemoryStream(encryptedBytes))
            {
                using (var csDecrypt = new CryptoStream(msDecrypt,
decryptor, CryptoStreamMode.Read))
                {
                    using (var srDecrypt = new
```


16 Annexure-C:API Consumption using Postman

POSTMAN is a tool to test API functionality. It offers a simple user interface for constructing requests and reading responses so that the API can be tested without writing code.

Follow the steps given below to test the API-


1. Getting Access Token

- a. Enter the URL - Method 'POST'
- b. Enter the parameters – Grant Type And Scope
- c. Enter the Authorization type, username and password
- d. Send; User will receive **Access Token** as response.

2. API Consumption

- a. Enter the URL – Method 'POST' or 'GET'
- b. Enter request Parameters – dept ID, Request string, Request Token and Version
- c. Enter Header
- d. Send; User will receive response string, response token and version as test output

16.1 Getting Access Token



POST `https://delhigw.napix.gov.in/nic/ecourts//oauth2/token` **Send**

Params Authorization Headers (11) **Body** Pre-request Script Tests Settings Cookies

none form-data x-www-form-urlencoded raw binary GraphQL

Key	Value	Description
grant_type	client_credentials	
scope	napix	

Body Cookies Headers (15) Test Results Status: 200 OK Time: 253 ms Size: 793 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "token_type": "Bearer",
3   "access_token":
4     "AAIgYjIwNDI4OGI2ZGU5YWY4NTU0NTkMTA1YWVmYmQ0YjFj5utd9zn2UpB1x3V5jowKv1aXNyw1h5RHzYkqFZQfu7kW-PTLEjDWESWM5bjcHeAhnVP2rt7JGQXM7P_af3bH5uw1xL1QWhGKRLIsDH07TPz76KQJyT9AVsLbcaegdgg",
5   "scope": "napix",
6   "expires_in": 3600,
7   "consented_on": 1690958838
8 }
```

POST `https://delhigw.napix.gov.in/nic/ecourts//oauth2/token` **Send**

Params **Authorization** Headers (11) Body Pre-request Script Tests Settings Cookies

Type Basic Auth

Heads up! These parameters hold sensitive data. To keep this data secure while working in a collaborative environment, we recommend using variables. Learn more about variables

The authorization header will be automatically generated when you send the request. Learn more about authorization

Username b204288b6de9af855458d105adfb4b1

Password cafdc6333c860d1e86a8486570bbec98

Body Cookies Headers (15) Test Results Status: 200 OK Time: 253 ms Size: 793 B Save as Example

Pretty Raw Preview Visualize JSON

```
1 {
2   "token_type": "Bearer",
3   "access_token":
4     "AAIgYjIwNDI4OGI2ZGU5YWY4NTU0NTkMTA1YWVmYmQ0YjFj5utd9zn2UpB1x3V5jowKv1aXNyw1h5RHzYkqFZQfu7kW-PTLEjDWESWM5bjcHeAhnVP2rt7JGQXM7P_af3bH5uw1xL1QWhGKRLIsDH07TPz76KQJyT9AVsLbcaegdgg",
5   "scope": "napix",
6   "expires_in": 3600,
7   "consented_on": 1690958838
8 }
```

Find and replace Console Runner Capture requests Cookies Trash

Body Request Parameter :

- grant_type=client_credentials
- scope=napix

Authorization:

Type – Basic Auth

Username : ***** // NAPIX Subscriber Application Cliend ID

Password : ***** // NAPIX Subscriber Application Client Secret

Getting Response :

1 access_token=

AAIgYjIwNDI4OGI2ZGU5YWY4NTU0NTkMTA1YWVmYmQ0YjFj5utd9zn2UpB1x3V5jowKv1aXNyw1h5RHzYkqFZQfu7kW-PTLEjDWESWM5bjcHeAhnVP2rt7JGQXM7P_af3bH5uw1xL1QWhGKRLIsDH07TPz76KQJyT9AVsLbcaegdgg

// this access token pass to header for each api consumption.

16.2 API Consumption

https://delhigw.napix.gov.in/nic/ecourts/dc-cnr-api/cnr?dept_id=CE00001&request_str=Dxik%2Bw6DclwVA4Jntm43mjPa4TySNXwd1Gevc2%2F3c4%3D&...

GET https://delhigw.napix.gov.in/nic/ecourts/dc-cnr-api/cnr?dept_id=CE00001&request_str=Dxik%2Bw6DclwVA4Jntm43mjPa4TySNXwd1Gevc2%2F3c4%3D&...

Params Authorization Headers (8) Body Pre-request Script Tests Settings Cookies

Key	value	Description
dept_id	CE00001	
request_str	Dxik%2Bw6DclwVA4Jntm43mjPa4TySNXwd1Gevc2%2F...	
request_token	0ed9d9abd0b21a2f3d5a7f1dad240921454e0813380a52...	
version	v1.0	

Body Cookies Headers Test Results Status: 200 OK Time: 2.62 s Size: 10.18 KB Save as Example

1

https://delhigw.napix.gov.in/nic/ecourts/dc-cnr-api/cnr?dept_id=CE00001&request_str=Dxik%2Bw6DclwVA4Jntm43mjPa4TySNXwd1Gevc2%2F3c4%3D&...

GET https://delhigw.napix.gov.in/nic/ecourts/dc-cnr-api/cnr?dept_id=CE00001&request_str=Dxik%2Bw6DclwVA4Jntm43mjPa4TySNXwd1Gevc2%2F3c4%3D&...

Params Authorization Headers (9) Body Pre-request Script Tests Settings Cookies

Headers 8 hidden

Key	Value	Description
Authorization	Bearer AAlgYjIwNDI4OGI2ZGU5YUY4NTU0NThMTA1YW...	

Body Cookies (1) Headers (21) Test Results Status: 200 OK Time: 2.42 s Size: 10.34 KB Save as Example

1 {"response_str": "8kuwQTjdQiSEcHKKRj/Cv0GthimoRrY1B13T3aoQ6fHYe8vsAUrUwzJoSw+mWCqWt050YSXmd8po51qU7i211dkD9I80APohqvN0PZeIR+udRz795dU30/\n3xmJRo3nHHJ12ptaaTYiS10pPaKS+xGSJH6Ft7q/hqo7hBaPdDdU5BGewiNjFuyJXioS1iX7KNNCy5IYfE3XBznMxy3W1sbN8cQF2fbxENj3FnkF3c7dhpv/\nXGXRQRcZtz7qLl24gjfH04WxqqRPma1XXHa7N/8KYjCJFSz1egNjLFhBUAgLqz/FC9XJrfyZ9Su6b6fI2xj7tfxzLWQIPtksdyiaQ2Nt00h4Q1nHttYV33c00juoq8/\n1z46k0LsSKhs6Qgvour6BUFD4PThE1zuUjUhvQ4eiqgu6q5QYrR/WB9NfS9TRLyWbG4MTMM6i8+H1QaCTux67JCOpmfirjJWDtQ00AI\n+K4KECV270PctwNgfG6fqsmi7cMj5XYChz91Xi2zgYYr02BW3r7Tx30wZdgTWV+E7\n+6im7ATcfID8uFa8UIELgyLnXnkKreG1LGHcBnmpCuP2B1zbXrrhkukfW9i6QLM301GkWEpfkQIQEwRCOJkXvJdMpmFIjJdJWEAjnY5HNiS8MQaxhB4QH8JHAU0VpXi4jbHGGu15esCXxBZz\n005dmiz8E5Rfy1NJ4rLQLXDqn2/Ew4Z+g6dxYRV1G+ybQPitqm1Xz3vB1/vRL\n+qAaw73W2wV1I8zZAc84Tvb760innLhRsEyiVkv773zGw3Fs0wZ40DvgnXnt8owpiecGMJxg8jev6GUqSZQgadoswHZ+ZXdm1SZ4VVWI

Request parameters:

1. **dept_id** =***** //subscriber user name same as dept_id
2. **request_str** ="zBQOVk9fwPdbGTagmARvcUNpMLGoBJOXZb0DD1LV4U%3D" //request_str is a encrypted string as mentioned in section 12.2
3. **request_token** ="4bdd85be82d967bf46bc6c533a07bd26272fd849619f327645c9d46bcfd4f20e" //

request_token is the hash value as mentioned in section **12.1**

4. **version**="v1.0"

Headers:

1. **Authorization**="Bearer
AAIgYjIwNDI4OGI2ZGU5YWY4NTU0NTkMTA1YWRmYmQ0YjFFjiV3MjxT7ZHmkDIQCmuTA7UeMI_caYnhSOjSN
AgBMK8BkvN6bsKTX0jiWOIWJIPYS4H3Y8sECub-in_O2HaHoHRGzKKjErdblJJQ4vbXBDg3tws7s-QJ-12juHrncj9o"
// **This access token used further for validating subscriber user on NAPIX Platform**

Response :

1. response_str
2. response_token
3. version

17 Annexure-D: API Consumption using Sample Application

Note:

- Authorization Key is generated for particular subscriber-application. Authorization key will be different for every application.
- API Consumer program should pass this authorization key in header.
- In response, API consumer program will receive access token from **NAPIX** Platform.
- While consuming API, authorization key needs to pass in header for getting access token.
- Access Token will validate subscriber at NAPIX platform and then subscriber can consume API through program.

Sample PHP code:

```
<?php
// Get Access Token Code :

/*Note :
Enter text as client_credentials for 'grant_type'
Enter text as napix for 'scope'
*/
ini_set( "display_errors", 0 );
$grant_type="client_credentials";
$scope="napix";
$apikey='*****'; // NAPIX subscriber application client id
$secret_key='*****'; // NAPIX subscriber application client secret

$combine_key=$apikey.'.'.$secret_key;
$basic_auth_value=base64_encode($combine_key);

$url = "https://delhigw.napix.gov.in/nic/ecourts//oauth2/token"; // NAPIX token generation URL
$credentials = array();
$credentials['grant_type'] = $grant_type;
$credentials['scope'] = $scope;
$credentials['authorization'] = $basic_auth_value;
$credentials['url'] = $url;
```

```

function get_token(array $credentials){
    $grant_type=$credentials['grant_type'];
    $scope = $credentials['scope'];
    $authorization=$credentials['authorization'];
    $url = $credentials['url'];
    $post_fields = "grant_type=".$grant_type."&scope=".$scope;
    $curl = curl_init();

    curl_setopt_array($curl, array(
        CURLOPT_URL => $url,
        CURLOPT_RETURNTRANSFER => true,
        CURLOPT_ENCODING => "",
        CURLOPT_MAXREDIRS => 10,
        CURLOPT_TIMEOUT => 0,
        CURLOPT_SSL_VERIFYHOST => false,
        CURLOPT_SSL_VERIFYPEER => false,
        CURLOPT_FOLLOWLOCATION => true,
        CURLOPT_HTTP_VERSION => CURL_HTTP_VERSION_1_1,
        CURLOPT_CUSTOMREQUEST => "POST",
        CURLOPT_POSTFIELDS => $post_fields,
        CURLOPT_HTTPHEADER => array(
            "Authorization: Basic ".$authorization),
    ));
    $response = curl_exec($curl);
    curl_close($curl);
    return $response;
}

```

```

$result = get_token($credentials);
$result1=json_decode($result,true);
$access_token = $result1['access_token'];

```

// API Consumption Code :

```

$authentication_key="";
$dept_id='*****'; // dept_id given by ecomittee
$version='v1.0';
$request_str="cino=MHAU030154522020";
$request_token = hash_hmac('sha256', $request_str, "15081947");

```

```

function encrypt($input_str) {

```

```

$authentication_key="*****"; // authentication_key given by ecomittee
$iv="*****";
//Note: Both Authentication Key and IV have same value.

$encrypt=openssl_encrypt($input_str, 'AES-128-CBC', $authentication_key, 1, $iv);
$request_str = base64_encode($encrypt);

return $request_str;
}

$request_str=encrypt($request_str);
$request_str=urlencode($request_str);

$header=array();
$header[]='Authorization: Bearer '.$access_token;
$url = "https://delhigw.napix.gov.in/nic/ecourts/dc-cnr-
api/cnr?dept_id=".$dept_id."&request_str=".$request_str."&request_token=".$request_token."&versi
on=".$version;

$ch = curl_init();
    curl_setopt($ch, CURLOPT_SSL_VERIFYHOST, 0);
    curl_setopt($ch, CURLOPT_SSL_VERIFYPEER, 0);
    curl_setopt($ch, CURLOPT_URL, $url);
    curl_setopt($ch, CURLOPT_HTTPHEADER,$header);
    curl_setopt($ch, CURLOPT_RETURNTRANSFER, true);
    $result = curl_exec($ch);    //Returned Result from your API
    //echo $result;

if (curl_errno($ch)) {
    print curl_error($ch);
}
curl_close($ch);
$result1=json_decode($result,true);
if(isset($result1['response_str']))
{
    echo $result;
}

elseif(isset($result1['status']))
{
    echo $result1;
}
?>

```

18 Annexure-E: HTTP Status Code

The following table lists the possible Common error/status codes:

Status Code	Status	Status Description
200	OK	Everything is normal
400	BAD_REQUEST	Server didn't understand the URL you gave it
403	FORBIDDEN	Server refuses to give you a file, authentication won't help
404	NOT_FOUND	A file doesn't exist at that address
500	INTERNAL_SERVER_ERROR	Something on the server didn't work right
504	SERVICE_UNAVAILABLE	Too busy to respond to a client
631	API_ACCESS_NOT_ALLOWED	API Access is not allowed