


To pass 80% or higher

Go to next item

1.

1 / 1 point



☐ Low variance

☐ Low bias

☒ high variance

☐ high bias

 Correct

When $J_{cv} \gg J_{train}$ (whether J_{train} is also high or not, this is a sign that the model is overfitting to the training data and performing much worse on new examples.

2.

1 / 1 point

Bias/variance examples

Baseline performance	: 10.6%		10.6%		10.6%
Training error (J_{train})	: 10.8%	0.2%	15.0%	4.4%	15.0%
Cross validation error (J_{cv})	: 14.8%	4.0%	15.5%	0.5%	19.7%
		high variance	high bias		high bias
					high variance

- ☒ Compare the training error to the baseline level of performance
- ☐ Compare the training error to the cross validation error.
- ☐ See if the training error is high (above 15% or so)
- ☐ See if the cross validation error is high compared to the baseline level of performance

 Correct

Correct. If comparing your model's training error to a baseline level of performance (such as human level performance, or performance of other well-established models), if your model's training error is much higher, then this is a sign that the model has high bias (has underfit).

3.

1 / 1 point

Debugging a learning algorithm

$$J(\bar{w}, b) = \frac{1}{2m} \sum_{i=1}^m (f_{\bar{w}, b}(\bar{x}^{(i)}) - y^{(i)})^2 + \frac{\lambda}{2m} \sum_{j=1}^n w_j^2$$

But it makes unacceptably large errors in predictions. What do you try next?

- Get more training examples
- Try smaller sets of features x_1, x_2, \dots
- Try getting additional features
- Try adding polynomial features $(x_1^2, x_2^2, x_1x_2, \text{etc})$
- Try decreasing λ

→ Try increasing λ ←

fixes high variance

You find that your algorithm has high bias. Which of these seem like good options for improving the algorithm's performance? Hint: two of these are correct.

☒ Decrease the regularization parameter λ (lambda)

✓ **Correct**

Correct. Decreasing regularization can help the model better fit the training data.

☐ Collect more training examples

☒ Collect additional features or add polynomial features

✓ **Correct**

Correct. More features could potentially help the model better fit the training examples.

☐ Remove examples from the training set

4.

1 / 1 point

You find that your algorithm has a training error of 2%, and a cross validation error of 20% (much higher than the training error). Based on the conclusion you would draw about whether the algorithm has a high bias or high variance problem, which of these seem like good options for improving the algorithm's performance? Hint: two of these are correct.

☐ Reduce the training set size

☒ Increase the regularization parameter λ

✓ **Correct**

Yes, the model appears to have high variance (overfit), and increasing regularization would help reduce high variance.

☐ Decrease the regularization parameter λ

☒ Collect more training data

✓ **Correct**

Yes, the model appears to have high variance (overfit), and collecting more training examples would help reduce high variance.