

# Your Results

75%  
15 out of 20 questions answered correctly

How Everyone Else Did

Participants to date  
113  
High score  
100%  
Average score  
68%

# How You Compare

Give Feedback

1.

Which of the following report creates the IDocs for a serialization group?

- ☐ RBDSER01
- ☒ RBDSER02
- ☒ RBDSER03
- ☒ RBDSER04
- ☐ None of the above

2.

Which of the following table holds the status record of an IDoc?

- ☒ EDIDC
- ☒ EDIDD
- ☐ EDIDS
- ☒ EDID4





None of the above

3.

What is the name of value table for IDoc types?



EDID4



EDIDO



EDIDD



EDIDOT



None of the above

4.

DESADV is an example of –



Message Type



Basic type



IDoc type



All of the above

5.

Which of the following task is NOT used by ALE business process?



Synchronizing customizing data between systems.



Master data distribution



R/2 Connection



External system connection



Asynchronizing customizing data between systems

6.

Which of the following combination is incorrect?



RFC Connections ( TCode – SM59 )



Distribution Model ( TCode – BD64 )



DISTRIBUTION MODEL ( TCode - BD64 )



IDoc + Message Type ( TCode - WE82 )



Ports ( TCode - WE20 )

7.

Statements:

i. Logical Systems (LS) represent R/3 or external systems in the SAP R/3 environment for the distribution of data.

ii. A client of an SAP instance is represented by a logical system in the ALE context. This logical system will act as sender or receiver of Idocs.



i is correct, ii is incorrect.



i is incorrect, ii is correct.



Both are correct.



Both are incorrect.

8.

What is the Tcode of outbound process code?



WE41



WE42



WE43



WE40



WE44

9.

Prerequisites for outbound interface:

i. Distribution model (BD64)

ii. Trigger

iii. Port(WE21)



Only III is correct.



Only I and III are correct.





Only II is correct.



All are correct



None is correct

**10.**

What is the Tcode of partner profile?



WE10



WE20



WE21



WE30



WE31

**11.**

Logical System is a name given to uniquely identify, the systems involved in data exchange.



True



False

**12.**

Which status of IDoc below means 'Error during interchange handling'?



07



09



11



12

**13.**

Which of the following is NOT true for ALE business process?



Technology supports guaranteed delivery.



Reduced Processing Cycle time



Reduced Paperwork





Reduced Cost



None of the above

**14.**

Which of the following table is for mapping of IDoc Type?



EDIDOCs



EDIDD



EDIDOCMAP



EDIDOT



None of the above

**15.**

Statements:

i>Inbound process codes are stored in table TEDE1,

ii>outbound process codes are stored in TEDE2.



i is correct, ii is incorrect.



i is incorrect, ii is correct.



Both are correct.



Both are incorrect.



None of the above.

**16.**

Statements:

i. The status record shows the information regarding the processed stages and processing stages of the IDoc. It attains appropriate statuses during its journey from one system to another and it has identical format for each IDoc type.

ii. Distribution service layer and Communication service layer add these statuses on the status record, describing various phases of processing.



i is correct, ii is incorrect.



i is incorrect, ii is correct.



Both are incorrect.



Both are correct.



None of the above.

**17.**

What is the Tcode for RFC connections?



SM59



WE81



WE82



BD87



BD64

**18.**

Which table stores the IDoc Data records?



EDIE5



EDID4



EDIDO



EDIFM



EDIDS

**19.**

Which of following status is 'error in ALE service'?



19



22



29



39



40



