

EXPLORER

OPEN EDITORS

views.py myapp2

PROJECT2

myapp2

__pycache__

migrations

__init__.py

admin.py

apps.py

models.py

tests.py

urls.py

views.py

project2

static

templates

db.sqlite3

manage.py

OUTLINE

views.py

myapp2 > views.py > ...
1 from django.shortcuts import render
2 from django.http import HttpResponse
3
4 def home(request):
5 return render(request, 'home.html')
6
7 def about(request):
8 return render(request, 'about.html')
9
10 def contact(request):
11 return render(request, 'contact.html')
12
13 def myform(request):
14 return render(request, 'myform.html')
15
16

Python 3.9.1 64-bit 0 0 0 Ln 16, Col 1 Spaces: 4 UTF-8 CRLF Python

Type here to search 09:52 07-06-2021

EXPLORER

OPEN EDITORS

- urls.py myapp2


PROJECT2

- myapp2
 - __pycache__
 - migrations
 - __init__.py
 - admin.py
 - apps.py
 - models.py
 - tests.py
 - urls.py
 - views.py
- project2
- static
- templates
- db.sqlite3
- manage.py

OUTLINE

urls.py

```
myapp2 > urls.py > urlpatterns
1 from django.urls import path
2 from . import views
3
4 urlpatterns = [
5     path('', views.home, name='home'),
6     path('about', views.about, name='about'),
7     path('contact', views.contact, name='contact'),
8
9
10
```





EXPLORER

OPEN EDITORS

X dj base.html templates

PROJECT2

myapp2

> _pycache_

> migrations

__init__.py

admin.py

apps.py

models.py

tests.py

urls.py

views.py

project2

> _pycache_

__init__.py

asgi.py

settings.py

urls.py

wsgi.py

> static

> templates

db.sqlite3


manage.py

> OUTLINE

dj base.html X

templates > dj base.html

```
1 <html>
2   <body>
3     <table border='1' width='100%'>
4       <tr>
5         <td>
6           <center><h1>Kevin Narigara</h1></center>
7         </td>
8       </tr>
9       <tr>
10        <td>
11          <a href="/">home</a>
12          <a href="/about">about</a>|
13          <a href="/contact">contact</a>
14        </td>
15      </tr>
16      <tr>
17        <td>
18          {% block content%}
19          {% endblock %}
20        </td>
21      </tr>
22      <tr>
23        <td>
24          devalop by kd
25        </td>
26      </tr>
27    </tr>
28  </table>
29 </body>
30 </html>
```



```
File Edit Selection View Go Run Terminal Help
urls.py - project2 - Visual Studio Code

EXPLORER
OPEN EDITORS
urls.py project2
PROJECT2
myapp2
  __pycache__
  migrations
  __init__.py
  admin.py
  apps.py
  models.py
  tests.py
  urls.py
  views.py
project2
  __pycache__
  __init__.py
  asgi.py
  settings.py
  urls.py
  wsgi.py
  static
  templates
  db.sqlite3
  manage.py

OUTLINE

urls.py
project2 > urls.py > ...
class-based views
10     1. Add an import: from other_app.views import Home
11     2. Add a URL to urlpatterns: path('', Home.as_view(), name='home')
12 Including another URLconf
13     1. Import the include() function: from django.urls import include, path
14     2. Add a URL to urlpatterns: path('blog/', include('blog.urls'))
15     """
16 from django.contrib import admin
17 from django.urls import path,include
18
19 urlpatterns = [
20     path('admin/', admin.site.urls),
21     path('',include('myapp2.urls')),
22
23 ]
24
```

EXPLORER

OPEN EDITORS

✕

dj

 about.html templates

PROJECT2

myapp2

>

__pycache__

>

migrations

__init__.py

admin.py

apps.py

models.py

tests.py

urls.py

views.py

>

project2

>

__pycache__

__init__.py

asgi.py

settings.py

urls.py

wsgi.py

>

static

>

templates

db.sqlite3

manage.py

templates > dj

 about.html

1

{% extends 'base.html' %}

2

3

{% block content %}

4

5

<h1>well come my about</h1>

6

7

{% endblock %}

Python 3.9.1 64-bit

0 0 0

Ln 5, Col 23 Spaces: 4 UTF-8 CRLF Django HTML

Type here to search 09:53 07-06-2021

EXPLORER

OPEN EDITORS


- settings.py project2

PROJECT2

- myapp2
 - __pycache__
 - migrations
 - __init__.py
 - admin.py
 - apps.py
 - models.py
 - tests.py
 - urls.py
 - views.py
- project2
 - __pycache__
 - __init__.py
 - asgi.py
 - settings.py
 - urls.py
 - wsgi.py
 - static
 - templates
 - db.sqlite3
 - manage.py

OUTLINE

```
20 # Quick-start development settings - unsuitable for production
21 # See https://docs.djangoproject.com/en/3.2/howto/deployment/checklist/
22
23 # SECURITY WARNING: keep the secret key used in production secret!
24 SECRET_KEY = 'django-insecure-n88i4*1@&60z3yc)efd83s0muhpn(=h6$%ms*pb@j9nohst-=a'
25
26 # SECURITY WARNING: don't run with debug turned on in production!
27 DEBUG = True
28
29 ALLOWED_HOSTS = []
30
31 # Application definition
32
33
34 INSTALLED_APPS = [
35     'django.contrib.admin',
36     'django.contrib.auth',
37     'django.contrib.contenttypes',
38     'django.contrib.sessions',
39     'django.contrib.messages',
40     'django.contrib.staticfiles',
41     'myapp2',
42 ]
43
44 MIDDLEWARE = [
45     'django.middleware.security.SecurityMiddleware',
46     'django.contrib.sessions.middleware.SessionMiddleware',
47     'django.middleware.common.CommonMiddleware',
48     'django.middleware.csrf.CsrfViewMiddleware',
49     'django.contrib.auth.middleware.AuthenticationMiddleware',
50     'django.contrib.messages.middleware.MessageMiddleware',
51     'django.middleware.clickjacking.XFrameOptionsMiddleware',
52 ]
53
54 ROOT_URLCONF = 'project2.urls'
55
56 TEMPLATES = [
57     {
```




Kevin Narigara

[home](#) [about](#) [contact](#)

well come my contact

devalop by kd




Kevin Narigara

[home](#) [about](#) [contact](#)

well come my chanal

devalop by kd



Kevin Narigara

[home](#) [about](#) [contact](#)

well come my about

devalop by kd