



 `urls.py` `myapp4`

urls.py project4 X

 settings.py

**dj** detalis.html

 [views.py](#)

```
project4 >  urls.py >  urlpatterns
```

```


2
3 The `urlpatterns` list routes URLs to views. For more information please see:
4 https://docs.djangoproject.com/en/3.2/topics/http/urls/
5 Examples:
6 Function views
7     1. Add an import:  from my_app import views
8     2. Add a URL to urlpatterns:  path('', views.home, name='home')
9 Class-based views
10    1. Add an import:  from other_app.views import Home
11    2. Add a URL to urlpatterns:  path('', Home.as_view(), name='home')
12 Including another URLconf
13    1. Import the include() function: from django.urls import include, path
14    2. Add a URL to urlpatterns:  path('blog/', include('blog.urls'))
15 """
16 from django.contrib import admin
17 from django.urls import path,include
18
19 urlpatterns = [
20     path('admin/', admin.site.urls),
21     path('',include('myapp4.urls')),
22 ]
23

```

[illegible]



views.py myapp4




manage.py

## > OUTLINE


 [views.py](#)


```
38 'django.contrib.sessions'.
```








 `urls.py` `myapp4`


 settings.py


**dj** detalis.html

 [views.py](#)

```
urls.py > [e] urlpatterns
```

\* 1991年12月1日，中国正式成为世界贸易组织（WTO）的创始成员。  
 \* 1992年10月，中国正式成为联合国工业发展组织（UNIDO）的成员国。  
 \* 1993年12月，中国正式成为世界知识产权组织（WIPO）的成员国。  
 \* 1994年12月，中国正式成为世界银行（WB）的成员国。  
 \* 1995年12月，中国正式成为世界贸易组织（WTO）的创始成员。





EXPLORER

OPEN EDITORS

form.html templates

urls.py myapp4

urls.py project4

settings.py project4

detalis.html templates

views.py myapp4

PROJECT4

myapp4

\_\_pycache\_\_

migrations

\_\_init\_\_.py

admin.py

apps.py

models.py

tests.py

urls.py

views.py

project4

\_\_pycache\_\_

\_\_init\_\_.py

asgi.py

settings.py

urls.py

wsgi.py

templates

detalis.html

form.html

db.sqlite3

manage.py

project4 > settings.py > MIDDLEWARE

22

23

24

25

26

27

28

29

30

31

32

33

34

35

36

37

38

39

40

41

42

43

44

45

46

47

48

49

50

51

52

53

54

55

56

57

58

59

# SECURITY WARNING: keep the secret key used in production secret!

SECRET\_KEY = 'django-insecure-mhyfr-p&=sj8m^\_53=%c+5^tsy)wqf(++o#l\_mj9yq^01s\$8#'

# SECURITY WARNING: don't run with debug turned on in production!

DEBUG = True

ALLOWED\_HOSTS = []

# Application definition

INSTALLED\_APPS = [

'django.contrib.admin',

'django.contrib.auth',

'django.contrib.contenttypes',

'django.contrib.sessions',

'django.contrib.messages',

'django.contrib.staticfiles',

'myapp4',

]

MIDDLEWARE = [

'django.middleware.security.SecurityMiddleware',

'django.contrib.sessions.middleware.SessionMiddleware',

'django.middleware.common.CommonMiddleware',

'django.middleware.csrf.CsrfViewMiddleware',

'django.contrib.auth.middleware.AuthenticationMiddleware',

'django.contrib.messages.middleware.MessageMiddleware',

'django.middleware.clickjacking.XFrameOptionsMiddleware',

]

ROOT\_URLCONF = 'project4.urls'

TEMPLATES = [

{

'BACKEND': 'django.template.backends.django.DjangoTemplates',

'DIRS': [os.path.join(BASE\_DIR, 'templates')],

Python 3.9.1 64-bit

0 0 0

Ln 46, Col 60

Spaces: 4

UTF-8

CRLF


Python

10:06

07-06-2021







# sign Up

First name :

Middle name :

Last name :

Email :

Mobile no :

Gender : • Male • Female

Password:

# sign Up

First name :

Middle name :

Last name :

Email :

Mobile no :

Gender : • Male • Female

Password:

**First name :Kevin**  
**Middle name :Jayeshbhai**  
**Last name :Narigara**  
**Email id :kevinnarigara2312@gmail.com**  
**Mobile no :9574295762**  
**Gender :male**  
**Password :kevin@2312**