2022-2026-CSE-A

### Aim:

Write a program to sort (Ascending order) the given elements using merge sort technique.

Exp. Name: Write a C program to Sort given elements using Merge sort

At the time of execution, the program should print the message on the console as:

```
Enter array size :
```

For example, if the user gives the input as:

```
Enter array size : 5
```

Next, the program should print the following message on the console as:

```
Enter 5 elements :
```

if the user gives the input as:

```
Enter 5 elements : 34 67 12 45 22
```

then the program should **print** the result as:

```
Before sorting the elements are : 34 67 12 45 22
After sorting the elements are : 12 22 34 45 67
```

#### Source Code:

#### MergeSortMain.c

```
#include <stdio.h>
void main() {
   int arr[15], i, n;
   printf("Enter array size : ");
   scanf("%d", &n);
   printf("Enter %d elements : ", n);
   for (i = 0; i < n; i++) {
      scanf("%d", &arr[i]);
   printf("Before sorting the elements are : ");
   display(arr, n);
   splitAndMerge(arr, 0, n - 1);
   printf("After sorting the elements are : ");
   display(arr, n);
void display(int arr[15], int n) {
   int i;
   for(i=0;i<n;i++)</pre>
   printf("%d ",arr[i]);
   printf("\n");
void merge(int arr[15], int low, int mid, int high) {
   int i=low,h=low,j=mid+1,k,temp[15];
   while(h<=mid&&j<=high)</pre>
```

```
{
      if(arr[h]<=arr[j])</pre>
          temp[i]=arr[h];
          h++;
       }
      else
       {
          temp[i]=arr[j];
          j++;
      }
      i++;
   }
   if(h>mid)
      for(k=j;k<=high;k++)</pre>
          temp[i]=arr[k];
          i++;
       }
   }
   else
      for(k=h;k<=mid;k++)</pre>
      {
          temp[i]=arr[k];
          i++;
       }
   for(k=low;k<=high;k++){</pre>
      arr[k]=temp[k];
   }
}
void splitAndMerge(int arr[15], int low, int high) {
   if(low<high){</pre>
      int mid=(low+high)/2;
       splitAndMerge(arr,low,mid);
      splitAndMerge(arr,mid+1,high);
      merge(arr,low,mid,high);
   }
}
```

# Execution Results - All test cases have succeeded!

```
Test Case - 1
User Output
Enter array size : 5
Enter 5 elements : 34 67 12 45 22
Before sorting the elements are : 34 67 12 45 22
After sorting the elements are : 12 22 34 45 67
```

## Test Case - 2

Test Case - 3
Jser Output
Enter array size : 5
Enter 5 elements : -32 -45 -67 -46 -14
Before sorting the elements are : -32 -45 -67 -46 -14
After sorting the elements are : -67 -46 -45 -32 -14

Enter array size : 8

Enter 8 elements : 77 55 22 44 99 33 11 66

Before sorting the elements are : 77 55 22 44 99 33 11 66 After sorting the elements are : 11 22 33 44 55 66 77 99