Date:2023-05-18

Aim:

S.No: 17

Write a program to implement stack using arrays.

```
Sample Input and Output:
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 4
    Stack is empty.
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 2
    Stack is underflow.
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 3
    Stack is empty.
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 5
    Stack is underflow.
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 1
    Enter element : 25
    Successfully pushed.
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 1
    Enter element : 26
    Successfully pushed.
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 3
    Elements of the stack are : 26 25
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 2
    Popped value = 26
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option: 4
    Stack is not empty.
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 5
    Peek value = 25
    1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit
    Enter your option : 6
```

Source Code:

StackUsingArray.c

```
#include <stdio.h>
#include <stdlib.h>
#define STACK_MAX_SIZE 10
int main() {
  int op, x;
  while(1) {
    printf("1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit\n");
```

```
printf("Enter your option : ");
      scanf("%d", &op);
      switch(op) {
         case 1:
         printf("Enter element : ");
         scanf("%d", &x);
         push(x);
         break;
         case 2:
         pop();
         break;
         case 3:
         display();
         break;
         case 4:
         isEmpty();
         break;
         case 5:
         peek();
         break;
         case 6:
         exit(0);
      }
   }
}
int top = -1, i, arr[STACK_MAX_SIZE];
void push(int X){
   if(top == STACK_MAX_SIZE - 1){
      printf("Stack is overflow.\n");
   }
   else{
      top++;
      arr[top] = X;
      printf("Successfully pushed.\n");
   }
}
void display() {
   if(top == -1) {
      printf("Stack is empty.\n");
   }
   else{
      printf("Elements of the stack are : ");
      for(i=top;i>=0;i--){
         printf("%d ",arr[i]);
      }
      printf("\n");
   }
}
void pop(){
   if(top == -1) {
      printf("Stack is underflow.\n");
   }
   else {
      printf("Popped value = %d\n",arr[top]);
      top--;
```

```
}
void isEmpty() {
   if(top == -1) {
      printf("Stack is empty.\n");
   }
  else{
      printf("Stack is not empty.\n");
   }
}
void peek() {
   if(top == -1) {
      printf("Stack is underflow.\n");
   }
  else{
      printf("Peek value = %d\n",arr[top]);
   }
}
```

Execution Results - All test cases have succeeded!

Test Case - 1

```
User Output
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 1
Enter your option : 1
Enter element : 10
Successfully pushed. 1
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 1
Enter your option : 1
Enter element : 20
Successfully pushed. 1
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 1
Enter your option : 1
Enter element : 30
Successfully pushed. 3
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 3
Enter your option : 3
Elements of the stack are : 30 20 10 5
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 5
Enter your option : 5
Peek value = 302
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 2
Enter your option : 2
Popped value = 302
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 2
Enter your option : 2
Popped value = 203
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 3
Enter your option : 3
Elements of the stack are : 10 5
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 5
Enter your option : 5
```

Peek value = 104
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 4
Enter your option : 4
Stack is not empty. 2
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 2
Enter your option : 2
Popped value = 10 3
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 3
Enter your option : 3
Stack is empty. 4
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 4
Enter your option : 4
Stack is empty. 6
1.Push 2.Pop 3.Display 4.Is Empty 5.Peek 6.Exit 6
Enter your option : 6