Question:1

Find the circumference of a circle whose radius is

i 14 cm

ii 10 m

iii 4 km

Solution:

i The circumference C of a circle of radius 'r' is given by:

$C = 2\pi r$

Here, r = 14 cm

$\therefore C = 2 \times \frac{22}{7} \times 14 = 88$ cm.

ii The circumference C of a circle of radius 'r' is given by:

$C = 2\pi r$

Here, r = 10 m

$\therefore C = 2 \times \frac{22}{7} \times 10 = 62.86$ m.

iii The circumference C of a circle of radius 'r' is given by:

$C = 2\pi r$

Here, r = 4 km

$\therefore C = 2 \times \frac{22}{7} \times 4 = 25.142$ km.

Question:2

Find the circumference of a circle whose diameter is

i 7 cm

ii 4.2 cm

iii 11.2 km

Solution:

i We have:

Diameter = 7 cm

$\therefore$ Radius = $\frac{7}{2}$ cm

Let C be the circumference of a circle. Then,

$C = 2\pi r$

$\therefore C = 2 \times \frac{22}{7} \times \frac{7}{2} = 22$ cm.

ii We have:

Diameter = 4.2 cm

$\therefore$ Radius = $\frac{4.2}{2}$ cm = 2.1 cm

Let C be the circumference of a circle. Then,

$C = 2\pi r$

$\therefore C = 2 \times \frac{22}{7} \times 2.1 = 13.2$ cm.

iii We have:

Diameter = 11.2 km

$\therefore$ Radius = $\frac{11.2}{2}$ km = 5.6 km

Let C be the circumference of a circle. Then,

$C = 2\pi r$

$\therefore C = 2 \times \frac{22}{7} \times 5.6 = 35.2$ km.

Question:3

Find the radius of a circle whose circumference is

i 52.8 cm

ii 42 cm

iii 6.6 km

Solution:

i We know that the circumference C of a circle of radius 'r' is given by:

C = 2πr

$\Rightarrow r = \frac{C}{2\pi}$ Here, $C = 52.8 \text{ cm} \Rightarrow r = \frac{52.8 \times 7}{2 \times 22} \text{ cm} = \frac{369.6}{44} \text{ cm} = 8.4 \text{ cm}.$.

ii We know that the circumference C of a circle of radius 'r' is given by:

C = 2πr

$\Rightarrow r = \frac{C}{2\pi}$ Here, $C = 42 \text{ cm} \Rightarrow r = \frac{42 \times 7}{2 \times 22} \text{ cm} = \frac{294}{44} \text{ cm} = 6.68 \text{ cm}.$

iii We know that the circumference C of a circle of radius 'r' is given by:

C = 2πr

$\Rightarrow r = \frac{C}{2\pi}$ Here, $C = 6.6 \text{ km} \Rightarrow r = \frac{6.6 \times 7}{2 \times 22} \text{ km} = \frac{2.1}{2} \text{ km} = 1.05 \text{ km}.$

Question:4

Find the diameter of a circle whose circumference is

i 12.56 cm

ii 88 m

iii 11.0 km

Solution:

i We know that the circumference C of a circle of diameter 'd' is given by:

C = πd

$\Rightarrow d = \frac{C}{\pi}$ Here, $C = 12.56 \text{ cm} \Rightarrow d = \frac{12.56 \times 7}{22} \text{ cm} = \frac{87.92}{22} \text{ cm} = 3.99 \text{ cm}.$

ii We know that the circumference C of a circle of diameter 'd' is given by:

C = πd

$\Rightarrow d = \frac{C}{\pi}$ Here, $C = 88 \text{ m} \Rightarrow d = \frac{88 \times 7}{22} \text{ m} = 28 \text{ m}.$

iii We know that the circumference C of a circle of diameter 'd' is given by:

C = πd

$\Rightarrow d = \frac{C}{\pi}$ Here, $C = 11 \text{ km} \Rightarrow d = \frac{11 \times 7}{22} \text{ km} = \frac{7}{2} \text{ km} = 3.5 \text{ km}.$

Question:5

The ratio of the radii of two circles is 3 : 2. What is the ratio of their circumferences?

Solution:

We have, the ratio of the radii = 3:2

So, let the radii of the two circles be 3*r* and 2*r,* respectively.

Let C_1 and C_2 be the circumferences of the two circles of radii 3r and 2r, respectively. Then,

$C_1 = 2\pi \times 3r = 6\pi r$, and $C_2 = 2\pi \times 2r = 4\pi r$

∴

$\frac{C_1}{C_2} = \frac{6\pi r}{4\pi r} = \frac{6}{4} = \frac{3}{2}$, or

$C_1 : C_2$ = 3:2.

Question:6

A wire in the form of a rectangle 18.7 cm long and 14.3 cm wide is reshaped and bent into the form of a circle. Find the radius of the circle so formed.

Solution:

Length of the wire = Perimeter of the rectangle

$= 2\,(l+b) = 2 \times 18.7 + 14.3 = 66$ cm

Let the wire be bent in the form of a circle of radius r cm. Then,

circumference = 66 cm

$\Rightarrow 2\pi r = 66 \text{ cm} \Rightarrow 2 \times \frac{22}{7} \times r = 66 \text{ cm} \Rightarrow r = \frac{66 \times 7}{22 \times 2} = \frac{21}{2} \text{ cm} = 10.5 \text{ cm.}$

Question:7

A piece of wire is bent in the shape of an equilateral triangle of each side 6.6 cm. it is re-bent to form a circular ring. What is the diameter of the ring?

Solution:

We have:

Length of the wire = The perimeter of the equilateral triangle

$= 3 \times \text{side} = 3 \times 6.6 = 19.8$ cm.

Let the wire be bent to form a circular ring of radius r cm. Then,

Circumference = 19.8 cm

$\Rightarrow 2\pi r = 19.8 \text{ cm} \Rightarrow 2 \times \frac{22}{7} \times r = 19.8 \text{ cm} \Rightarrow r = \frac{19.8 \times 7}{22 \times 2} = \frac{138.6}{44} \text{ cm} = 3.15 \text{ cm.}$

So, the diameter of the ring = 2 x 3.15 = 6.30 cm.

Question:8

The diameter of a wheel of a car is 63 cm. Find the distance travelled by the car during the period, the wheel makes 1000 revolutions.

Solution:

It may be noted that in one revolution, the cycle covers a distance equal to the circumference of the wheel.

Now, the diameter of the wheel = 63 cm

∴ Circumference of the wheel = πd $= \left(\frac{22}{7} \times 63 \right)$ cm $= 198$ cm.

Thus, the cycle covers 198 cm in one revolution.

∴ The distance covered by the cycle in 1000 revolutions $= 198 x 1000 cm = 198000$ cm $= 1980$ m.

Question:9

The diameter of a wheel of a car is 98 cm. How many revolutions will it make to travel 6160 metres.

Solution:

We have:

Diameter of the wheel of the car = 98 cm

∴ Circumference of the wheel of the car = πd $= \left(\frac{22}{7} \times 98 \right)$ cm $= 308$ cm.

Note that, in one revolution of the wheel, the car travels a distance equal to the circumference of the wheel.

∴ The distance travelled by the car in one revolution of the wheel = 308 cm.

Total distance travelled by the car = 6160 m = 616000 cm.

∴ Number of revolutions $= \frac{616000}{308} = 2000$.

Question:10

The moon is about 384400 km from the earth and its path around the earth is nearly circular. Find the circumference of the path described by the moon in lunar month.

Solution:

We have:

The radius of the path described by the moon around the earth = 384400 km

∴ The circumference of the path described by the moon C $= 2\pi r = 2 \times \left(\frac{22}{7} \times 384400 \right)$ km $= 2416228.57$ km

Question:11

How long will John take to make a round of a circular field of radius 21 m cycling at the speed of 8 km/hr?

Solution:

We have:

The radius of the circular field = 21 m

∴ Circumference of the circular field $= 2\pi r = 2 \times \left(\frac{22}{7} \times 21 \right)$ m $= 132$ m.

If John cycles at the speed of 8 km/hr $In 1 hour John covers 8 km = 8000 m,$ then,

John covers 8000 m in 1 hour.

∴ Time required to cover 132 m $= \frac{132}{8000} = 0.0165$ hours

1 hour = 3600 seconds

∴ 0.0615 hours = 0.0615 x 3600 = 59.4 seconds.

Question:12

The hour and minute hands of a clock are 4 cm and 6 cm long respectively. Find the sum of the distances

travelled by their tips in 2 days.

Solution:

The radius of the path inscribed by the hour hand = Length of the hour hand = 4 cm

The radius of the path inscribed by the minute hand = Length of the minute hand = 6 cm

The circumference of the path inscribed by the hour hand = $2\pi r = 2 \times \frac{22}{7} \times 4 = \frac{176}{7}$ cm .

The hour hand makes 2 revolutions in one day.

∴ The distance covered by the hour hand in 2 days = $\frac{176}{7} \times 2 \times 2 = 100.57$ cm.

The distance covered by the minute hand in 1 revolution = $2\pi r = 2 \times \frac{22}{7} \times 6 = \frac{264}{7}$ cm

The minute hand makes 1 revolution in one hour.

∴ In 1 day, it makes 24 revolutions.

In 2 days, it makes 2 x 24 revolutions.

∴ The distance covered by the minute hand in 2 days = $\left(2 \times 24 \times \frac{264}{7}\right)$ cm $= \left(\frac{12672}{7}\right)$ cm $= 1810.28$ cm

The sum of the distances travelled by the hour and minute hands in 2 days = 1810.28 + 100.57 = 1910.85 cm.

Question:13

A rhombus has the same perimeter as the circumference of a circle. If the side of the rhombus is 2.2 m, find the radius of the circle.

Solution:

We have:

The side of a rhombus = 2.2 m

Let C be the circumference of a circle having a radius r cm. Then,

the perimeter of the rhombus = $4 \times$ side = 4 x 2.2 = 8.8 m.

We know:

Perimeter of the rhombus = Circumference of the circle

$$\Rightarrow 8.8 \text{ m} = 2\pi r \Rightarrow r = \left(\frac{8.8}{2\pi}\right)\text{m} = \left(\frac{8.8 \times 7}{2 \times 22}\right)\text{m} = \left(\frac{88 \times 7}{2 \times 22 \times 10}\right)\text{m} \Rightarrow r = \left(\frac{2 \times 7}{10}\right)\text{m} = 1.4 \text{ m}.$$

The radius of the circle is 1.4 m.

Question:14

A wire is looped in the form of a circle of radius 28 cm. It is re-bent into a square form. Determine the length of the side of the square.

Solution:

We have:

The radius of the circle = 28 cm

∴ Circumference of the circle = $2\pi r = 2 \times \frac{22}{7} \times 28 = 176$ cm.

Let a cm be the side of the square. Then,

the circumference of the circle = the perimeter of the square

$$\Rightarrow 176 = 4 \times a \Rightarrow a = \left(\frac{176}{4}\right) \text{ cm} = 44 \text{ cm}.$$

The side of the square is 44 cm.

Question:15

A bicycle wheel makes 5000 revolutions in moving 11 km. Find the diameter of the wheel.

Solution:

We have:

Total distance covered in 5000 revolutions = 11 km = 11,000 m

$\therefore$ Distance covered in 1 revolution = $\frac{11,000}{5000}$ = $\left(\frac{11}{5}\right)$ m .

Distance covered in 1 revolution = Circumference of the wheel

$\left(\frac{11}{5}\right)$ = $\pi d \Rightarrow d = \left(\frac{11}{5 \times \pi}\right) = \left(\frac{11 \times 7}{5 \times 22}\right)$ m $\Rightarrow d = \left(\frac{7}{10}\right) = 0.7$ m.

Thus, the diameter of the wheel is 0.7 m = 70 cm.

Question:16

A boy is cycling such that the wheels of the cycle are making 140 revolutions per minute. If the diameter of the wheel is 60 cm, calculate the speed per hour with which the boy is cycling.

Solution:

We have:

The diameter of the wheel = 60 cm

Distance covered by the wheel in 1 revolution = Circumference of the wheel

$\therefore$ Distance covered by the wheel in 1 revolution = πd = $\left(\frac{22}{7} \times 60\right)$ cm.

$\therefore$ Distance covered in 140 revolutions = $\left(\frac{22}{7} \times 60 \times 140\right)$ cm = $\left(\frac{184800}{7}\right)$ cm = 26400 cm .

Thus, the wheel covers 26400 cm in 1 minute. Then,

Speed = $\left(\frac{26400}{100} \times 60\right)$ m/hr = (264×60) m/hr $\Rightarrow$ Speed = $\left(\frac{264 \times 60}{1000}\right)$ km/hr = 15.84 km/hr.

The speed with which the boy is cycling is 15.84 km/hr.

Question:17

The diameter of the driving wheel of a bus is 140 cm. How many revolutions per minute must the wheel make in order to keep a speed of 66 km per hour?

Solution:

We have:

Diameter of the wheel = 140 cm, desired speed of the bus = 66 km/hr

$\therefore$ Distance covered in 1 revolution = The circumference of the wheel = $\pi d = \left(\frac{22}{7} \times 140\right)$ cm = 440 cm.

Now, the desired speed of the bus = 66 km/hr = $\frac{66 \times 1000 \times 100}{60}$ = 1,10,000 cm/min.

$\therefore$ Number of revolutions per minute = $\frac{110000}{440}$ = $\frac{1000}{4}$ = 250 .

Thus, the bus must make 250 revolutions per minute to keep the speed at 66 km/hr.

Question:18

A water sprinkler in a lawn sprays water as far as 7 m in all directions. Find the length of the outer edge of wet grass.

Solution:

The wet grass forms a circular region of radius 7 m.

$\therefore$ The length of the outer edge of the wet grass is $2\pi r$ = $\left(2 \times \frac{22}{7} \times 7\right)$ m = 44 m.

Question:19

A well of diameter 150 cm has a stone parapet around it. If the length of the outer edge of the parapet is 660 cm, then find the width of the parapet.

Solution:

We have :

Diameter of the well = 150 cm

Length of the outer edge of the parapet = 660 cm

Width of the parapet = ?

Radius of well = 150 ÷ 2 = 75 cm.

Let the width of the stone parapet be x cm. Clearly, the outer edge of the parapet forms a circular region of radius (x +75 cm). Therefore,

$660 \text{ cm} = 2 \times \frac{22}{7} \times (x + 75) \Rightarrow \frac{660 \times 7}{2 \times 22} = (x + 75) \Rightarrow 15 \times 7 = (x + 75) \Rightarrow x = 105 - 75 \Rightarrow x = 30 \text{ cm}.$

Thus, the width of the parapet is 30 cm.

Question:20

An ox in a kolhu $anoilprocessingapparatus$ is tethered to a rope 3 m long. How much distance does it cover in 14 rounds?

Solution:

We have :

Radius of the circular path traced by the ox in a kolhu = 3 m

Distance covered by the ox in 1 round = Circumference of the circular path = $2\pi r = \left(2 \times \frac{22}{7} \times 3\right) \text{m}.$

∴ Distance covered in 14 rounds = $\left(2 \times \frac{22}{7} \times 3\right) \text{m} \times 14 = 22 \times 12 = 264 \text{ m}.$

Question:21

Find the area of a circle whose radius is

i 7 cm

ii 2.1 m

iii 7 km

Solution:

i We know that the area A of a circle of radius r is given by $A = \pi r^2$.

   Here, r = 7 cm

∴ $A = \frac{22}{7} \times (7)^2 \text{ cm}^2$.

⇒ $A = \left(\frac{22}{7} \times 7 \times 7\right) \text{ cm}^2 = (22 \times 7) \text{ cm}^2 = 154 \text{ cm}^2$.

ii We know that the area A of a circle of radius r is given by $A = \pi r^2$.

   Here, r = 2.1 m

∴ $A = \frac{22}{7} \times (2.1)^2 \text{ m}^2$.

⇒ $A = \left(\frac{22}{7} \times 2.1 \times 2.1\right) \text{ m}^2 = (22 \times 0.3 \times 2.1) \text{ m}^2 = 13.86 \text{ m}^2$.

iii We know that the area A of a circle of radius r is given by $A = \pi r^2$.

   Here, r = 7 km

$\therefore A = \frac{22}{7} \times (7)^2 \text{ km}^2$.

$\Rightarrow A = \left(\frac{22}{7} \times 7 \times 7 \right) \text{ km}^2 = (22 \times 7) \text{ km}^2 = 154 \text{ km}^2$.

Question:22

Find the area of a circle whose diameter is

i 8.4 cm

ii 5.6 m

iii 7 km

Solution:

i Let r be the radius of the circle. Then, $r = 8.4 \div 2 = 4.2$ cm.

$\therefore$ Area of the circle $= \pi r^2$

$\Rightarrow A = \frac{22}{7} \times (4.2)^2 \text{ cm}^2 \Rightarrow A = \left(\frac{22}{7} \times 4.2 \times 4.2 \right) \text{cm}^2 = (22 \times 0.6 \times 4.2) \text{ cm}^2 = 55.44 \text{ cm}^2$. .

ii Let r be the radius of the circle. Then, $r = 5.6 \div 2 = 2.8$ m.

Area of the circle $= \pi r^2$

$\Rightarrow A = \frac{22}{7} \times (2.8)^2 \text{ m}^2 \Rightarrow A = \left(\frac{22}{7} \times 2.8 \times 2.8 \right) \text{ m}^2 = (22 \times 0.4 \times 2.8) \text{ m}^2 = 24.64 \text{ m}^2$.

iii Let r be the radius of the circle. Then, $r = 7 \div 2 = 3.5$ km.

Area of the circle $= \pi r^2$

$\Rightarrow A = \frac{22}{7} \times (3.5)^2 \text{ km}^2 \Rightarrow A = \left(\frac{22}{7} \times 3.5 \times 3.5 \right) \text{ km}^2 = (22 \times 0.5 \times 3.5) \text{ km}^2 = 38.5 \text{ km}^2$.

Question:23

The area of a circle is 154 cm^2. Find the radius of the circle.

Solution:

Let the radius of the circle be r cm.

Area of the circle (A) = 154 cm^2

$\Rightarrow 154 = \frac{22}{7} \times (r)^2 \text{ cm}^2 \Rightarrow r^2 = \left(\frac{154 \times 7}{22} \right) \Rightarrow r^2 = \left(\frac{1078}{22} \right) \Rightarrow r^2 = (49) \Rightarrow r = 7$ cm.

Hence, the radius of the circle is 7 cm.

Question:24

Find the radius of a circle, if its area is

i 4 π cm^2

ii 55.44 m^2

iii 1.54 km^2

Solution:

i Let the radius of the circle be r cm.

$\therefore$ Area of the circle (A) = 4 cm^2

ii Let the radius of the circle be r cm.

∴ Area of the circle (A) = 55.44 m^2

iii Let the radius of the circle be r cm.

∴ Area of the circle A = 1.54 km^2

Question:25

The circumference of a circle is 3.14 m, find its area.

Solution:

We have :

Circumference of the circle = 3.14 m =

Area of the circle (A) =

Question:26

If the area of a circle is 50.24 m^2, find its circumference.

Solution:

We have :

Area of the circle A = = 50.24 m^2

Circumference of circle C =

Question:27

A horse is tied to a pole with 28 m long string. Find the area where the horse can graze. (Take π = 22/7).

Solution:

We have :

Length of the string = 28 m

The area over which the horse can graze is the same as the area of a circle of radius 28 m.

Hence, required area = πr^2 = .

Question:28

A steel wire when bent in the form of a square encloses an area of 121 cm^2. If the same wire is bent in the form of a circle, find the area of the circle.

Solution:

We have :

Area of the square = 121 cm^2

$\Rightarrow$ side^2 = 11^2 cm^2

$\Rightarrow$ side = 11 cm.

So, the perimeter of the square = 4side = 4 x 11 cm = 44 cm.

Let r be the radius of the circle. Then,

Circumference of the circle = Perimeter of the square

$\Rightarrow$ 2πr = 44

$\Rightarrow$ 2 x x r = 44

$\Rightarrow$ r = 7 cm.

$\therefore$ Area of the circle = πr^2 = .

Question:29

A road which is 7 m wide surrounds a circular park whose circumference is 352 m. Find the area of of road.

Solution:

We have :

Circumference of the circular park = 2πr = 352 m

$\Rightarrow$ 2 x x r = 352

$\Rightarrow$ r = 56 m.

Radius of the path including the 7m wide road = r +7 = 56 +7 = 63 m.

$\therefore$ Area of the road :

Question:30

Prove that the area of a circular path of uniform width h surrounding a circular region of radius r is π h (2r + h).

Solution:

Radius of the circular region = r

Radius of the circular path of uniform width h surrounding the circular region of radius r = (r + h).

$\therefore$ Area of the path

Question:31

The perimeter of a circle is 4πr cm. What is the area of the circle?

Solution:

We have :

Given perimeter of the circle = 4r cm = 2 2r cm

We know that, the perimeter of a circle = 2r

$\therefore$ Radius of the circle = 2r cm

Area of the circle= r^2 = 2r^2 = 4r^2 .

Question:32

A wire of 5024 m length is in the form of a square. It is cut and made a circle. Find the ratio of the area of the square to that of the circle.

Solution:

We have:

Perimeter of the square = 5024 m = Circumference of the circle

$\Rightarrow$ 4 x Side of the square = 5024

$\therefore$ Side of the square = .

Let the area of the square be A_1 and the area of the circle be A_2.

Area of the square (A_1)= side x side = .

Circumference of the circle = 5024 m

$\Rightarrow$ 2 r = 5024 m

Area of the circle $(A_2)= r^2$ = .

Hence, the ratio of the area of the square to the area of the circle is 11:14.

Question:33

The radius of a circle is 14 cm. Find the radius of the circle whose area is double of the area of the circle.

Solution:

Let the area of the circle whose radius is 14 cm be A_1.

Let the radius and area of the circle, whose area is twice the area of the circle A_1, be r_2 and A_2, respectively.

Thus,

A_1 = .

$A_2 = 2 \ A_1 = 2 \ 616 = 1232$ cm^2

$A_2 = $ = 1232 cm^2

Hence, the radius of the circle A_2 is 14 cm.

Question:34

The radius of one circluar field is 20 m and that of another is 48 m. Find the radius of the third circular field whose area is equal to the sum of the areas of two fields.

Solution:

Let the area of the circle whose radius is 20 m be A_1 , and the area of the circle whose radius is 48 m be A_2. Let A_3 be the area of a circle that is equal to the sum of the areas of the two fields, with the radius of its field being r cm.

$\therefore A_3 = \ A_1 + A_2$

Question:35
The radius of one circular field is 5 m and that of the other is 13 m. Find the radius of the circular field whose area is the difference of the areas of first and second field.
**Solution:**

Let the area of the circular field whose radius is 5 m be A_1 , and the area of the circular field whose radius is 13 m be A_2. Let A_3 and r cm be the area and radius of the circular field, that is equal to the difference of the areas of the two fields.
$\therefore A_3 = A_2 - A_1$

Hence, the radius of the circular field is 12 m.

Question:36
Two circles are drawn inside a big circle with diameters and of the diameter of the big circle as shown in Fig. 18. Find the area of the shaded portion, if the length of the diameter of the circle is 18 cm.

Solution:
Let the left circle be denoted as the 1st circle and the right circle be denoted as the 2nd circle.
Diameter of the big circle = 18 cm
Radius of the big circle = 9 cm
Diameter of the 1st circle =
Radius of the 1st circle = 6 cm
Diameter of the 2nd circle =
Radius of the 2nd circle = 3 cm
Area of the 1st circle =
Area of the 2nd circle =
Area of the big circle =
Area of the shaded portion = Area of the big circle - (Area of the I^{st} circle + Area of the II^{nd} circle)
Area of the shaded portion = cm^2.

Question:37
In Fig. 19, the radius of quarter circular plot taken is 2 m and radius of the flower bed is 2 m. Find the area of the

remaining field.

Solution:

Radius of the quarter circular plot = 2 m

Area of the quarter circular plot =

Radius of each flower bed = 2 m

Area of four flower beds =

Area of the rectangular region = Length Breadth

Area of the rectangular region = 8 6 = 48 m^2

Area of the remaining field = Area of the rectangular region - Area of the quarter circle + Area of the four flower beds

Area of the remaining field = 48 - (12.57 + 12.57) m^2 = 22.86 m^2 .

Question:38

Four equal circles, each of radius 5 cm, touch each other as shown in Fig. 20. Find the area included between them. (Take π = 3.14).

Solution:

Side of the square = 10 cm

Area of the square = Side Side

Area of the square =

Area of the four quarter circles =

Area included in them = Area of the square - Area of the four quarter circles

Area included in them = 100 - 78.57 cm^2 = 21.43 cm^2 .

Question:39

The area of circle is 100 times the area of another circle. What is the ratio of their circumferences?
Solution:

Let the area of the first circle be A_1, the circumference be C_1 and the radius be r_1.
Let the area of the second circle be A_2, the circumference be C_2 and the radius be r_2.

Thus,

We know that :

$A_1 = 100A_2$
$\therefore$

Substituting the values, we get:
$\therefore$

Hence, the ratio of their circumferences is 10:1.

Question:40
The ratio of the perimeter circumference and diameter of a circle is

a   b 2   c   d
Solution:
Let r be the radius of the circle. Then
Perimeter of circle = 2r
Diameter of circle = 2r
Now

Thus, the required ratio is .
Hence, the correct option is a

Question:41
The ratio of the area and circumference of a circle of diameter d is

a d b   c   d 2d

Solution:
Let r and d be respectively the radius and diameter of the circle. Then
$d = 2r$
Circumference of circle = 2r =
Area of circle = r^2 =
Now

Hence, the correct option is c

Question:42

The cost of fencing a circular garden of radius 21 m at ₹ 10 per metre is

a ₹ 1320   b ₹ 132   c ₹ 1200   d ₹ 660

Solution:

Radius (r) = 21 m

Cost per metre = ₹ 10

Circumference of circle =

Cost of fencing = Circumference × Cost per metre

         = 132 × 10

         = ₹ 1320

Hence, the correct option is a.

Question:43

If the diameter of a circle is equal to the diagonal of a square, then the ratio of their areas is

a 7 : 1   b 1 : 1   c 11 : 7   d 22 : 7

Solution:

Let r and a be the diameter of the circle and side of the square respectively. Then

Diameter of circle = 2r

Diagonal of square =

Now, as per the question

Diameter of circle = Diagonal of square

2r =

Therefore

Hence, the correct option is c.

Question:44

A circle is inscribed in a square of side 14 m. The ratio of the area of the circle and that of the square is

a : 3   b : 4   c : 2   d : 1

Solution:

Let a and r be the side of the square and radius of the circle respectively.

Here, the diameter of the circle is equal to the side of the square. So

Diameter of circle = 2r = a

Therefore

Hence, the correct option is b.

Question:45

How many times should a wheel of radius 7 m rotate to go around the perimeter
of a rectangular field of length 60 m and breadth 50 m?

a 3   b 4   c 5   d 6

Solution:

Here, Radius (*r*) = 7 m, Length (*l*) = 60 m and Breadth (*b*) = 50 m.

Perimeter of circle =

Perimeter of rectangle =

Therefore

Number of turns =

Hence, the correct option is c.

Question:46

The minute hand of a clock is 14 cm long. How far does the tip of the minute hand
move in 60 minutes?

a 22 cm   b 44 cm   c 33 cm   d 88 cm

Solution:

Length of minute hand = 14 cm

Distance covered by minute hand in one round =

Thus, the minute hand move 88 cm in 60 minutes.

Hence, the correct option is d.

Question:47

The cost of fencing a semi-circular garden of radius 14 m at   10 per metre is

a   1080   b   1020   c   700   d   720

Solution:

Radius of circle (*r*) = 14 m

Perimeter of semi-circular garden

Cost of fencing = 72   10 =   720

Hence, the correct option is d.

Question:48

The area of a square is equal to the area of a circle. The ratio between the side of the square
and the radius of the circle is

a : 1   b 1 :   c 1 :   d : 1

Solution:

Let *a* and *r* be respectively the side of the square and radius of the circle.

Here, the area of square is equal to the area of the circle. So

Hence, the correct option is a.

Question:49
If A is the area and C be the circumference of a circle, then its radius is

a   b   c   d

Solution:
Let r be the radius of the circle. Then

Hence, the correct option is b.

Question:50
The area of a circle of circumference C is

a   b   c   d

Solution:
Let r be the radius of the circle. Then

Therefore
Area of circle =
Hence, the correct option is a.

Question:51
The circumference of a circle is 44 cm. Its area is

a 77 cm^2 b 154 cm^2 c 208 cm^2 d 144 cm^2

Solution:
Let r be the radius of the circle. Then

Therefore
Area of circle =
Hence, the correct option is b.

Question:52
Each side of an equilateral triangle is equal to the radius of a circle whose area is 154 cm^2.
The area of the triangle is

a   cm^2 b   cm^2 c   cm^2 d   cm^2

Solution:
Let r be the radius of the circle and a be the side of the equilateral triangle. Then

Area of circle = 154 cm^2

Therefore
Area of equilateral triangle =
Hence, the correct option is c.

Question:53
The area of a circle is 9 cm^2. Its circumference is

a 6 cm   b 36 cm   c 9 cm   d 36 cm
Solution:
Let r be the radius of the circle. Then
Area of circle = 9 cm^2

Therefore
Circumference of the circle =
Hence, the correct option is a.

Question:54
The area of a circle is increased by 22 cm^2 when its radius is increased by 1 cm.
The original radius of the circle is

a 6 cm   b 3 cm   c 4 cm   d 3.5 cm
Solution:
Let r be the radius of the circle. Then
Area of original circle = r^2 cm^2
Radius of circle after increment = $(r + 1)$ cm
Thus,as per the question

Thus, the original radius of the circle is 3 cm.
Hence, the correct option is b.

Question:55
The radii of two circles are in the ratio 2 : 3. The ratio of their areas is

a 2 : 3   b 4 : 9   c 3 : 2   d 9 : 4
Solution:
Let r_1 and r_2 be the radius of the two circles. So

Now

Thus, the required ratio is 4 : 9.

Hence, the correct option is b.

Question:56

The areas of two circles are in the ratio 49 : 36. The ratio of their circumferences is

a 7 : 6   b 6 : 7   c 3 : 2   d 2 : 3

Solution:

Let r_1 and r_2 be the radius of the two circles. Then

Now

Thus, the required ratio is 7 : 6.
Hence, the correct option is a.

Question:57

The circumferences of two circles are in the ratio 3 : 4. The ratio of their areas is

a 3 : 4   b 4 : 3   c 9 : 16   d 16 : 9

Solution:

Let r_1 and r_2 be the radius of the two circles. Then

Now

Thus, the required ratio is 9 : 16.
Hence, the correct option is c.

Question:58

The difference between the circumference and radius of a circle is 37 cm. The area of the circle is

a 111 cm^2 b 148 cm^2 c 154 cm^2 d 258 cm^2

Solution:

Let r_1 and r_2 be the radius of the two circles. Then

Now

Hence, the correct option is c.

Typesetting math: 47%