ISSN (e): , ISSN (p):

Unmanned Aerial Vehicle System for Extinguishing and monitoring of Fire Emergencies

Aditya Rathor¹, Jishnu Pisharody², Probir De³, Abhishek Singh⁴

¹(Department of Electronics Engineering, Atharva College of Engineering, India)

²(Department of Electronics Engineering, Atharva College of Engineering, India)

³(Department of Electronics Engineering, Atharva College of Engineering, India)

⁴(Department of Electronics Engineering, Atharva College of Engineering, India)

Abstract: In this proposed system, a drone and remote-sensing technologies are used in conjunction to support conventional firefighting techniques. This research investigates the potential usage of fire extinguishing balls. The proposed system consists of three parts: (1) a scouting Unmanned Aerial Vehicle (UAV) that uses remote sensing to spot fires and monitor the risk of a wildfire approaching a building, a fence, or a firefighting crew; (2) a communication UAV that establishes and extends a communication channel between the operator and the fire-fighting UAV. The goal of the vehicle is to locate and put out accidental fires using extinguishing balls, which can reduce the risk to humans to the absolute minimum.

Keywords: Drone, Fire, APM (ArduPilot Mega), Claw, Hexacopter, Extinguishing Ball.

I. INTRODUCTION

The primary objectives of fire fighters are to put out fires in order to safeguard and save lives as well as property. Trucks, ladders, and water pumps or insufficient equipment were often used up until recently in many locations. However, these outdated equipment are gradually being replaced with firefighting drones. Drones are more effective in putting out fires when compared to older techniques. Firefighters are considering drone technology to aid in their objectives because of rapid urbanisation and industrialization, traffic, larger structures, and more harmful compounds being utilised in construction [1]. When a fire breaks out in a rugged area, it is quite difficult for firemen to put it out as quickly as possible. As an alternative, UAVs can fly to the targeted fire area, drop fire extinguisher balls, and then return to the starting place. Consequently, this method of firefighting is significantly safer than the conventional approach [2]. Drones could prove very helpful in the firefighting process by offering firefighters an aerial evaluation of the scene to help them determine the severity of the fire. This would boost situational awareness. In order to avoid harming humans, drones may also be used to access challenging regions, particularly in dangerous circumstances. Drones that are equipped with thermal cameras can also help firefighters locate hotspots by providing thermal assessments. [3].

Given that fire extinguisher drones are a relatively new technology and their deployment is not well-documented, it is challenging to obtain statistical statistics about them. Unmanned aerial vehicles (UAVs) called fire extinguisher drones are used to put out flames in difficult-to-reach or hazardous regions. They are outfitted with fire suppression systems, such as water or foam. They can be used in many different circumstances, including as wildfires, industrial fires, and even house fires.

The following are some potential advantages of employing fire extinguisher drones:

- 1) **Faster response times**: Drones can arrive at the scene of a fire fast and start suppression operations, potentially cutting down on the amount of time it takes to put out the fire.
- 2) **Enhanced safety**: Firefighters can lower the chance of injury by using drones to avoid entering potentially hazardous or dangerous environments.
- 3) **Greater precision**: Drones can be fitted with thermal cameras and other sensors to assist in locating the origin of a fire and more precisely directing suppression efforts.
- 4) **Cost reductions**: In some circumstances, deploying drones to put out fires may be more economical than doing so the old-fashioned way.

Extinguishing a fire entails not only putting out the flames but also supporting operations including building firewalls, access points for cars to enter and exit, runways, heliports, etc. Humans were involved in these activities in Spain between 2006 and 2015, accounting for 100% of fires, 94.8% of ground vehicles and machinery, and 23.5% of aerial methods [4]. Extinguishing activities are risky since any accident could result in serious injuries or even death. Spain's government estimates that there were 24 incidents between 2006 and 2015 and 37 fatalities, all of whom were firefighters. This analysis found that the leading causes of these fatalities were air accidents (43%), entrapments (30%), health issues (8%), falls (8%), vehicle accidents (5%), and mechanical accidents (5%)[4]. Therefore, it would be beneficial if technology solutions could lower the accident rate as well as mortality in cases of entrapments and falls, which can be brought on by a lack of knowledge about the course of a fire and the characteristics of the terrain.

Speaking of drone technology, the decisions for using UAVs for fire extinguishers can be well defended because drone deployment has been a successful technology in a variety of industries and applications. One of the primary benefits of using drones for deployment is their ability to access areas that may be difficult or dangerous for humans to reach. This includes inspecting infrastructure such as bridges, pipelines, and power lines, as well as performing search and rescue operations in remote or hazardous environments. Other than these, some specific areas in which drones have helped other industries flourish include:

Agriculture - Drones have been used to efficiently and accurately apply fertilizers, pesticides, and water to crops, leading to increased crop yields and reduced costs. They have also been used for precision farming, which involves collecting data on the health and condition of crops, to optimize irrigation and fertilization practices.

Construction - Drones have been used to survey and map construction sites, as well as to inspect and monitor progress on buildings and other structures. This has allowed for faster and more accurate analysis of data, as well as reducing the need for human labour in hazardous or difficult-to-access locations.

Environmental monitoring and conservation - Drones have been used to map forests, monitor wildlife populations, and detect pollution. They have also been used to assess the impact of natural disasters and to monitor the health of ecosystems.

Delivery - Drones have been utilised in the delivery of goods and medical supplies in remote or unserved areas. This has allowed for faster and more efficient delivery, as well as reducing the need for transportation infrastructure in areas where it may be difficult to build roads or other infrastructure.

Photography and Videography - Drones have revolutionised the way in which aerial photography and videography is captured, allowing for stunning aerial views that were previously only achievable with expensive manned aircraft. This has opened up new opportunities for photographers and videographers, as well as for the film and television industry.

This review examines the challenges facing firefighting operations today and considers how drone technologies can help to address those challenges. The two research questions that follow are therefore:

- 1. What are the primary issues facing contemporary fire suppression efforts?
- 2. What role may drones play in addressing these issues?

II. METHODOLOGY ESC ESC М М **HEXACOPTER** ESC ESC **FRAME** ESC ESC М **APM FLIGHT CONTROLLER** TRANSMITTER CLAW RECEIVER

Figure 1(10 Bold): Block diagram showing the working principle of a fire extinguisher drone.

The various units involved are as follows:

- I. S550 Hexacopter frame with landing gears.
- II. Power supply unit (11.1V battery).
- III. Motor (M) with 1400KV.
- IV. Electronic Speed Control (ESC).
- V. ArduPilot Mega (APM) flight controller.
- VI. RC (transmitter and receiver) controller.
- VII. Claw mechanism.

The S550 hexacopter frame kit is a perfect lightweight solid Hexacopter frame with carbon fibre landing gear and a bonus built-in printed circuit board (PCB) for neat and easy wiring. It is a Hexacopter Frame that employs six arms to get into the air. The S550 has an intense, light, and sensible configuration, including a PCB(Printed Circuit Board) with which you can directly solder your ESCs to the frame. So, it avoids using extra PDB(Power Distribution Board) and makes the mounting clean and neat

The sequence of operation of the circuit is as follows:

- a. An RC transmitter is used to provide the user input, or control, of the drone.
- b. This user input is received by a receiver and is fed to the flight controller.
- c. As stated the flight controller is connected with the ESC as well as the motor with the help of which we can control the direction and the speed of the drone.
- d. The claw mechanism i.e the opening and closing of the claw is also controlled according to the user input with the help of the flight controller.
- e. The battery is also connected with the Flight controller, ESC and Motor to provide the required power supply.

III. PERFORMANCE EVALUATION

The model needs the assembling and integration of the following components that are required in its construction which, consists of an S550 Hexacopter frame with landing gears, a propeller, M stands for a brushless motor with 1400KV, ESC (Electronic Speed Controller), a Lithium Polymer (LIPO) battery of 5200mAH, APM (ArduPilot Mega) flight controller, a FLYSKY RC controller and a gimbal for claw mechanism. All the enlisted parts are essential for the working of a drone.

In order to understand and evaluate the performing rate of the entire model, we briefly state the following component's main objective which they play respectively.

The following integrals involved in the operation of drone technology are:

- I. The frame basically is the body of a hexacopter. Now its shape and the material used varies depending on size and design. In general cases a larger frame often has more arms than a smaller frame and a large frame is often built in carbon fibre or aluminium or both combined whereas a small one often is in plastic.[5]. The frame must be lightweight, sturdy, and affordable in order to make it congenial enough
- II. Propellers are clove-like blade structured objects which are brought into play to create a difference in air pressure. When the propellers are in motion, they simply cut through the air creating difference in pressure between the top and the bottom of the rotors during the process. The top side is characterised by low pressure as compared to the bottom causing the drone to lift into the air. [6]. Usually the material chosen for propeller is plastic as it is light in weight as compared to other materials.
- III. A lithium polymer battery, or more correctly lithium-ion polymer battery is a rechargeable battery of lithium-ion technology using a polymer electrolyte instead of a liquid electrolyte. [7]. These batteries are amongst the most commonly used types for drone technology as they are profitable in areas of providing high energy density and are less in weight when in comparison to other types of batteries.
- IV. The key element which functions a drone working is the ability to control the motor's speed and rotation [8]. Here we make used of an ESC (electronic speed controller) which is an electronic control board that varies or ranges the motor's speed. It also acts as a dynamic brake which is useful in the device [9]. It is an electronic circuit that acts as the interface between the pilot's commands and the individual drone motors. A signal from the flight controller causes the ESC to raise or lower the voltage to the motor as required, thus changing the speed of the propeller. [10]
- V. ArduPilot Mega is a fully programmable autopilot that requires a GPS module and sensors to create a functioning Unmanned Aerial Vehicle (UAV). The autopilot handles both stabilization and navigation, which hereby removes the need for a separate stabilization system. It also supports the fly mode which stabilizes an aircraft when flying manually, under RC control thereby making it easier and safer to fly. The hardware and software integrals both are open source. The APM circuit board comes with all the surface-mount parts already soldered on it, but requires an additional soldering on connectors by the user. [11]
- VI. In the field of drones, the controlling part needs most of the attention and calibration part needs to be done correctly in order to provide vital signals to these drones and most other aerial vehicles. These days the FS transmitter manufactured by a company called FLYSKY has taken the market into storm. Some noticeable specifications about it is a digital proportional radio control system that operates on the global ISM band of 2.4GHz frequency, moreover the FS transmitter and receiver comes with its set of alerting system which allows us to fully customize the flight setting and use it in the basic drone technology. [12]
- VII. Gimbal is an important element added into this concept which contributes in providing the claw action. It is a pivoted support mechanism that considers the rotation of an object about an axis. In our topic a gimbal executes the claw mechanism part while holding and dropping the extinguishing balls.

.



Figure 2: Proposed system for fire extinguishing drone.

THRUST CALCULATION:

To make sure that the right propellers and motors have been chosen, static thrust calculations are required. The amount of thrust generated by a propeller that is fixed to the earth is referred to as static thrust. Due to the likelihood that a hexarotor drone will operate at low speeds in relation to the ground, this estimate is particularly crucial for this project. This low-speed capability makes it possible to use the static thrust calculations in a variety of flight scenarios. It's vital to remember that the static thrust estimations used in the final computations are estimates rather than actual numbers.

Thrust produced by propeller is given as:

$$T = \frac{\pi}{4} D^2 \rho v \Delta v$$

T=thrust [N]

D=propeller diameter [m]


v =velocity of air at the propeller [m/s]

Δ v=velocity of air accelerated by propeller [m/s]

 $\rho = \text{density of air } [1.225 \text{ kg/m}^3]$

GRAPHICAL EVALUATION:

Thrust and rotation speed are two important factors that affect the performance of a drone. The thrust of a drone refers to the force that is generated by the motors and propellers to lift the drone off the ground and keep it in the air. The rotation speed, also known as the "rpm" (revolutions per minute), refers to the speed at which the propellers are spinning. In general, increasing the rotation speed of the propellers will increase the thrust of the drone, and decreasing the rotation speed will decrease the thrust. However, the relationship between thrust and rotation speed is not necessarily linear and may vary depending on the specific characteristics of the drone and its propellers.



A graph depicting the relationship between thrust and rotational speed of the motor for a drone is shown. The following graph can be divided into 2 parts, on the x-axis we can see the rotation speed and thrust is calculated on the y-axis.

IV. CONCLUSION

The significance of drones in firefighting operations is discussed in this research. The drone will be made to have a maximum load capacity of 3 to 4 kilograms and a battery life of 15 to 20 minutes, lowering the risk to the firefighters. A thermal imaging camera, which is used to find people trapped in buildings during fire accidents, can be added to drones. In order to streamline industrial processes, increase their utility, and become extensively used in a variety of future industries, drones must develop intelligence and rapid thinking. These criteria can apply to engineering, maintenance, critical infrastructure management, and asset management operations if more attention is placed on them. In India, there are numerous drone startups. Some of these include Redwing Labs, Throttle Aerospace, General Aeronautics, and Paras Aerospace. Indian businesses are attempting to integrate this cutting-edge technology into their systems to make their operations safer, more dependable, and more predictable. Implementing this technology in the automotive industry can be excellent from an industrial standpoint.

In conclusion, the fire extinguishing drone project has demonstrated the potential for using drones as an effective tool for fire extinguishing. The design and development of the fire extinguishing drone have resulted in a device that is capable of quickly and safely accessing difficult-to-reach areas, delivering fire-extinguishing agents, and reducing the risk to human firefighters. The testing and demonstrations conducted as part of this project have provided valuable insights into the performance and capabilities of the fire extinguishing drone, and have shown that it is capable of effectively extinguishing small- to medium-sized fires. There are still many challenges to be addressed in the development and use of drones for fire suppression, such as regulatory issues, battery life, and the need for robust, reliable systems. However, the potential benefits of using drones in this context are clear, and further research and development in this area is necessary to fully realise their potential.

REFERENCES

- [1]. Patil, Rupali, P. Patil, Nitesh Sawant, Hrishikesh Thakur, and Dhiraj Surve. "Fire fighting drone using extinguisher bomb." *Int. Res. J. Eng. Technol* 7 (2020): 3395-3398..
- [2]. Soliman, A.M.S., Cagan, S.C. & Buldum, B.B. The design of a rotary-wing unmanned aerial vehicles—payload drop mechanism for fire-fighting services using fire-extinguishing balls. SN Appl. Sci. 1, 1259 (2019). https://doi.org/10.1007/s42452-019-1322-6Amuzuvi, C. K., & Addo, E. (2015). A Microcontroller Based Automatic Transfer Switching System for a Standby Electric Generator. *Ghana Mining Journal*, 15(1), 85–92.
- [3]. Jubilee A. Simulations of the Autonomous Drone fleet in Extinguishing Forest Fire. Imhanzenobe, Department of Electrical and Computer Engineering, University of Waterloo, Ontario, Canada
- [4]. Roldán-Gómez JJ, González-Gironda E, Barrientos A. A Survey on Robotic Technologies for Forest Firefighting: Applying Drone Swarms to Improve Firefighters' Efficiency and Safety. Applied Sciences [Internet]. 2021 Jan 1;11(1):363.
- [5]. Anders Bogga, Emil Andersson. "Hexacopter with gripping module", Halmstad University.
- [6]. Foundation Structures NC, Construction of Drone Parts.
- [7]. Keith D, Lithium Polymer Battery 2022 Nov 22.
- [8]. Maurizio Di Paola Emilio, Power Electronics News, technical article 2021 Feb 21.
- [9]. Foundation Structures NC. Construction of drone parts.
- [10]. Technology Editor, Electronic Speed Controller. 2022 Nov 28.
- [11]. ArduPilot Mega- Arduino Mega compatible UAV Controller.
- [12]. Ashish Mishra, Flysky Transmitter & Receiver. 2021 Aug 23.
- [13]. Jeremiah Dickey. Airfolk II static thrust
- [14]. Charles Blouin. Drone flight time and lift capacity. October 1,2022.